1.7

Length of Stay by Diagnosis, Southern Region, 1983

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1984

LENGTH OF STAY

Copyright 1984 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1983
. . . by Diagnosis, United States, North Central Region, 1983
. . . by Diagnosis, United States, Northeastern Region, 1983
. . . by Diagnosis, United States, Southern Region, 1983
. . . by Diagnosis, United States, Western Region, 1983
. . . by Diagnosis, Canada, 1983

. . . by Operation, United States, 1983
. . . by Operation, United States, North Central Region, 1983
. . . by Operation, United States, Northeastern Region, 1983
. . . by Operation, United States, Southern Region, 1983
. . . by Operation, United States, Western Region, 1983
. . . by Operation, Canada, 1983

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1983
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1983

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1983 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1983 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1983 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Associate

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 5
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: ***ICD-9-CM*** **Codes for Selected Diagnosis Groups** 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Instituttions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1983

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	338	38	11.2	6,280	752	12.0
25-49	1,149	209	18.2	42,121	8,059	19.1
50-99	1,318	360	27.3	94,345	26,054	27.6
100-199	1,249	364	29.1	177,461	52,322	29.5
200-299	708	224	31.6	172,540	55,481	32.2
300-399	400	134	33.5	136,410	45,867	33.6
400-499	267	89	33.3	118,309	39,670	33.5
500 or more	308	81	26.3	214,148	53,786	25.1
Total	5,737	1,499	26.1	961,614	281,991	29.3
Region and Census Division						
Northeast	824	326	39.6	205,590	69,937	34.0
New England	241	104	43.2	48,477	17,680	36.5
Middle Atlantic	583	222	38.1	157,113	52,257	33.3
North Central	1,690	487	28.8	277,521	99,035	35.7
East North Central	894	383	42.9	187,810	79,982	42.6
West North Central	796	104	13.1	89,711	19,053	21.2
South	2,154	382	17.8	336,048	69,411	20.7
South Atlantic	814	212	26.0	157,099	40,874	26.0
East South Central	499	94	18.8	71,520	14,728	20.6
West South Central	841	76	9.0	107,429	13,809	12.9
West	1,069	304	28.4	142,455	43,608	30.6
Mountain	366	124	33.9	38,924	18,391	47.2
Pacific	703	180	25.6	103,531	25,217	24.4
Total	5,737	1,499	26.1	961,614	281,991	29.3

The Pediatric book was compiled from the data of 1,485 hospitals. The Geriatric book was compiled from the data of 1,476 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1982 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening*,[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay*, Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g., a. acute myocardial infarction b. dissecting aortic aneurysm c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	6		345
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		136

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — see Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) (*see also* Cholecystitis, acute) 575.0
  - gangrenous (*see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current (*see also* Fever, paratyphoid) 002.9
  - suppurative (*see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — see Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** (*see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — see Cholelithiasis
- **Choleperitoneum, choleperitonitis** (*see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** (*see also* Cholera) 001.9
- **Cholestasis** (*see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) (*see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	**13018**	**7.9**	**11**	**5**	**5**	**7**	**9**	**11**	**13**	**18**
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	**50th (7)**	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	**3**	5	7	8	11
20-34	1724	3.4	5	1	1	**3**	4	6	7	11
35-49	1625	3.6	6	1	1	**3**	5	7	8	12
50-64	1648	4.2	8	1	1	**4**	5	8	10	14
65+	1465	5.3	16	1	2	**5**	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	**7**	9	11	13	18
20-34	15024	7.4	8	4	5	**7**	8	11	13	17
35-49	**13018**	**7.9**	**11**	**5**	**5**	**7**	**9**	**11**	**13**	**18**
50-64	13588	8.6	13	5	5	**8**	10	13	15	21
65+	7394	10.4	24	5	6	**9**	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	222952	3.2	7	1	1	3	4	5	6	12
20-34	123324	3.6	16	<1	1	3	4	6	9	20
35-49	53350	5.0	28	1	1	4	6	10	14	28
50-64	41677	5.6	31	1	1	4	7	11	15	28
65+	40902	6.5	38	1	2	5	8	13	17	31
B. *Operated*										
0-19 YRS	80070	3.1	11	<1	1	2	3	6	8	17
20-34	140301	3.7	10	1	1	3	5	7	9	16
35-49	71306	4.8	19	1	1	4	6	10	12	21
50-64	61742	5.6	26	1	2	4	8	12	15	24
65+	63698	6.5	42	1	2	4	9	15	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153949	4.5	28	1	2	3	5	8	11	28
20-34	94841	5.2	33	1	1	4	6	10	14	30
35-49	106200	6.1	35	1	2	5	7	12	16	30
50-64	169813	6.9	38	1	2	5	9	13	17	31
65+	325186	8.5	55	2	3	7	11	16	22	39
B. *Operated*										
0-19 YRS	59561	5.5	74	1	1	3	6	11	19	54
20-34	147665	5.5	34	1	2	4	6	9	13	31
35-49	107301	7.2	49	1	2	6	8	14	19	38
50-64	120619	9.2	81	2	2	7	12	18	25	49
65+	172379	11.5	116	2	2	9	15	24	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	482205	4.0	18	1	1	3	4	7	10	21
B. *Operated*	417117	4.5	21	1	1	3	5	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	849989	6.8	44	1	2	5	8	13	18	34
B. *Operated*	607525	8.2	79	1	2	6	10	17	24	48
1. SINGLE DX	899322	4.2	19	1	1	3	5	8	12	22
2. MULTIPLE DX	1457514	7.4	59	1	2	5	9	15	21	41
A. NOT OPERATED	1332194	5.8	36	1	2	4	7	12	16	31
B. OPERATED	1024642	6.7	59	1	2	4	8	14	20	40
TOTAL 0-19 YRS	516532	3.8	23	1	1	3	4	6	9	24
20-34	506131	4.5	23	1	1	3	5	8	11	25
35-49	338157	6.0	36	1	2	4	7	12	16	31
50-64	393851	7.3	50	1	2	5	9	14	19	37
65+	602165	9.0	73	2	2	7	11	18	24	45
GRAND TOTAL	**2356836**	**6.2**	**46**	**1**	**2**	**4**	**7**	**13**	**18**	**35**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93237	3.4	15	1	1	3	4	6	8	19
20-34	123324	3.6	16	<1	1	3	4	6	9	20
35-49	53350	5.0	28	1	1	4	6	10	14	28
50-64	41677	5.6	31	1	1	4	7	11	15	28
65+	40902	6.5	38	1	2	5	8	13	17	31
B. *Operated*										
0-19 YRS	80026	3.1	11	<1	1	2	3	6	8	17
20-34	140301	3.7	10	1	1	3	5	7	9	16
35-49	71306	4.8	19	1	1	4	6	10	12	21
50-64	61742	5.6	26	1	2	4	8	12	15	24
65+	63698	6.5	42	1	2	4	9	15	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92329	4.5	30	1	1	3	5	8	11	29
20-34	94841	5.2	33	1	1	4	6	10	14	30
35-49	106200	6.1	35	1	2	5	7	12	16	30
50-64	169813	6.9	38	1	2	5	9	13	17	31
65+	325186	8.5	55	2	3	7	11	16	22	39
B. *Operated*										
0-19 YRS	57233	4.9	49	1	1	3	5	10	16	40
20-34	147665	5.5	34	1	2	4	6	9	13	31
35-49	107301	7.2	49	1	2	6	8	14	19	38
50-64	120619	9.2	81	2	2	7	12	18	25	49
65+	172373	11.5	116	2	2	9	15	24	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352490	4.3	23	1	1	3	5	9	12	25
B. *Operated*	417073	4.5	21	1	1	3	5	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	788369	7.0	45	1	2	5	9	14	19	35
B. *Operated*	605197	8.2	77	1	2	6	10	17	24	47
1. SINGLE DX	769563	4.4	22	1	1	3	5	9	12	23
2. MULTIPLE DX	1393566	7.5	59	1	2	5	9	15	21	41
A. NOT OPERATED	1140859	6.2	40	1	2	4	8	12	17	32
B. OPERATED	1022270	6.7	58	1	2	4	8	14	20	40
TOTAL 0-19 YRS	322825	3.9	25	1	1	3	4	7	10	26
20-34	506131	4.5	23	1	1	3	5	8	11	25
35-49	338157	6.0	36	1	2	4	7	12	16	31
50-64	393851	7.3	50	1	2	5	9	14	19	37
65+	602165	9.0	73	2	2	7	11	18	24	45
GRAND TOTAL	**2163129**	**6.4**	**48**	**1**	**2**	**4**	**8**	**13**	**18**	**36**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A *Not Operated*										
0-19 YRS	2438	3.1	4	1	1	3	4	5	7	11
20-34	999	3.1	4	1	1	3	4	5	7	10
35-49	474	3.5	5	1	1	3	4	6	7	13
50-64	239	4.0	8	1	1	3	5	7	8	16
65+	209	4.7	13	1	2	4	6	9	11	21
B *Operated*										
0-19 YRS	37	6.7	38	2	2	5	8	12	14	37
20-34	45	5.4	6	2	3	5	6	8	10	12
35-49	19	6.3	15	1	2	5	7	12	15	17
50-64	11	6.3	16	1	1	6	10	12	12	12
65+	5	4.4	10	2	2	3	5	10	10	10
2. MULTIPLE DX										
A *Not Operated*										
0-19 YRS	3194	3.7	6	1	2	3	4	6	8	14
20-34	1233	3.7	9	1	1	3	5	7	8	11
35-49	779	4.3	10	1	2	4	5	7	9	16
50-64	800	5.1	14	2	2	4	6	9	12	22
65+	1315	6.2	26	2	2	5	8	11	14	25
B *Operated*										
0-19 YRS	69	8.1	91	3	3	5	7	15	21	59
20-34	67	6.5	18	3	3	5	7	13	17	21
35-49	66	7.6	43	2	2	5	9	16	20	37
50-64	63	13.3	67	2	4	10	14	23	40	68
65+	93	11.7	95	3	4	9	14	23	28	56
SUBTOTALS:										
1. SINGLE DX										
A *Not Operated*	4359	3.3	5	1	1	3	4	6	7	11
B *Operated*	117	6.0	18	2	2	5	7	11	13	24
2. MULTIPLE DX										
A *Not Operated*	7321	4.4	12	1	2	3	5	8	10	18
B *Operated*	358	9.6	89	2	3	7	11	19	25	59
1. SINGLE DX	4476	3.3	6	1	1	3	4	6	7	12
2. MULTIPLE DX	7679	4.6	17	1	2	4	5	8	11	21
A. NOT OPERATED	11680	4.0	10	1	1	3	5	7	9	16
B. OPERATED	475	8.7	74	2	3	6	10	16	23	57
TOTAL 0-19 YRS	5738	3.5	7	1	1	3	4	6	8	13
20-34	2344	3.6	7	1	1	3	4	6	8	12
35-49	1338	4.2	11	1	2	3	5	7	9	18
50-64	1113	5.4	25	1	2	4	6	10	13	23
65+	1622	5.3	30	2	2	5	8	12	15	27
GRAND TOTAL	**12155**	**4.1**	**13**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A *Not Operated*										
0-19 YRS	15	4.0	11	1	1	4	5	7	12	14
20-34	55	9.5	32	2	3	8	13	17	20	24
35-49	37	10.3	31	3	4	10	14	18	21	23
50-64	37	9.8	45	3	3	8	14	19	22	30
65+	44	10.4	44	2	3	10	14	19	22	30
B *Operated*										
0-19 YRS	8	10.3	31	3	4	9	13	19	21	21
20-34	12	12.7	37	5	5	11	17	22	24	24
35-49	25	12.9	87	4	5	11	16	20	28	51
50-64	28	12.6	78	2	3	11	15	27	33	34
65+	32	14.2	124	2	3	13	16	20	31	65
2. MULTIPLE DX										
A *Not Operated*										
0-19 YRS	14	9.0	70	3	4	7	8	16	32	36
20-34	47	14.7	246	3	5	11	16	29	71	99+
35-49	88	12.9	158	3	4	10	15	28	34	75
50-64	112	14.2	127	3	4	12	18	32	43	70
65+	197	15.1	146	3	4	12	19	27	36	67
B *Operated*										
0-19 YRS	7	11.9	43	5	5	11	14	22	24	24
20-34	24	11.5	29	2	5	11	15	17	21	25
35-49	69	17.1	226	3	5	14	21	31	55	99
50-64	85	14.7	123	3	4	12	15	27	35	61
65+	138	17.8	176	3	6	14	23	37	50	78
SUBTOTALS:										
1. SINGLE DX										
A *Not Operated*	188	9.5	37	2	3	8	13	18	21	28
B *Operated*	105	13.0	84	2	4	12	15	21	28	57
2. MULTIPLE DX										
A *Not Operated*	458	14.2	152	3	4	11	17	28	40	73
B *Operated*	323	16.2	161	3	5	13	20	30	42	80
1. SINGLE DX	293	10.7	57	2	3	9	14	19	23	34
2. MULTIPLE DX	781	15.0	157	3	4	12	18	28	41	74
A. NOT OPERATED	646	12.8	123	3	4	10	16	25	32	69
B. OPERATED	428	15.4	144	3	5	13	19	28	39	73
TOTAL 0-19 YRS	44	8.0	45	1	2	6	10	14	22	36
20-34	138	11.9	108	3	4	10	15	19	24	76
35-49	219	13.8	154	3	4	10	17	27	33	91
50-64	262	13.6	111	3	3	11	17	27	36	52
65+	411	15.4	147	3	4	13	19	28	39	70
GRAND TOTAL	**1074**	**13.9**	**133**	**3**	**4**	**11**	**17**	**26**	**36**	**71**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	3	2.3	1	1	1	3	3	3	3	3
35-49	3	23.0	468	5	5	17	39	47	47	47
50-64	2	7.5	13	5	5	7	10	10	10	10
65+	6	9.8	39	2	2	9	16	18	18	18
B. *Operated*										
0-19 YRS	11	8.0	72	<1	1	5	10	20	30	31
20-34	7	4.6	10	<1	1	4	5	10	11	11
35-49	4	19.3	117	9	9	17	27	34	34	34
50-64	7	10.3	58	3	3	10	13	23	25	25
65+	4	20.3	218	2	2	22	32	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	18.5	313	6	6	18	31	31	31	31
20-34	6	6.8	32	2	2	8	14	14	14	14
35-49	10	19.0	343	5	5	10	24	51	61	61
50-64	11	10.1	40	3	4	10	12	19	25	26
65+	24	13.5	147	4	4	9	21	41	57	99+
B. *Operated*										
0-19 YRS	8	12.1	88	1	2	8	19	27	29	29
20-34	10	18.0	88	7	7	15	29	31	32	32
35-49	12	10.9	82	1	2	10	18	43	89	99+
50-64	19	23.6	446	2	4	20	24	48	77	95
65+	27	26.9	253	4	6	23	34	52	65	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	9.5	123	1	2	5	12	18	37	47
B. *Operated*	33	10.6	98	<1	2	7	13	29	34	35
2. MULTIPLE DX										
A. *Not Operated*	53	13.3	155	3	4	9	19	38	43	98
B. *Operated*	76	20.8	280	2	4	18	27	44	60	99
1. SINGLE DX	50	10.2	104	1	2	6	13	27	34	47
2. MULTIPLE DX	129	17.7	241	2	4	14	24	41	54	99+
A. NOT OPERATED	70	12.4	148	2	3	8	16	34	43	92
B. OPERATED	109	17.7	246	2	3	15	25	35	53	97
TOTAL 0-19 YRS	24	9.7	87	1	2	6	11	29	31	31
20-34	26	10.0	84	1	2	6	15	28	30	32
35-49	29	16.1	209	3	3	12	24	44	61	99+
50-64	39	16.6	280	2	3	13	22	27	48	95
65+	61	19.5	246	3	4	17	28	44	57	96
GRAND TOTAL	**179**	**15.6**	**214**	**2**	**3**	**11**	**22**	**35**	**47**	**98**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	240	2.7	2	1	1	2	3	4	6	8
20-34	88	2.9	2	<1	<1	3	4	5	5	6
35-49	44	3.2	2	1	2	3	4	5	6	7
50-64	11	3.6	5	2	2	2	5	7	8	8
65+	7	3.9	2	2	2	4	5	6	6	6
B. *Operated*										
0-19 YRS	37	2.1	2	1	1	2	2	2	5	9
20-34	3	1.7		1	1	2	2	2	2	2
35-49	5	1.4		1	1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	441	3.2	3	1	1	3	4	5	6	10
20-34	144	3.7	3	1	2	3	5	6	7	10
35-49	72	4.1	5	2	2	4	5	6	9	14
50-64	48	5.1	8	2	2	5	7	9	11	12
65+	35	5.5	10	2	2	5	7	10	13	14
B. *Operated*										
0-19 YRS	23	3.8	34	1	2	2	4	5	14	30
20-34	6	6.3	20	2	2	5	6	14	15	15
35-49	2	7.5	5	6	6	7	9	9	9	9
50-64	1	5.0		5	5	5	5	5	5	5
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	2.9	2	1	1	3	4	5	6	8
B. *Operated*	45	2.0	2	1	1	2	2	2	4	9
2. MULTIPLE DX										
A. *Not Operated*	740	3.6	4	1	2	3	4	6	8	11
B. *Operated*	32	4.5	29	2	2	3	5	7	14	30
1. SINGLE DX	435	2.8	2	1	1	2	3	5	6	8
2. MULTIPLE DX	772	3.6	5	1	2	3	4	6	8	11
A. NOT OPERATED	1130	3.4	4	1	1	3	4	6	7	10
B. OPERATED	77	3.0	14	1	1	2	3	5	8	26
TOTAL 0-19 YRS	741	3.0	4	1	1	3	4	5	6	10
20-34	241	3.5	3	1	1	3	4	5	6	10
35-49	123	3.7	4	1	2	3	5	6	7	12
50-64	60	4.8	7	2	2	4	6	9	10	12
65+	42	5.2	9	2	2	5	6	9	13	14
GRAND TOTAL	**1207**	**3.3**	**4**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	377	5.5	14	2	2	4	7	11	12	16
20-34	19	6.7	83	1	2	5	7	9	28	43
35-49	21	6.7	33	1	2	6	8	10	19	29
50-64	24	8.8	49	2	3	7	10	16	25	34
65+	80	9.2	21	3	4	8	12	15	18	22
B. *Operated*										
0-19 YRS	13	8.5	25	<1	2	8	14	14	15	15
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	3	7.3	34	3	3	5	12	14	14	14
50-64	4	6.3	45	1	1	4	10	16	16	16
65+	2	16.0	32	12	12	16	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	525	6.3	19	2	2	5	8	12	14	23
20-34	125	9.7	69	2	3	7	11	22	30	39
35-49	175	10.5	84	2	3	8	12	21	27	38
50-64	357	11.4	53	3	4	10	14	20	27	39
65+	1557	13.1	89	4	5	11	16	23	30	60
B. *Operated*										
0-19 YRS	43	13.7	164	2	3	12	18	29	52	99+
20-34	42	19.6	305	4	6	13	23	45	58	90
35-49	40	19.2	276	5	5	15	29	49	65	99+
50-64	104	22.3	242	6	8	19	27	51	68	99+
65+	359	22.1	242	6	8	18	29	41	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	6.3	22	2	2	5	8	12	14	22
B. *Operated*	24	8.4	31	1	2	7	14	15	17	20
2. MULTIPLE DX										
A. *Not Operated*	2739	11.3	76	3	4	9	14	21	27	46
B. *Operated*	588	21.1	247	5	6	17	27	42	60	99+
1. SINGLE DX	545	6.4	22	2	2	5	8	12	14	21
2. MULTIPLE DX	3327	13.0	120	3	4	10	16	26	34	67
A. NOT OPERATED	3260	10.5	71	2	3	9	13	20	26	44
B. OPERATED	612	20.6	245	5	6	16	27	41	58	99+
TOTAL 0-19 YRS	958	6.4	26	2	2	5	8	12	15	27
20-34	188	11.6	141	2	3	8	14	25	34	58
35-49	239	11.6	123	2	3	8	14	26	33	79
50-64	489	13.5	113	3	5	11	16	26	36	74
65+	1998	14.6	126	4	5	12	17	27	37	69
GRAND TOTAL	**3872**	**12.1**	**112**	**3**	**3**	**9**	**15**	**24**	**32**	**65**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	246	7.5	21	2	2	7	11	14	15	22
20-34	52	5.1	10	2	2	4	6	10	12	13
35-49	32	8.2	69	1	2	5	10	16	30	40
50-64	24	6.3	35	2	3	4	6	11	24	25
65+	30	6.6	20	3	3	6	8	13	16	21
B. *Operated*										
0-19 YRS	12	6.8	23	2	2	6	11	13	14	14
20-34	5	11.4	375	2	2	3	14	46	46	46
35-49	5	13.8	55	3	3	16	18	23	23	23
50-64	5	6.4	13	2	2	8	9	10	10	10
65+	5	12.6	78	3	3	12	16	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	253	7.1	23	2	2	6	10	13	15	24
20-34	63	6.7	41	2	2	5	8	13	18	41
35-49	87	8.0	29	3	3	7	10	14	18	32
50-64	108	8.7	38	3	3	7	11	17	22	30
65+	204	9.9	61	3	4	8	12	17	23	47
B. *Operated*										
0-19 YRS	31	13.3	75	2	4	11	19	26	28	38
20-34	25	16.1	221	4	4	11	21	31	53	68
35-49	18	10.0	56	2	3	9	11	18	28	34
50-64	37	18.9	282	4	5	13	28	34	58	77
65+	64	17.6	256	3	4	13	23	42	51	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	7.1	25	2	2	6	10	13	15	25
B. *Operated*	32	9.5	85	2	2	9	12	18	27	46
2. MULTIPLE DX										
A. *Not Operated*	715	8.2	40	2	3	7	11	15	19	31
B. *Operated*	175	16.1	208	3	4	11	21	33	46	75
1. SINGLE DX	416	7.3	30	2	2	6	10	13	16	28
2. MULTIPLE DX	890	9.8	82	2	3	7	12	19	26	49
A. NOT OPERATED	1099	7.8	35	2	3	7	10	14	17	30
B. OPERATED	207	15.1	194	2	3	11	19	31	45	72
TOTAL 0-19 YRS	542	7.6	27	2	2	7	11	14	16	28
20-34	145	7.9	84	2	2	5	9	15	23	49
35-49	142	8.5	43	2	3	7	10	15	22	34
50-64	174	10.4	107	3	3	7	12	24	30	60
65+	303	11.3	110	3	3	9	13	21	28	60
GRAND TOTAL	**1306**	**9.0**	**67**	**2**	**3**	**7**	**11**	**16**	**23**	**45**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1229	3.3	4	1	1	3	4	6	7	11
20-34	530	3.9	5	1	2	3	5	7	8	11
35-49	109	4.3	5	2	2	4	5	7	9	13
50-64	24	5.0	12	1	2	4	5	10	13	17
65+	5	5.6	8	2	2	5	8	9	9	9
B. *Operated*										
0-19 YRS	10	6.8	12	2	3	6	10	12	12	12
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	2	6.5	5	5	5	6	8	8	8	8
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	483	4.1	9	1	2	4	5	7	9	14
20-34	244	4.8	13	2	2	4	5	9	10	19
35-49	75	5.9	11	2	2	5	8	10	14	16
50-64	28	8.8	24	3	4	8	10	16	21	22
65+	13	7.3	12	2	2	8	11	21	82	99+
B. *Operated*										
0-19 YRS	22	5.9	13	1	2	5	7	11	14	16
20-34	13	6.2	7	3	3	6	8	10	11	11
35-49	4	15.3	16	12	12	15	41	99+	99+	99+
50-64	4	12.3	79	4	4	10	19	24	24	24
65+	4	20.8	70	15	15	17	26	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1897	3.6	5	1	1	3	4	6	7	11
B. *Operated*	15	6.8	10	2	3	6	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	843	4.6	12	2	2	4	5	9	11	17
B. *Operated*	47	8.6	42	2	3	7	12	18	25	99+
1. SINGLE DX	1912	3.6	5	1	1	3	4	6	8	11
2. MULTIPLE DX	890	4.8	14	2	2	4	6	9	[illegible]	21
A. NOT OPERATED	2740	3.9	7	1	2	3	5	7	9	14
B. OPERATED	62	8.1	34	2	3	7	11	16	22	91
TOTAL 0-19 YRS	1744	3.6	6	1	1	3	4	6	8	12
20-34	789	4.2	7	2	2	4	5	7	9	14
35-49	190	5.2	11	2	2	5	6	9	12	19
50-64	57	7.4	26	2	2	6	9	14	20	24
65+	22	9.4	49	2	2	8	12	22	56	99+
GRAND TOTAL	**2802**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**9**	**15**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	298	3.3	4	1	1	3	4	5	7	11
20-34	88	4.1	6	<1	1	4	5	7	8	14
35-49	55	5.4	17	1	2	5	6	9	14	23
50-64	93	5.9	13	1	2	5	8	11	14	16
65+	170	6.7	19	2	3	6	8	11	14	26
B. *Operated*										
0-19 YRS	5	23.6	588	5	5	12	40	62	62	62
20-34	4	9.8	18	4	4	10	12	14	14	14
35-49	2	7.5	13	5	5	7	10	10	10	10
50-64	6	6.0	4	3	3	6	7	9	9	9
65+	13	7.5	37	<1	1	5	11	18	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	570	4.1	17	1	2	3	5	7	9	18
20-34	101	4.9	7	2	2	4	6	8	10	15
35-49	96	6.5	20	2	2	6	8	12	15	25
50-64	254	6.4	19	2	2	5	8	12	17	21
65+	813	9.5	56	2	3	7	11	18	25	39
B. *Operated*										
0-19 YRS	19	11.2	122	3	3	7	13	21	37	49
20-34	4	11.8	96	2	2	10	19	24	24	24
35-49	12	9.8	64	3	4	7	11	24	29	30
50-64	28	12.3	68	3	5	9	18	27	36	99+
65+	78	13.8	102	3	5	12	17	29	38	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	704	4.7	12	1	2	4	6	9	11	18
B. *Operated*	30	10.2	138	2	3	6	11	19	33	62
2. MULTIPLE DX										
A. *Not Operated*	1834	7.0	40	2	2	5	9	13	19	33
B. *Operated*	141	12.7	94	3	4	10	18	25	35	99+
1. SINGLE DX	734	4.9	18	1	2	4	6	9	12	20
2. MULTIPLE DX	1975	7.4	46	2	2	5	9	15	20	37
A. NOT OPERATED	2538	6.4	33	1	2	5	8	12	16	30
B. OPERATED	171	12.3	102	2	4	9	16	24	35	91
TOTAL 0-19 YRS	892	4.1	21	1	1	3	5	6	9	21
20-34	197	4.8	10	1	2	4	6	8	10	16
35-49	165	6.4	23	2	2	5	8	12	15	26
50-64	381	6.7	23	2	2	6	8	12	18	28
65+	1074	9.3	56	2	3	7	11	18	24	39
GRAND TOTAL	**2709**	**6.7**	**40**	**1**	**2**	**5**	**8**	**13**	**18**	**34**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A *Not Operated*										
0-19 YRS	133	5.6	13	2	2	5	7	9	12	20
20-34	450	6.8	17	2	3	6	8	12	15	23
35-49	129	7.0	23	2	3	5	9	14	19	21
50-64	48	8.9	52	2	3	7	11	16	19	46
65+	21	8.9	20	3	5	8	10	16	19	20
B *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	12	9.2	27	2	3	8	13	17	18	18
35-49	8	6.1	17	2	2	6	10	12	12	12
50-64	8	8.5	42	3	3	6	11	20	22	22
65+	7	11.6	49	2	2	12	16	21	22	22
2. MULTIPLE DX										
A *Not Operated*										
0-19 YRS	73	6.3	14	2	2	5	8	11	14	20
20-34	260	7.2	20	2	2	6	9	13	17	22
35-49	99	9.4	45	2	3	8	12	19	25	32
50-64	88	9.7	46	3	3	8	13	18	26	32
65+	103	10.1	39	3	4	9	12	19	25	30
B *Operated*										
0-19 YRS	7	10.0	14	4	5	10	13	15	15	15
20-34	16	9.8	22	4	4	10	11	17	20	21
35-49	17	10.4	48	1	2	10	14	17	24	28
50-64	26	14.8	131	4	5	10	18	37	40	44
65+	28	13.8	68	6	6	13	16	26	32	40
SUBTOTALS:										
1. SINGLE DX										
A *Not Operated*	781	6.8	20	2	2	6	8	12	15	22
B *Operated*	36	8.6	33	2	2	8	12	16	21	22
2. MULTIPLE DX										
A *Not Operated*	623	8.3	32	2	3	7	10	15	19	29
B *Operated*	94	12.5	72	3	4	10	15	22	34	42
1. SINGLE DX	817	6.9	21	2	2	6	9	12	16	22
2. MULTIPLE DX	717	8.8	39	2	3	7	11	16	21	32
A. NOT OPERATED	1404	7.5	26	2	3	6	9	14	18	26
B. OPERATED	130	11.4	64	2	3	10	14	20	28	41
TOTAL 0-19 YRS	214	5.9	14	2	2	5	7	10	13	20
20-34	738	7.0	19	2	3	6	9	12	16	22
35-49	253	8.1	34	2	3	6	11	16	20	28
50-64	170	10.2	63	3	3	8	13	18	29	43
65+	159	10.7	44	3	4	9	13	20	25	31
GRAND TOTAL	**1534**	**7.8**	**30**	**2**	**3**	**7**	**10**	**14**	**19**	**28**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A *Not Operated*										
0-19 YRS	465	4.3	6	1	2	4	5	8	9	12
20-34	140	4.9	6	2	2	4	6	8	10	13
35-49	24	6.0	8	2	3	6	7	9	12	13
50-64	10	7.5	35	3	3	5	11	17	22	22
65+										
B *Operated*										
0-19 YRS	6	5.0	5	1	1	6	6	7	7	7
20-34	9	5.6	14	2	2	4	9	11	11	11
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A *Not Operated*										
0-19 YRS	522	4.4	7	2	2	4	5	8	10	14
20-34	175	4.5	5	2	2	4	6	8	9	12
35-49	26	6.7	31	2	3	5	8	11	16	30
50-64	6	6.3	20	3	3	5	9	13	14	14
65+	3	16.0	508	2	2	4	32	42	42	42
B *Operated*										
0-19 YRS	18	12.4	176	2	3	9	14	28	48	57
20-34	10	6.4	12	3	3	5	9	11	12	12
35-49	3	6.7	2	5	5	7	8	8	8	8
50-64	1	10.0		10	10	10	10	10	10	10
65+										
SUBTOTALS:										
1. SINGLE DX										
A *Not Operated*	639	4.5	7	2	2	4	6	8	10	13
B *Operated*	16	5.4	9	1	2	6	7	10	11	11
2. MULTIPLE DX										
A *Not Operated*	732	4.6	9	2	2	4	6	8	9	14
B *Operated*	32	9.9	109	3	3	7	11	15	32	57
1. SINGLE DX	655	4.5	7	2	2	4	6	8	10	13
2. MULTIPLE DX	764	4.8	14	2	2	4	6	8	10	15
A. NOT OPERATED	1371	4.6	8	2	2	4	6	8	9	14
B. OPERATED	48	8.4	79	2	2	6	10	13	17	57
TOTAL 0-19 YRS	1011	4.5	10	2	2	4	5	8	10	14
20-34	334	4.8	6	2	2	4	6	8	10	12
35-49	54	6.4	18	2	3	6	8	10	12	29
50-64	17	7.2	27	3	3	5	10	13	19	22
65+	3	16.0	508	2	2	4	32	42	42	42
GRAND TOTAL	**1419**	**4.7**	**11**	**2**	**2**	**4**	**6**	**8**	**10**	**14**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	6	2.5	1	<1	<1	2	3	4	4	4
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	184	2.0	1	<1	<1	2	3	4	4	6
20-34	413	2.1	1	<1	<1	2	3	3	4	6
35-49	123	2.6	6	<1	<1	2	3	4	6	17
50-64	46	2.7	2	1	1	2	3	5	5	8
65+	13	3.1	2	1	1	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	11	2.6	5	<1	<1	2	4	6	8	8
35-49	3	6.7	10	3	3	8	9	9	9	9
50-64	4	4.5	10	1	1	4	7	8	8	8
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	45	4.0	36	<1	1	2	3	7	14	37
20-34	171	3.1	4	1	1	3	4	5	7	11
35-49	82	3.6	4	1	2	3	4	7	8	10
50-64	37	4.0	8	2	2	3	4	9	9	14
65+	15	4.5	11	2	2	3	5	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.1	2	<1	<1	2	3	4	5	5
B. *Operated*	779	2.2	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	24	3.3	7	<1	1	2	5	8	9	9
B. *Operated*	350	3.5	9	1	1	3	4	6	9	12
1. SINGLE DX	793	2.2	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX	374	3.5	9	1	1	3	4	6	9	12
A. NOT OPERATED	38	2.9	5	<1	<1	2	4	7	8	9
B. OPERATED	1129	2.6	5	<1	<1	2	3	4	6	10
TOTAL 0-19 YRS	234	2.4	8	<1	<1	2	3	4	4	13
20-34	601	2.4	2	<1	<1	2	3	4	5	8
35-49	211	3.0	6	<1	1	2	4	5	8	12
50-64	89	3.3	5	1	2	2	4	6	9	12
65+	32	3.7	7	1	2	3	4	7	11	12
GRAND TOTAL	**1167**	**2.6**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1826	2.8	3	1	1	3	4	5	6	8
20-34	541	3.2	4	1	1	3	4	6	7	12
35-49	228	3.6	8	1	1	3	4	6	8	12
50-64	128	4.0	5	1	2	4	5	7	8	11
65+	107	5.1	16	1	2	4	6	9	13	25
B. *Operated*										
0-19 YRS	48	3.7	9	1	1	3	5	7	9	15
20-34	35	4.4	16	<1	1	3	6	7	14	19
35-49	15	7.5	57	2	3	5	8	12	28	33
50-64	10	9.1	38	2	2	9	13	17	21	21
65+	3	17.7	64	10	10	17	24	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2029	3.2	4	1	1	3	4	5	7	11
20-34	850	3.9	8	1	2	3	5	7	9	16
35-49	546	4.3	7	1	2	4	5	8	9	13
50-64	585	5.2	17	2	2	4	6	9	11	20
65+	816	5.9	17	2	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	73	6.9	88	1	2	5	7	11	15	56
20-34	43	8.3	96	2	2	6	9	13	19	65
35-49	38	7.2	23	2	3	6	10	12	14	27
50-64	40	9.7	34	1	2	8	11	19	22	28
65+	51	15.3	146	4	5	13	19	29	44	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2830	3.1	4	1	1	3	4	5	6	10
B. *Operated*	111	5.3	28	1	1	4	6	12	15	29
2. MULTIPLE DX										
A. *Not Operated*	4826	4.1	10	1	2	3	5	7	9	16
B. *Operated*	245	9.4	92	2	2	7	11	19	24	57
1. SINGLE DX	2941	3.2	5	1	1	3	4	5	7	12
2. MULTIPLE DX	5071	4.4	15	1	2	3	5	8	11	19
A. NOT OPERATED	7656	3.7	8	1	1	3	5	7	9	15
B. OPERATED	356	8.1	75	1	2	6	10	16	22	53
TOTAL 0-19 YRS	3976	3.1	5	1	1	3	4	5	6	11
20-34	1469	3.8	10	1	1	3	5	7	8	15
35-49	827	4.3	10	1	2	4	5	8	10	14
50-64	763	5.2	18	1	2	4	6	9	12	20
65+	977	6.4	29	2	2	5	8	12	16	26
GRAND TOTAL	**8012**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	4.0	5	1	2	4	5	6	8	13
20-34	83	4.4	5	2	2	4	5	7	9	14
35-49	48	4.6	7	2	2	4	5	9	11	13
50-64	19	7.1	34	2	2	5	9	12	20	27
65+	13	5.8	10	2	2	6	8	9	12	13
B. *Operated*										
0-19 YRS	5	3.0	3	1	1	3	4	5	5	5
20-34	4	6.5	10	4	4	5	8	11	11	11
35-49	3	9.3	16	7	7	7	12	14	14	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	4.8	7	1	2	4	6	8	10	13
20-34	51	4.9	8	2	2	4	6	8	9	16
35-49	41	4.8	5	2	2	4	5	8	10	11
50-64	21	7.4	21	3	3	7	8	14	19	22
65+	28	9.0	28	3	4	8	12	16	19	26
B. *Operated*										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49	2	23.0	8	21	21	23	25	25	25	25
50-64	4	12.5	30	7	7	12	17	19	19	19
65+	5	19.6	337	7	7	9	30	50	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	333	4.4	7	2	2	4	5	8	10	13
B. *Operated*	12	5.8	14	1	2	5	7	12	14	14
2. MULTIPLE DX										
A. *Not Operated*	223	5.6	13	2	2	5	7	10	13	19
B. *Operated*	15	15.0	137	6	[illegible]	9	20	25	44	50
1. SINGLE DX	345	4.5	8	2	2	4	5	8	10	14
2. MULTIPLE DX	238	6.2	25	2	2	5	7	10	15	25
A. NOT OPERATED	556	4.9	10	2	2	4	6	8	11	16
B. OPERATED	27	10.9	102	2	3	7	13	23	29	50
TOTAL 0-19 YRS	259	4.3	5	1	2	4	5	7	9	13
20-34	140	4.7	7	2	2	4	6	8	9	14
35-49	94	5.2	14	2	2	4	6	9	12	23
50-64	44	7.7	29	2	3	6	9	15	20	27
65+	46	9.3	65	3	3	7	10	17	24	50
GRAND TOTAL	**583**	**5.2**	**16**	**2**	**2**	**4**	**6**	**9**	**12**	**22**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	4.3	6	1	2	4	5	8	10	11
20-34	157	4.2	4	<1	2	4	5	7	8	10
35-49	19	4.4	8	2	2	4	5	8	12	13
50-64	11	5.2	31	1	1	4	8	15	17	17
65+	13	5.5	21	1	2	5	6	14	16	17
B. *Operated*										
0-19 YRS	20	3.4	6	<1	1	3	5	7	8	8
20-34	52	4.0	15	<1	1	3	5	9	13	18
35-49	18	5.1	47	<1	<1	2	8	13	22	28
50-64	6	4.5	7	2	2	4	5	9	9	9
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	5.9	15	1	3	5	7	10	11	25
20-34	161	5.4	8	2	3	5	7	9	10	15
35-49	25	6.8	24	2	2	5	9	14	18	18
50-64	18	10.7	49	2	3	10	14	21	25	27
65+	44	9.6	55	1	2	8	14	17	26	34
B. *Operated*										
0-19 YRS	15	6.3	27	<1	1	5	9	15	16	17
20-34	41	7.9	164	1	1	4	10	15	18	82
35-49	20	7.8	38	1	1	6	11	17	20	22
50-64	5	10.8	91	<1	<1	8	16	26	26	26
65+	7	12.6	129	2	2	11	18	30	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295	4.3	6	<1	2	4	5	7	10	13
B. *Operated*	98	4.1	18	<1	1	2	5	9	12	23
2. MULTIPLE DX										
A. *Not Operated*	319	6.5	22	1	3	5	8	12	15	27
B. *Operated*	88	8.1	104	1	1	5	11	17	19	63
1. SINGLE DX	393	4.3	9	<1	1	4	5	8	10	16
2. MULTIPLE DX	407	6.8	40	1	2	5	8	13	17	28
A. NOT OPERATED	614	5.4	16	1	2	4	7	10	13	22
B. OPERATED	186	6.0	62	<1	1	3	8	14	18	31
TOTAL 0-19 YRS	201	4.9	11	1	1	4	6	9	10	16
20-34	411	5.0	24	1	2	4	6	9	10	18
35-49	82	6.1	29	1	2	4	8	14	18	26
50-64	40	8.3	48	1	1	6	13	17	24	27
65+	66	8.9	58	1	2	6	13	18	26	34
GRAND TOTAL	**800**	**5.6**	**27**	**1**	**2**	**4**	**7**	**10**	**14**	**25**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.9	4	<1	<1	2	4	6	7	7
20-34	13	5.3	36	<1	<1	4	6	11	21	24
35-49	11	10.2	143	<1	<1	3	21	28	33	34
50-64	12	8.8	111	<1	3	6	8	21	38	41
65+	5	17.8	675	2	2	7	23	64	64	64
B. *Operated*										
0-19 YRS	9	9.0	116	1	1	6	9	27	36	36
20-34	17	13.4	171	<1	1	11	18	35	43	47
35-49	21	12.2	292	1	1	6	18	24	49	78
50-64	23	6.7	48	<1	1	4	10	14	22	30
65+	18	11.7	398	1	2	4	15	27	63	85
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	4.7	6	2	2	4	6	8	10	11
20-34	36	7.4	77	<1	1	4	8	16	23	47
35-49	49	9.2	187	1	2	5	9	17	28	78
50-64	70	12.2	297	1	2	7	11	26	53	86
65+	77	12.6	154	3	4	9	15	23	31	81
B. *Operated*										
0-19 YRS	8	12.3	448	1	1	4	9	48	64	64
20-34	34	17.7	470	2	3	9	22	48	67	87
35-49	39	15.6	277	2	3	9	20	37	59	71
50-64	38	14.9	354	2	2	7	13	48	54	80
65+	48	16.2	306	3	3	10	19	40	62	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	6.5	102	<1	<1	4	7	14	24	59
B. *Operated*	88	10.6	206	1	1	6	14	25	36	82
2. MULTIPLE DX										
A. *Not Operated*	299	9.5	158	1	2	6	10	19	27	81
B. *Operated*	167	15.9	337	2	3	9	19	45	61	79
1. SINGLE DX	159	8.7	163	<1	1	4	9	21	33	77
2. MULTIPLE DX	466	11.8	231	2	3	7	13	26	49	80
A. NOT OPERATED	370	9.0	149	1	2	5	9	18	26	75
B. OPERATED	255	14.0	297	2	2	7	17	37	56	80
TOTAL 0-19 YRS	114	5.1	46	<1	1	4	6	8	10	46
20-34	100	11.6	231	<1	1	6	13	32	47	78
35-49	120	11.9	233	1	2	6	15	25	44	78
50-64	143	11.7	260	1	2	7	11	31	50	83
65+	148	13.8	246	2	3	9	16	31	47	85
GRAND TOTAL	**625**	**11.0**	**215**	**1**	**2**	**6**	**12**	**25**	**46**	**79**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	1	1	1	3	3	4	4	4
20-34	8	6.1	22	<1	1	5	8	14	16	16
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64										
65+	5	4.0	3	3	3	3	5	7	7	7
B. *Operated*										
0-19 YRS	10	5.0	7	3	3	4	5	9	11	11
20-34	5	7.0	34	1	1	7	11	15	15	15
35-49	3	5.3	26	1	1	4	9	11	11	11
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	4.0	7	1	1	3	5	9	10	10
20-34	6	8.8	46	2	2	9	11	19	20	20
35-49	10	6.1	13	1	2	5	10	11	11	11
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	7	8.1	89	1	2	5	7	25	29	29
B. *Operated*										
0-19 YRS	8	5.8	17	2	2	5	7	13	15	15
20-34	8	5.9	24	2	2	4	7	14	17	17
35-49	4	12.0	62	5	5	10	17	23	23	23
50-64	5	30.2	1239	9	9	14	42	92	92	92
65+	2	7.5	1	7	7	7	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	4.4	11	<1	1	3	5	8	12	16
B. *Operated*	20	5.2	15	1	1	4	7	11	13	15
2. MULTIPLE DX										
A. *Not Operated*	53	5.5	24	1	2	4	7	11	11	29
B. *Operated*	27	11.4	297	2	2	7	11	22	36	92
1. SINGLE DX	42	4.8	13	1	1	4	5	10	13	16
2. MULTIPLE DX	80	7.5	121	1	2	5	8	13	21	73
A. NOT OPERATED	75	5.2	20	1	1	4	7	10	11	27
B. OPERATED	47	8.7	184	1	2	5	10	15	23	92
TOTAL 0-19 YRS	53	4.2	8	1	2	4	5	8	10	15
20-34	27	6.8	28	1	2	5	10	16	17	20
35-49	19	7.1	27	1	2	7	10	12	18	23
50-64	7	23.1	972	4	5	10	23	79	92	92
65+	16	5.9	43	1	1	4	7	8	23	29
GRAND TOTAL	**122**	**6.6**	**85**	**1**	**2**	**4**	**8**	**11**	**16**	**47**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	30	3.9	17	<1	<1	3	5	6	7	24
20-34	51	4.0	6	<1	1	3	5	7	8	15
35-49	27	4.7	8	1	2	4	6	7	10	13
50-64	6	6.2	25	2	2	5	6	15	16	16
65+	6	6.5	22	2	2	5	8	14	15	15
B. *Operated*										
0-19 YRS.	14	4.0	6	1	2	4	5	7	9	10
20-34	175	5.1	22	1	2	4	6	10	13	24
35-49	79	5.0	17	2	2	4	6	10	13	23
50-64	25	5.2	15	1	2	4	6	10	16	16
65+	9	6.7	19	3	3	5	8	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	42	6.0	24	1	2	5	7	10	13	30
20-34	106	5.4	20	1	2	4	6	10	13	25
35-49	101	7.3	40	2	2	5	9	14	21	34
50-64	62	8.3	22	2	3	7	11	15	16	24
65+	65	7.8	31	3	3	5	9	14	21	30
B. *Operated*										
0-19 YRS.	21	7.7	55	2	2	4	11	20	26	29
20-34	147	7.3	35	1	2	6	10	15	19	29
35-49	110	7.7	34	2	2	6	10	15	20	29
50-64	51	10.1	69	2	3	7	14	22	24	44
65+	42	12.7	128	2	3	10	14	27	35	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	4.4	11	<1	1	4	5	7	9	18
B. *Operated*	302	5.1	19	1	2	4	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	356	6.8	29	2	2	5	8	13	18	30
B. *Operated*	371	8.5	53	2	2	6	11	17	24	33
1. SINGLE DX	422	4.9	17	1	2	4	6	9	13	23
2. MULTIPLE DX	727	7.6	42	2	2	6	10	15	20	31
A. NOT OPERATED	476	6.2	25	1	2	5	8	12*	15	29
B. OPERATED	673	6.9	41	2	2	5	9	14	20	30
TOTAL 0-19 YRS.	107	5.5	27	1	2	4	6	11	15	29
20-34	479	5.7	25	1	2	4	7	11	15	26
35-49	317	6.6	31	2	2	5	8	13	19	31
50-64	144	8.3	60	2	2	6	11	16	21	30
65+	102	9.6	75	3	3	7	12	20	27	47
GRAND TOTAL	**1149**	**6.6**	**35**	**2**	**2**	**5**	**8**	**13**	**18**	**30**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.										
20-34										
35-49										
50-64	3	10.0	75	5	5	5	16	20	20	20
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS.										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	3	5.7	41	1	1	3	10	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	1	9.0		9	9	9	9	9	9	9
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	9.0	13	5	5	10	11	12	12	12
50-64	5	3.2	5	1	1	3	5	6	6	6
65+	8	6.1	16	1	2	5	9	12	13	13
B. *Operated*										
0-19 YRS.	3	3.3	1	2	2	4	4	4	4	4
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	6	5.0	26	1	1	2	11	12	12	12
50-64	6	5.5	16	2	2	5	9	11	11	11
65+	4	22.5	510	2	2	19	40	51	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	8.8	56	5	5	5	13	20	20	20
B. *Operated*	4	4.5	33	1	1	2	8	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	19	5.7	14	1	1	5	8	12	13	13
B. *Operated*	21	8.4	137	1	1	4	9	19	39	51
1. SINGLE DX	8	6.6	43	1	1	5	9	18	20	20
2. MULTIPLE DX	40	7.1	79	1	1	5	9	12	21	51
A. NOT OPERATED	23	6.2	20	1	1	5	8	12	15	20
B. OPERATED	25	7.8	121	1	1	4	9	13	35	51
TOTAL 0-19 YRS.	4	4.8	9	2	2	4	7	9	9	9
20-34	5	4.4	7	1	1	4	6	8	8	8
35-49	9	6.3	24	1	1	5	11	12	12	12
50-64	17	5.6	26	1	1	5	7	13	18	20
65+	13	11.1	200	1	2	6	11	34	40	51
GRAND TOTAL	**48**	**7.0**	**72**	**1**	**1**	**5**	**9**	**13**	**21**	**51**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	5	4.2	5	2	2	4	5	8	8	8
35-49	10	4.6	5	1	1	4	5	8	9	9
50-64	39	5.1	27	1	1	3	6	12	17	25
65+	37	5.9	47	1	2	4	7	11	20	37
B. *Operated*										
0-19 YRS	6	4.0	2	2	2	4	5	5	5	5
20-34	21	5.6	37	2	2	3	6	12	21	28
35-49	76	7.3	72	1	2	4	8	17	28	43
50-64	248	6.7	67	1	1	4	9	14	20	44
65+	258	6.3	49	1	2	4	8	16	19	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.6	4	1	1	3	5	7	7	7
20-34	12	5.5	16	1	1	5	8	11	14	14
35-49	62	6.4	52	1	1	4	8	13	23	36
50-64	117	7.5	52	1	1	5	9	16	24	38
65+	176	8.9	78	2	2	6	11	18	28	43
B. *Operated*										
0-19 YRS	3	4.0	13	1	1	3	7	8	8	8
20-34	18	12.4	125	1	2	9	16	30	37	41
35-49	108	14.8	258	2	2	10	20	29	52	96
50-64	360	12.2	138	2	2	9	16	28	37	55
65+	506	12.4	195	2	2	8	16	28	40	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	5.2	31	1	1	4	6	10	13	32
B. *Operated*	609	6.5	58	1	1	4	8	15	19	40
2. MULTIPLE DX										
A. *Not Operated*	379	7.8	63	1	2	5	10	16	25	38
B. *Operated*	995	12.5	180	2	2	8	16	29	39	77
1. SINGLE DX	703	6.4	55	1	1	4	8	14	19	38
2. MULTIPLE DX	1374	11.2	152	2	2	7	15	26	34	67
A. NOT OPERATED	473	7.3	57	1	2	5	9	15	24	37
B. OPERATED	1604	10.3	142	1	2	6	14	24	33	64
TOTAL 0-19 YRS	24	3.5	4	1	1	3	5	7	7	8
20-34	56	7.6	66	1	2	5	9	16	28	40
35-49	256	10.1	158	1	2	6	13	26	31	83
50-64	764	9.3	103	1	2	6	12	21	31	53
65+	977	9.9	137	2	2	6	12	22	32	67
GRAND TOTAL	**2077**	**9.6**	**124**	**1**	**2**	**6**	**12**	**22**	**31**	**60**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	8.6	84	4	4	5	10	25	25	25
50-64	24	9.1	51	1	2	6	16	18	21	26
65+	27	9.3	96	2	2	5	13	18	26	49
B. *Operated*										
0-19 YRS										
20-34										
35-49	19	16.7	464	2	3	9	18	39	70	94
50-64	52	12.4	193	2	2	10	15	22	39	87
65+	74	9.3	73	1	2	6	13	20	26	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	18	9.7	94	1	2	6	11	25	33	37
50-64	78	7.0	40	1	2	5	8	14	23	31
65+	108	9.6	93	2	2	7	12	20	30	53
B. *Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34										
35-49	23	18.7	236	2	4	14	26	44	48	54
50-64	154	16.4	158	2	4	14	22	31	41	69
65+	212	17.7	299	2	3	13	25	44	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	9.2	73	2	2	5	14	18	24	48
B. *Operated*	145	11.4	170	1	2	8	14	21	36	88
2. MULTIPLE DX										
A. *Not Operated*	207	8.6	73	2	2	6	10	17	27	44
B. *Operated*	391	17.2	238	2	3	13	23	36	50	92
1. SINGLE DX	201	10.8	143	1	2	7	14	20	27	68
2. MULTIPLE DX	598	14.2	198	2	3	10	19	31	45	77
A. NOT OPERATED	263	8.7	73	2	2	5	11	18	26	46
B. OPERATED	536	15.6	226	2	3	12	21	34	47	89
TOTAL 0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	65	14.9	259	2	3	9	18	39	44	88
50-64	308	12.8	141	2	2	10	18	27	32	62
65+	421	13.6	209	2	2	9	18	31	48	90
GRAND TOTAL	**799**	**13.3**	**186**	**2**	**2**	**9**	**18**	**29**	**42**	**77**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0		3	3	3	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	25	7.4	74	1	2	6	9	12	24	44
65+	30	9.9	149	1	2	6	10	22	25	65
B. *Operated*										
0-19 YRS										
20-34	3	9.7	54	4	4	7	15	18	18	18
35-49	12	15.0	125	7	8	11	15	33	44	46
50-64	50	13.4	108	3	4	11	17	24	27	67
65+	82	14.7	68	3	5	14	19	26	29	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	29	6.9	114	1	1	3	6	17	24	55
50-64	86	8.8	92	2	2	6	10	18	25	59
65+	222	8.6	93	1	2	6	10	18	23	54
B. *Operated*										
0-19 YRS	2	11.5	85	5	5	11	18	18	18	18
20-34	10	15.7	63	4	7	14	19	27	34	34
35-49	51	15.6	95	3	5	13	21	26	35	50
50-64	204	18.7	175	4	7	16	21	33	47	69
65+	476	19.5	154	4	7	17	25	36	44	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	8.1	105	1	2	5	9	16	24	62
B. *Operated*	147	14.2	85	3	5	13	18	26	29	47
2. MULTIPLE DX										
A. *Not Operated*	338	8.5	94	1	2	6	10	18	24	56
B. *Operated*	743	18.9	155	4	7	16	24	35	44	66
1. SINGLE DX	209	12.4	98	2	3	10	17	25	28	54
2. MULTIPLE DX	1081	15.7	160	2	3	13	20	31	41	66
A. NOT OPERATED	400	8.4	95	1	2	6	10	17	24	60
B. OPERATED	890	18.2	147	4	6	16	23	32	42	66
TOTAL 0-19 YRS	6	5.8	36	3	3	3	5	17	18	18
20-34	14	13.6	65	4	4	13	18	21	31	34
35-49	95	12.4	118	1	2	10	17	26	33	53
50-64	365	14.9	160	2	3	12	18	28	42	67
65+	810	15.7	152	3	4	13	21	31	39	65
GRAND TOTAL	**1290**	**15.1**	**151**	**2**	**3**	**13**	**20**	**30**	**39**	**65**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	16.5	313	4	4	16	29	29	29	29
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49	3	22.0	189	10	10	19	32	37	37	37
50-64	7	19.3	137	6	6	22	30	32	32	32
65+	9	15.7	83	6	7	13	18	31	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	7.1	21	2	2	6	9	15	16	16
50-64	6	7.2	21	2	2	6	9	14	15	15
65+	13	11.0	83	3	4	6	18	27	29	30
B. *Operated*										
0-19 YRS										
20-34	2	17.5	41	13	13	17	22	22	22	22
35-49	11	15.0	74	1	6	13	19	28	33	34
50-64	35	19.3	258	6	8	14	22	34	42	94
65+	69	21.6	253	6	9	17	26	43	60	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	12.0	217	3	3	4	23	29	29	29
B. *Operated*	20	17.7	106	6	6	14	26	33	36	37
2. MULTIPLE DX										
A. *Not Operated*	26	9.1	53	2	3	6	9	20	27	30
B. *Operated*	117	20.2	234	6	9	16	23	36	46	94
1. SINGLE DX	23	16.9	115	4	5	13	27	33	36	37
2. MULTIPLE DX	143	18.2	220	4	5	14	22	34	45	94
A. NOT OPERATED	29	9.4	64	2	3	6	11	24	29	30
B. OPERATED	137	19.9	216	6	8	16	24	35	45	94
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	17.5	41	13	13	17	22	22	22	22
35-49	21	13.4	88	2	3	12	17	28	35	37
50-64	50	17.7	220	4	5	14	23	32	34	94
65+	92	19.3	225	4	5	16	24	37	46	81
GRAND TOTAL	**166**	**18.0**	**205**	**4**	**5**	**14**	**22**	**34**	**44**	**89**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.5	61	2	2	7	13	13	13	13
35-49	14	4.9	14	1	1	4	6	10	14	15
50-64	29	7.4	66	1	1	4	9	19	26	37
65+	80	5.5	35	1	1	5	7	9	11	39
B. *Operated*										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	8	12.6	78	2	3	12	16	26	30	30
35-49	68	11.8	31	3	7	11	14	18	20	38
50-64	284	12.1	29	4	7	11	15	19	22	28
65+	476	14.0	49	4	8	13	16	21	26	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.0	3	5	5	7	8	9	9	9
20-34	15	6.3	28	1	1	5	8	13	18	20
35-49	73	7.1	71	1	2	5	7	15	24	51
50-64	186	7.7	46	1	2	6	9	15	21	33
65+	675	9.8	93	2	2	7	13	21	28	54
B. *Operated*										
0-19 YRS	5	13.6	21	9	9	14	17	19	19	19
20-34	35	16.8	142	4	6	14	20	34	42	58
35-49	218	13.5	51	3	6	13	16	21	27	40
50-64	868	15.2	92	5	8	13	18	25	31	53
65+	2718	18.4	119	7	9	16	22	31	39	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	5.9	40	1	1	5	7	10	16	39
B. *Operated*	838	13.1	42	4	7	12	15	20	24	37
2. MULTIPLE DX										
A. *Not Operated*	954	9.1	82	1	2	6	11	19	25	53
B. *Operated*	3844	17.4	112	6	8	15	21	29	37	59
1. SINGLE DX	963	12.2	47	2	4	12	15	19	23	37
2. MULTIPLE DX	4798	15.7	117	3	5	14	20	27	35	57
A. NOT OPERATED	1079	8.8	78	1	2	6	10	19	25	51
B. OPERATED	4682	16.6	102	6	8	14	20	27	34	58
TOTAL 0-19 YRS	12	9.5	23	3	4	8	12	18	19	19
20-34	60	13.3	120	1	3	11	17	28	35	57
35-49	373	11.6	57	2	3	11	15	19	24	40
50-64	1367	13.4	80	3	4	12	16	22	28	46
65+	3949	16.1	117	3	5	14	20	28	36	59
GRAND TOTAL	**5761**	**15.1**	**107**	**3**	**4**	**13**	**19**	**26**	**33**	**55**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	4.0		4	4	4	4	4	4	4
35-49	8	3.6	5	<1	<1	3	5	7	8	8
50-64	29	4.2	10	1	1	3	5	7	12	15
65+	72	6.2	33	1	2	4	7	15	18	27
B. *Operated*										
0-19 YRS										
20-34	15	9.7	35	2	2	10	12	16	23	25
35-49	63	10.9	53	2	2	10	15	19	23	40
50-64	211	13.0	38	3	4	13	16	21	24	30
65+	358	13.5	90	2	3	13	18	23	29	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	8.3	39	2	2	6	12	17	21	22
35-49	53	7.1	62	1	2	5	8	15	21	49
50-64	164	9.1	91	2	2	5	12	21	29	41
65+	398	9.9	98	2	3	6	11	24	30	52
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	22	15.9	66	6	8	13	24	26	31	37
35-49	103	14.7	82	2	4	13	17	27	32	49
50-64	521	16.8	108	4	7	14	20	29	38	54
65+	1122	18.8	136	3	6	16	24	34	41	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	5.4	25	1	2	4	6	12	16	26
B. *Operated*	647	13.0	68	2	3	12	17	22	25	44
2. MULTIPLE DX										
A. *Not Operated*	627	9.4	93	2	2	6	11	21	29	50
B. *Operated*	1769	17.9	125	3	6	15	23	32	40	59
1. SINGLE DX	763	11.8	69	2	3	11	16	21	24	42
2. MULTIPLE DX	2396	15.7	131	3	4	13	21	30	38	56
A. NOT OPERATED	743	8.8	84	2	2	5	10	19	28	49
B. OPERATED	2416	16.6	115	3	5	15	21	30	37	56
TOTAL 0-19 YRS	2	7.0	72	1	1	7	13	13	13	13
20-34	55	11.2	60	2	3	10	15	24	26	36
35-49	227	11.5	78	2	2	11	15	22	29	44
50-64	925	14.2	98	2	3	13	18	25	32	50
65+	1950	15.6	133	2	3	14	21	30	38	59
GRAND TOTAL	**3159**	**14.8**	**119**	**2**	**3**	**13**	**19**	**28**	**35**	**54**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	3	1	1	2	4	5	7	7
20-34	4	5.0	18	2	2	4	8	11	11	11
35-49	19	3.8	9	1	1	3	6	8	9	9
50-64	12	6.3	32	<1	1	5	8	13	21	22
65+	29	6.2	26	1	1	5	7	14	18	23
B. *Operated*										
0-19 YRS	9	12.8	55	2	4	13	16	24	28	28
20-34	3	6.7	16	2	2	9	9	9	9	9
35-49	13	10.5	46	2	3	9	13	23	25	25
50-64	42	13.6	122	3	4	12	18	22	27	70
65+	58	11.9	56	2	3	11	15	24	25	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.4	44	1	1	4	6	11	22	30
20-34	9	3.6	11	<1	<1	2	5	9	11	11
35-49	29	5.2	36	1	1	4	6	10	12	33
50-64	88	9.2	93	2	3	7	10	19	21	61
65+	170	9.7	72	1	2	7	12	20	24	51
B. *Operated*										
0-19 YRS	7	22.1	267	7	7	15	33	48	51	51
20-34	13	13.7	90	7	8	10	15	25	39	42
35-49	38	15.5	163	4	6	12	18	32	58	99+
50-64	152	18.0	141	5	7	15	22	33	44	62
65+	277	18.9	162	5	7	17	23	32	46	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	5.0	20	1	1	4	7	9	15	23
B. *Operated*	125	12.3	76	2	3	11	15	23	26	47
2. MULTIPLE DX										
A. *Not Operated*	316	8.7	74	1	2	6	11	19	24	48
B. *Operated*	487	18.3	156	5	7	15	22	32	45	66
1. SINGLE DX	201	9.5	67	1	2	8	12	20	24	34
2. MULTIPLE DX	803	14.5	145	2	3	12	18	28	38	64
A. NOT OPERATED	392	8.0	65	1	2	6	10	17	22	46
B. OPERATED	612	17.1	145	4	6	15	21	30	42	66
TOTAL 0-19 YRS	48	8.6	106	1	1	5	11	21	31	51
20-34	29	8.6	67	1	1	8	11	16	22	42
35-49	99	9.6	105	1	1	7	12	21	31	86
50-64	294	14.3	137	3	4	11	18	28	37	64
65+	534	14.5	136	2	3	12	19	28	35	58
GRAND TOTAL	**1004**	**13.5**	**134**	**2**	**3**	**11**	**18**	**27**	**35**	**62**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	5	8.6	72	1	1	5	12	23	23	23
50-64	29	5.6	33	1	1	4	7	13	15	28
65+	47	8.0	66	2	2	6	9	20	28	39
B. *Operated*										
0-19 YRS										
20-34										
35-49	10	12.2	50	2	2	13	17	21	23	23
50-64	32	15.8	55	2	6	16	20	25	28	33
65+	64	17.1	118	4	6	15	21	32	41	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	10.0	2	9	9	10	11	12	12	12
35-49	35	7.0	30	1	1	5	8	17	20	24
50-64	150	8.0	74	2	2	6	10	15	22	34
65+	297	9.3	57	1	2	8	13	17	20	40
B. *Operated*										
0-19 YRS	2	11.0	2	10	10	11	12	12	12	12
20-34	4	25.0	50	15	15	27	30	30	30	30
35-49	44	21.2	217	3	5	20	28	37	58	66
50-64	238	18.2	116	5	8	16	23	32	42	61
65+	497	20.6	147	6	9	18	26	36	44	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	7.1	54	1	2	5	8	15	25	36
B. *Operated*	106	16.2	93	3	6	15	21	28	35	50
2. MULTIPLE DX										
A. *Not Operated*	486	8.8	60	1	2	7	11	17	22	38
B. *Operated*	785	19.9	142	6	8	18	25	35	43	64
1. SINGLE DX	188	12.3	96	1	2	10	17	24	30	47
2. MULTIPLE DX	1271	15.7	140	2	4	13	21	30	38	60
A. NOT OPERATED	568	8.5	59	1	2	7	11	17	22	38
B. OPERATED	891	19.5	138	5	8	17	24	34	43	62
TOTAL 0-19 YRS	3	8.3	22	3	3	10	11	12	12	12
20-34	8	17.5	87	9	9	13	27	30	30	30
35-49	94	14.3	164	1	3	10	20	31	37	63
50-64	449	13.8	118	2	3	12	19	26	33	54
65+	905	16.0	141	2	4	14	21	30	39	59
GRAND TOTAL	**1459**	**15.2**	**136**	**2**	**3**	**13**	**20**	**29**	**37**	**59**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	4.3	10	2	2	3	7	8	8	8
35-49	55	5.3	30	1	1	3	7	14	16	26
50-64	311	5.5	48	1	1	3	7	12	16	32
65+	331	6.2	44	1	1	4	8	14	21	34
B. *Operated*										
0-19 YRS	4	8.3	9	5	5	8	10	12	12	12
20-34	12	10.1	22	3	6	9	12	18	20	20
35-49	136	9.4	45	2	3	9	12	15	22	33
50-64	643	10.7	57	2	2	10	15	20	25	37
65+	713	11.0	67	2	3	9	15	21	25	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.2	34	1	1	3	12	13	13	13
20-34	11	9.1	46	1	2	8	12	18	25	26
35-49	346	7.1	50	1	1	5	9	15	22	28
50-64	1610	8.0	62	1	2	6	10	17	22	41
65+	2178	9.2	74	1	2	7	17	19	25	46
B. *Operated*										
0-19 YRS	2	12.0	32	8	8	12	16	16	16	16
20-34	23	16.3	157	4	5	10	23	34	41	51
35-49	404	13.3	112	2	3	11	17	26	33	61
50-64	2280	13.8	105	3	4	11	18	26	33	51
65+	3039	14.4	119	3	4	12	18	28	35	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	701	5.8	45	1	1	4	7	13	18	32
B. *Operated*	1508	10.7	61	2	3	9	14	20	25	38
2. MULTIPLE DX										
A. *Not Operated*	4150	8.5	67	1	2	6	11	18	24	44
B. *Operated*	5748	14.1	113	3	4	12	18	27	34	54
1. SINGLE DX	2209	9.2	61	1	2	7	13	19	24	36
2. MULTIPLE DX	9898	11.8	102	2	3	9	16	24	31	51
A. NOT OPERATED	4851	8.2	65	1	2	6	11	17	23	41
B. OPERATED	7256	13.4	104	2	3	11	17	25	33	52
TOTAL 0-19 YRS	12	7.9	22	1	2	8	12	14	16	16
20-34	49	12.4	102	3	3	9	16	28	34	51
35-49	941	10.0	84	1	2	8	13	20	27	48
50-64	4844	10.9	89	1	2	9	15	22	28	47
65+	6261	11.8	101	2	3	9	16	24	31	50
GRAND TOTAL	**12107**	**11.3**	**95**	**2**	**2**	**9**	**15**	**23**	**30**	**49**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	7	5.4	6	1	2	5	8	8	8	8
35-49	8	6.9	32	2	2	5	9	16	19	19
50-64	14	4.6	13	<1	1	4	6	8	13	15
65+	31	5.6	27	1	1	4	7	15	19	19
B. *Operated*										
0-19 YRS	5	6.2	18	2	2	6	10	11	11	11
20-34	12	11.4	16	4	5	13	15	15	16	16
35-49	66	5.3	29	<1	1	2	8	14	17	21
50-64	245	7.6	82	1	1	3	12	17	22	43
65+	248	6.8	51	1	1	3	11	16	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	4.9	12	<1	<1	5	6	10	11	11
35-49	13	6.4	26	<1	<1	5	11	14	16	16
50-64	62	7.1	35	1	2	5	9	16	20	27
65+	79	8.0	58	1	2	6	10	17	23	41
B. *Operated*										
0-19 YRS	5	10.4	43	1	1	10	14	19	19	19
20-34	16	15.1	119	4	6	12	17	31	42	47
35-49	73	15.3	168	2	2	14	19	25	43	66
50-64	256	12.7	127	2	2	11	18	29	36	74
65+	331	13.4	156	1	2	10	19	30	41	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	5.6	21	1	1	5	7	11	18	19
B. *Operated*	576	7.0	61	1	1	3	11	16	21	38
2. MULTIPLE DX										
A. *Not Operated*	161	7.4	45	1	1	6	10	16	20	36
B. *Operated*	681	13.3	145	2	2	11	19	29	39	59
1. SINGLE DX	637	6.9	57	1	1	3	11	16	20	37
2. MULTIPLE DX	842	12.2	131	1	2	9	17	27	37	58
A. NOT OPERATED	222	6.9	39	1	1	5	9	16	19	30
B. OPERATED	1257	10.5	116	1	2	7	15	23	32	51
TOTAL 0-19 YRS	11	8.5	29	1	1	10	11	15	19	19
20-34	42	10.7	69	1	3	9	14	17	25	47
35-49	160	10.0	115	1	2	7	15	21	24	58
50-64	577	9.7	102	1	1	6	14	22	30	48
65+	689	10.0	112	1	2	6	15	22	31	51
GRAND TOTAL	**1479**	**9.9**	**106**	**1**	**2**	**6**	**14**	**22**	**30**	**51**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	2.9	5	1	1	3	4	5	6	16
20-34	11	3.3	5	<1	1	3	3	7	9	9
35-49	14	4.9	17	<1	1	4	6	13	14	14
50-64	11	3.6	11	<1	1	2	5	9	12	12
65+	16	8.7	41	1	2	7	12	19	20	21
B. *Operated*										
0-19 YRS	93	8.0	38	1	2	7	12	16	19	28
20-34	45	7.8	44	1	2	6	10	16	19	37
35-49	49	8.1	39	2	2	8	10	19	22	27
50-64	71	9.9	62	2	3	8	13	25	27	32
65+	94	9.1	82	1	2	6	11	20	30	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	4.4	30	1	1	3	5	8	12	23
20-34	30	7.0	50	<1	1	5	8	17	22	32
35-49	19	6.2	18	1	2	5	10	12	14	16
50-64	44	8.3	212	1	2	5	8	15	19	97
65+	64	8.6	57	1	1	6	13	19	32	90
B. *Operated*										
0-19 YRS	55	11.5	136	2	3	8	13	25	44	54
20-34	29	12.8	83	2	3	10	17	28	35	35
35-49	40	13.1	188	2	3	9	17	34	54	99+
50-64	64	13.7	170	3	4	9	16	33	38	66
65+	145	12.9	135	2	2	9	17	27	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	4.0	15	<1	1	3	4	9	13	20
B. *Operated*	352	8.7	55	2	2	7	11	17	25	36
2. MULTIPLE DX										
A. *Not Operated*	299	6.2	68	1	1	4	7	14	18	45
B. *Operated*	333	12.8	143	2	3	9	16	31	36	62
1. SINGLE DX	474	7.5	49	1	2	5	10	16	22	32
2. MULTIPLE DX	632	9.7	118	1	2	6	13	22	33	59
A. NOT OPERATED	421	5.6	54	1	1	3	6	13	17	34
B. OPERATED	685	10.7	102	2	2	8	14	23	32	54
TOTAL 0-19 YRS	360	6.1	51	1	1	4	7	14	17	45
20-34	115	8.4	58	1	2	6	11	17	23	36
35-49	122	9.1	90	1	2	7	11	20	29	82
50-64	190	10.4	136	2	2	7	14	24	32	63
65+	319	10.7	104	1	2	8	15	24	33	55
GRAND TOTAL	**1106**	**8.7**	**90**	**1**	**2**	**5**	**11**	**19**	**27**	**52**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	26	6.4	55	1	2	4	5	14	27	33
50-64	6	3.8	7	1	1	3	6	8	8	8
65+	11	3.9	4	2	2	3	6	7	7	7
B. *Operated*										
0-19 YRS	11	4.7	7	2	2	4	7	9	9	9
20-34	84	5.2	13	1	2	4	7	11	13	17
35-49	136	5.8	25	1	2	5	8	10	13	25
50-64	139	5.6	16	1	1	5	8	12	14	17
65+	146	6.0	28	1	2	4	8	12	14	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	26	6.8	20	<1	<1	4	6	12	16	16
35-49	46	7.4	33	2	2	6	10	14	22	29
50-64	37	6.3	26	1	1	5	9	13	18	20
65+	59	10.3	147	2	3	6	12	18	36	67
B. *Operated*										
0-19 YRS	3	3.7	6	1	1	4	5	6	6	6
20-34	52	7.9	66	2	2	6	9	18	31	35
35-49	92	7.6	34	1	2	7	10	14	20	28
50-64	126	8.8	83	2	2	7	11	17	23	44
65+	187	10.0	81	2	2	8	13	21	27	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	5.1	34	1	1	4	5	10	16	33
B. *Operated*	516	5.7	21	1	2	4	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	169	7.8	73	1	2	5	10	16	20	48
B. *Operated*	460	8.9	71	2	2	7	11	19	25	37
1. SINGLE DX	563	5.7	22	1	2	4	7	11	14	22
2. MULTIPLE DX	629	8.6	72	1	2	6	11	18	23	40
A. NOT OPERATED	216	7.2	65	1	2	5	8	15	20	44
B. OPERATED	976	7.2	47	1	2	5	9	14	19	33
TOTAL 0-19 YRS	15	4.5	6	1	2	4	6	9	9	9
20-34	166	5.9	32	1	1	4	7	11	16	34
35-49	300	6.6	32	1	2	5	9	13	16	30
50-64	308	7.0	47	1	2	5	9	14	18	27
65+	403	8.5	73	2	2	6	10	18	24	45
GRAND TOTAL	**1192**	**7.2**	**50**	**1**	**2**	**5**	**9**	**14**	**19**	**36**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	3	3.7	9	<1	<1	3	6	7	7	7
50-64	3	2.0	3	<1	<1	1	3	4	4	4
65+	10	13.0	197	1	1	7	22	36	44	44
B. *Operated*										
0-19 YRS	8	3.1	6	<1	<1	2	4	7	8	8
20-34	26	2.9	4	<1	<1	2	4	6	8	8
35-49	113	2.8	5	<1	1	2	3	6	8	12
50-64	278	3.1	9	<1	<1	2	3	6	9	15
65+	553	3.2	10	<1	1	2	4	6	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	11.0	2	10	10	11	12	12	12	12
35-49	8	4.0	17	1	1	2	7	11	11	11
50-64	15	4.3	11	<1	1	3	5	11	12	12
65+	47	8.1	66	1	1	7	10	16	20	48
B. *Operated*										
0-19 YRS	7	3.1	7	<1	<1	2	6	7	7	7
20-34	14	3.8	6	<1	1	3	6	8	8	8
35-49	91	5.1	40	<1	1	2	6	10	19	34
50-64	323	4.0	20	1	1	3	5	9	11	22
65+	958	5.3	32	1	2	3	6	11	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	8.8	139	<1	<1	4	9	27	38	44
B. *Operated*	978	3.2	9	<1	1	2	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	73	6.9	50	1	1	5	10	14	17	42
B. *Operated*	1393	4.9	30	1	1	3	6	11	15	28
1. SINGLE DX	995	3.3	12	<1	1	2	4	6	9	15
2. MULTIPLE DX	1466	5.0	31	1	1	3	6	11	15	28
A. NOT OPERATED	90	7.3	66	1	1	5	10	15	22	46
B. OPERATED	2371	4.2	22	<1	1	3	5	9	12	25
TOTAL 0-19 YRS	17	3.1	5	<1	<1	2	4	7	8	8
20-34	42	3.6	8	<1	<1	3	5	8	9	12
35-49	215	3.8	21	<1	1	2	4	8	10	29
50-64	619	3.6	15	<1	1	2	4	7	11	18
65+	1568	4.7	28	1	1	3	5	10	14	27
GRAND TOTAL	**2461**	**4.3**	**24**	**<1**	**1**	**3**	**5**	**9**	**13**	**25**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	2.0	2	<1	<1	1	3	4	5	6
35-49	49	4.0	17	<1	1	2	5	11	13	18
50-64	77	4.0	37	1	1	2	4	8	15	38
65+	76	6.3	59	1	1	4	8	11	24	40
B. *Operated*										
0-19 YRS	4	6.3	9	2	2	7	8	9	9	9
20-34	139	6.2	11	<1	2	6	9	10	12	15
35-49	682	6.4	10	2	2	6	8	10	12	16
50-64	1079	7.2	11	2	3	7	9	11	13	17
65+	1043	7.8	16	2	4	7	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	33	6.8	40	1	2	4	8	17	20	28
35-49	218	6.4	46	<1	1	4	8	14	21	33
50-64	514	8.1	103	1	1	5	9	18	24	49
65+	611	9.9	77	1	2	7	13	20	28	43
B. *Operated*										
0-19 YRS	2	12.5	25	9	9	12	16	16	16	16
20-34	128	8.4	43	2	3	7	10	12	16	45
35-49	717	8.7	34	2	4	8	10	15	18	34
50-64	1433	9.9	59	3	4	8	11	17	22	44
65+	2039	10.8	68	3	5	9	12	18	24	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	4.6	39	1	1	2	6	10	15	38
B. *Operated*	2947	7.2	13	2	3	7	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	1379	8.6	82	1	1	6	11	19	25	43
B. *Operated*	4319	10.1	59	3	4	8	11	17	22	44
1. SINGLE DX	3164	7.0	15	2	2	7	9	11	13	19
2. MULTIPLE DX	5698	9.7	65	2	3	8	11	17	23	44
A. NOT OPERATED	1596	8.0	78	1	1	5	10	18	25	42
B. OPERATED	7266	8.9	42	2	4	8	10	15	18	36
TOTAL 0-19 YRS	9	6.8	18	2	2	7	9	13	16	16
20-34	315	7.0	29	1	2	6	9	11	15	31
35-49	1666	7.3	27	1	2	7	9	12	16	28
50-64	3103	8.5	51	2	3	7	10	15	19	37
65+	3769	9.7	57	2	4	8	11	17	22	42
GRAND TOTAL	**8862**	**8.8**	**49**	**2**	**3**	**7**	**10**	**15**	**19**	**38**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	22	3.8	2	2	2	4	4	5	7	8
35-49	94	3.9	5	2	2	3	4	6	10	12
50-64	93	4.2	9	2	2	4	4	6	8	19
65+	102	4.2	6	1	2	4	4	7	10	15
B. *Operated*										
0-19 YRS										
20-34	118	5.2	13	1	1	5	7	12	13	15
35-49	140	6.2	26	1	2	5	8	12	13	30
50-64	115	5.6	27	2	2	4	7	11	14	30
65+	110	4.6	10	2	2	4	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	29	6.2	81	1	1	3	7	13	25	45
35-49	87	4.2	8	1	1	4	5	9	10	13
50-64	120	6.1	52	1	1	4	6	14	18	40
65+	169	8.2	71	2	2	5	10	16	25	39
B. *Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	122	7.7	25	2	2	7	9	15	18	24
35-49	174	10.1	70	2	3	8	13	19	24	42
50-64	180	9.7	90	2	2	7	12	19	26	56
65+	197	10.5	95	2	3	8	12	21	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	4.1	6	2	2	4	4	6	9	17
B. *Operated*	483	5.4	20	1	2	4	7	11	13	23
2. MULTIPLE DX										
A. *Not Operated*	406	6.6	55	1	2	4	7	14	19	39
B. *Operated*	675	9.7	75	2	3	7	12	19	25	46
1. SINGLE DX	794	4.9	15	2	2	4	6	10	12	20
2. MULTIPLE DX	1081	8.5	69	1	2	6	11	17	24	45
A. NOT OPERATED	717	5.5	35	1	2	4	6	10	16	37
B. OPERATED	1158	7.9	56	2	2	6	10	15	21	43
TOTAL 0-19 YRS	3	9.3	94	1	1	7	17	20	20	20
20-34	291	6.3	25	1	2	5	7	13	15	24
35-49	495	6.8	41	1	2	5	9	13	18	31
50-64	508	6.9	56	2	2	4	8	15	19	41
65+	578	7.6	63	2	2	5	9	16	22	44
GRAND TOTAL	**1875**	**7.0**	**49**	**1**	**2**	**5**	**9**	**14**	**19**	**38**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	18	2.8	1	1	1	3	4	4	4	4
50-64	46	3.1	3	1	1	3	4	4	6	10
65+	99	3.5	10	1	1	3	4	5	8	20
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	11	6.4	9	<1	2	6	9	10	12	12
35-49	44	6.9	11	1	2	7	9	11	12	15
50-64	222	6.1	21	1	2	6	8	10	13	22
65+	271	6.3	16	2	2	6	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	17	4.2	16	1	1	3	5	7	14	18
50-64	65	4.9	19	1	1	4	5	11	14	24
65+	164	7.8	85	1	2	5	10	14	27	44
B. *Operated*										
0-19 YRS										
20-34	28	7.1	17	1	1	7	9	12	15	18
35-49	122	8.2	33	2	3	7	10	13	18	32
50-64	471	8.7	39	2	2	8	10	15	21	36
65+	718	9.6	45	2	2	8	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	3.3	7	1	1	3	4	5	7	13
B. *Operated*	549	6.2	17	1	2	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	250	6.7	64	1	2	4	8	13	19	38
B. *Operated*	1339	9.1	42	2	2	8	11	16	21	35
1. SINGLE DX	712	5.6	16	1	2	4	8	10	13	19
2. MULTIPLE DX	1589	8.7	46	2	2	8	11	16	21	37
A. NOT OPERATED	413	5.4	44	1	1	4	6	11	15	34
B. OPERATED	1888	8.3	36	2	2	8	10	15	19	[illegible]
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	43	6.5	16	<1	1	6	9	11	14	18
35-49	201	7.1	27	1	2	7	9	12	15	27
50-64	804	7.3	34	1	2	7	9	13	17	30
65+	1252	8.2	45	1	2	7	10	15	20	35
GRAND TOTAL	**2301**	**7.7**	**39**	**1**	**2**	**7**	**10**	**14**	**18**	**32**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	11	2.1	1	1	1	2	3	4	4	4
35-49	57	2.0	4	1	1	1	2	5	7	12
50-64	179	2.2	4	1	1	2	2	4	5	13
65+	136	3.2	18	1	1	2	3	7	12	23
B. *Operated*										
0-19 YRS	6	9.0	20	5	5	7	13	16	16	16
20-34	24	8.1	8	4	4	8	10	12	13	14
35-49	45	9.0	17	4	5	8	10	14	16	26
50-64	94	9.8	21	3	5	9	12	16	19	24
65+	61	12.4	37	5	7	12	15	22	26	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	10.2	317	1	1	2	13	42	42	42
20-34	21	2.9	8	1	1	2	4	8	9	10
35-49	117	3.6	15	1	1	2	4	8	13	20
50-64	358	4.2	43	1	1	2	4	10	16	40
65+	304	6.6	94	1	1	3	7	15	24	56
B. *Operated*										
0-19 YRS	9	8.0	8	5	5	7	10	13	13	13
20-34	38	10.2	54	4	5	8	12	16	20	46
35-49	127	12.1	61	6	6	10	15	18	23	44
50-64	322	15.0	101	5	7	12	18	25	33	57
65+	335	17.9	148	7	8	15	21	29	39	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	386	2.5	9	1	1	2	2	4	7	19
B. *Operated*	230	10.2	25	4	5	9	12	16	20	27
2. MULTIPLE DX										
A. *Not Operated*	805	5.0	60	1	1	2	5	11	17	41
B. *Operated*	831	15.4	117	5	7	12	19	26	33	68
1. SINGLE DX	616	5.4	29	1	1	3	8	13	16	25
2. MULTIPLE DX	1636	10.3	116	1	1	8	14	22	28	59
A. NOT OPERATED	1191	4.2	45	1	1	2	4	10	15	34
B. OPERATED	1061	14.3	101	5	6	12	17	25	30	60
TOTAL 0-19 YRS	23	7.9	73	1	1	6	9	14	25	42
20-34	94	7.1	36	1	1	7	10	13	16	35
35-49	346	7.2	48	1	1	6	10	15	18	27
50-64	953	8.0	82	1	1	5	11	19	24	46
65+	836	11.0	135	1	1	8	15	24	30	66
GRAND TOTAL	**2252**	**9.0**	**97**	**1**	**1**	**7**	**12**	**20**	**26**	**50**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34	4	4.0	3	2	2	4	5	6	6	6
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64	15	5.9	74	1	1	3	6	15	29	34
65+	21	5.0	18	1	2	4	6	9	14	21
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	6	7.8	26	2	2	7	12	15	15	15
35-49	11	6.3	34	1	1	4	8	16	21	21
50-64	18	6.3	16	2	2	5	8	13	15	16
65+	45	8.1	151	2	2	4	8	16	21	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	4	1	1	5	5	5	5	5
20-34	7	7.9	37	3	3	6	8	18	21	21
35-49	6	7.5	21	2	2	7	10	14	14	14
50-64	21	6.1	81	1	1	3	5	22	28	35
65+	53	8.7	88	2	2	5	11	17	28	56
B. *Operated*										
0-19 YRS	3	8.0	37	1	1	11	12	12	12	12
20-34	8	12.3	201	4	5	8	9	36	47	47
35-49	19	9.2	50	1	2	8	14	19	24	27
50-64	52	11.3	99	2	3	8	16	26	38	99
65+	109	13.5	125	2	3	10	18	31	40	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	4.5	32	1	1	3	4	8	15	34
B. *Operated*	83	7.3	92	2	2	4	8	15	19	62
2. MULTIPLE DX										
A. *Not Operated*	91	7.7	75	1	2	5	9	17	25	48
B. *Operated*	191	12.3	112	2	3	9	16	29	39	50
1. SINGLE DX	133	6.2	71	1	2	4	7	14	19	42
2. MULTIPLE DX	282	10.9	105	1	2	7	14	25	34	50
A. NOT OPERATED	141	6.6	61	1	1	4	7	14	23	37
B. OPERATED	274	10.8	111	2	2	7	14	25	34	51
TOTAL 0-19 YRS	17	3.2	12	<1	1	2	5	10	12	12
20-34	25	8.6	82	2	3	6	9	15	27	47
35-49	39	7.6	39	1	2	5	10	17	21	27
50-64	106	8.7	83	1	1	5	12	21	31	73
65+	228	10.5	119	2	2	7	13	25	32	48
GRAND TOTAL	**415**	**9.4**	**98**	**1**	**2**	**6**	**12**	**21**	**31**	**49**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	37	4.6	8	1	1	4	7	9	10	11
65+	136	6.2	23	1	2	5	8	14	16	24
B. *Operated*										
0-19 YRS	3	4.7	8	3	3	3	7	8	8	8
20-34	1	9.0		9	9	9	9	9	9	9
35-49	13	6.3	21	1	2	5	8	15	15	15
50-64	458	6.7	23	1	2	6	9	13	17	22
65+	1525	6.9	24	2	2	6	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	8	1	1	2	4	8	8	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49	13	6.7	8	3	3	6	8	11	12	12
50-64	218	7.7	74	1	2	5	9	16	24	47
65+	1239	8.9	67	2	2	6	11	18	24	43
B. *Operated*										
0-19 YRS	4	14.5	22	8	8	15	17	19	19	19
20-34	1	61.0		61	61	61	61	61	61	61
35-49	14	13.2	136	2	3	10	17	37	39	40
50-64	684	9.6	57	2	3	7	12	19	25	36
65+	3724	10.0	63	2	3	8	12	18	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	5.8	20	1	1	4	8	12	15	23
B. *Operated*	2000	6.9	24	2	2	6	9	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	1476	8.6	63	2	2	6	10	17	24	44
B. *Operated*	4427	10.0	63	2	3	8	12	19	24	42
1. SINGLE DX	2178	6.8	24	2	2	6	9	12	16	23
2. MULTIPLE DX	5903	9.7	65	2	3	8	12	18	24	42
A. NOT OPERATED	1654	8.3	63	1	2	6	10	17	24	42
B. OPERATED	6427	9.0	53	2	3	7	11	17	22	36
TOTAL 0-19 YRS	12	7.3	39	1	2	5	12	17	19	19
20-34	3	23.7	1061	1	1	9	48	61	61	61
35-49	45	8.0	63	1	1	6	10	15	23	40
50-64	1397	8.2	49	2	2	6	10	16	22	35
65+	6624	9.0	55	2	3	7	11	17	22	38
GRAND TOTAL	**8081**	**8.9**	**55**	**2**	**3**	**7**	**11**	**17**	**22**	**38**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	6	1	1	2	5	6	6	6
20-34	18	6.1	9	2	2	5	7	11	12	12
35-49	9	3.4	2	1	1	4	4	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	9.3	46	4	4	7	14	17	17	17
B. *Operated*										
0-19 YRS	8	7.5	24	2	3	6	10	16	17	17
20-34	108	5.7	20	2	2	4	7	14	16	21
35-49	46	5.3	12	2	2	4	7	10	13	15
50-64	23	4.8	12	1	2	4	5	12	12	12
65+	22	9.0	64	2	2	6	12	19	26	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.4	5	1	2	4	5	8	9	9
20-34	46	6.0	29	1	1	5	6	11	13	35
35-49	10	5.3	14	1	1	5	5	10	15	15
50-64	7	3.6	3	<1	1	3	5	6	6	6
65+	6	6.2	18	2	2	5	7	13	14	14
B. *Operated*										
0-19 YRS	7	10.1	41	4	4	9	12	21	23	23
20-34	50	10.6	100	3	3	8	12	25	35	50
35-49	21	6.2	26	1	2	4	8	14	17	20
50-64	24	10.5	169	1	2	5	15	22	35	60
65+	35	10.5	30	3	3	10	14	17	21	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	5.1	12	1	1	5	6	11	12	17
B. *Operated*	207	5.9	23	2	2	4	7	13	16	21
2. MULTIPLE DX										
A. *Not Operated*	77	5.5	21	1	1	5	6	9	13	30
B. *Operated*	137	9.9	80	2	3	7	13	21	25	51
1. SINGLE DX	243	5.8	21	2	2	4	7	12	15	21
2. MULTIPLE DX	214	8.3	63	1	2	6	10	17	24	42
A. NOT OPERATED	113	5.4	18	1	1	5	6	10	12	24
B. OPERATED	344	7.5	49	2	2	5	10	15	21	35
TOTAL 0-19 YRS	28	6.5	25	1	1	5	8	13	18	23
20-34	222	6.9	43	2	2	5	8	14	17	36
35-49	86	5.3	15	2	2	4	6	12	15	18
50-64	55	7.0	87	1	2	4	7	19	22	58
65+	66	9.5	41	2	3	8	14	17	20	33
GRAND TOTAL	**457**	**7.0**	**42**	**2**	**2**	**5**	**9**	**15**	**19**	**35**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.3	2	<1	<1	2	3	4	4	4
50-64	19	2.4	2	<1	<1	2	4	4	5	5
65+	39	5.5	15	1	2	4	7	10	14	18
B. *Operated*										
0-19 YRS	7	4.0	18	1	1	2	5	11	13	13
20-34	18	5.2	15	1	1	4	6	10	14	16
35-49	108	4.2	12	1	1	3	5	9	12	18
50-64	533	5.2	27	1	2	3	6	11	16	27
65+	1231	5.4	22	1	2	4	6	11	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	12	1	1	1	6	7	7	7
20-34										
35-49	4	4.3	15	2	2	3	6	10	10	10
50-64	61	6.6	37	1	1	4	8	14	21	26
65+	224	8.5	73	1	2	6	11	19	27	52
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	4.0	7	<1	1	3	7	8	8	8
35-49	75	7.5	50	1	2	4	11	21	24	26
50-64	533	8.0	75	1	2	5	9	17	25	46
65+	2030	9.0	80	2	2	6	11	19	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	4.2	12	<1	1	3	5	9	10	18
B. *Operated*	1897	5.3	23	1	2	4	6	11	16	25
2. MULTIPLE DX										
A. *Not Operated*	292	8.0	65	1	2	5	10	17	25	44
B. *Operated*	2650	8.7	78	2	2	6	10	18	26	46
1. SINGLE DX	1962	5.2	23	1	2	4	6	11	16	24
2. MULTIPLE DX	2942	8.7	77	2	2	6	10	18	26	46
A. NOT OPERATED	357	7.3	58	1	1	5	9	15	23	33
B. OPERATED	4547	7.3	58	1	2	5	8	16	21	40
TOTAL 0-19 YRS	14	3.4	11	1	1	2	5	8	12	13
20-34	30	4.6	12	1	1	4	6	9	10	16
35-49	190	5.5	30	1	1	3	7	12	18	25
50-64	1146	6.5	52	1	2	4	7	15	20	38
65+	3524	7.7	62	2	2	5	9	16	23	41
GRAND TOTAL	**4904**	**7.3**	**58**	**1**	**2**	**5**	**9**	**16**	**22**	**40**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.8	14	1	2	3	4	4	13	17
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	4	3.3	5	1	1	3	5	6	6	6
50-64	13	4.1	3	1	2	4	5	6	7	7
65+	22	7.0	46	1	2	4	8	19	23	25
B. *Operated*										
0-19 YRS	21	10.0	16	5	6	10	12	13	18	23
20-34	9	10.7	36	3	3	9	16	19	19	19
35-49	38	12.8	72	6	7	11	14	18	21	58
50-64	114	10.8	21	4	6	10	13	15	19	28
65+	124	11.7	37	3	4	11	15	19	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	3.4	3	1	2	4	4	4	6	10
20-34	9	5.8	35	1	1	3	7	16	20	20
35-49	17	6.5	9	1	2	6	9	10	11	11
50-64	106	7.9	82	1	2	5	9	19	24	52
65+	188	9.1	86	1	2	6	12	19	29	50
B. *Operated*										
0-19 YRS	20	12.6	42	3	5	11	16	23	26	27
20-34	16	17.1	133	7	8	14	17	31	47	53
35-49	54	12.4	42	4	5	11	18	21	22	34
50-64	254	14.1	84	4	6	12	18	23	29	49
65+	445	16.2	113	3	6	14	19	30	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	4.9	25	1	1	4	6	10	18	25
B. *Operated*	306	11.3	34	3	5	11	14	18	20	29
2. MULTIPLE DX										
A. *Not Operated*	347	8.1	75	1	2	5	10	17	25	50
B. *Operated*	789	15.2	99	4	6	13	18	26	33	55
1. SINGLE DX	364	10.3	38	2	3	10	13	17	20	29
2. MULTIPLE DX	1136	13.0	103	2	3	11	17	24	31	51
A. NOT OPERATED	405	7.6	69	1	2	5	9	17	23	49
B. OPERATED	1095	14.1	84	3	6	12	17	24	31	50
TOTAL 0-19 YRS	84	7.3	33	2	2	4	10	14	19	26
20-34	37	11.6	101	1	2	9	16	20	30	53
35-49	113	11.3	52	3	4	10	14	19	22	43
50-64	487	11.7	74	2	3	10	14	21	26	49
65+	779	13.5	103	2	3	12	17	25	32	50
GRAND TOTAL	**1500**	**12.4**	**88**	**2**	**3**	**11**	**16**	**23**	**29**	**50**

41: Malignant neoplasm of eye (190).

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.6	2	1	1	1	2	3	5	8
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	18	2.6	2	1	1	2	3	4	5	6
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64	13	2.8	1	1	1	3	4	4	5	5
65+	14	4.0	4	2	2	4	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.0	123	<1	<1	4	4	26	32	32
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	6	7.2	55	1	1	4	12	19	20	20
65+	4	4.5	11	1	1	4	7	9	9	9
B. *Operated*										
0-19 YRS	5	2.2	1	1	1	2	3	4	4	4
20-34										
35-49	4	8.3	45	2	2	8	14	15	15	15
50-64	16	5.6	22	1	2	4	7	15	16	16
65+	20	7.3	78	2	2	4	8	12	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	1.8	2	1	1	1	2	4	4	8
B. *Operated*	47	3.1	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	19	6.2	60	<1	1	4	4	17	27	32
B. *Operated*	45	6.2	47	1	2	4	8	14	15	42
1. SINGLE DX	78	2.6	3	1	1	2	4	5	6	8
2. MULTIPLE DX	64	6.2	50	1	2	4	8	14	17	41
A. NOT OPERATED	50	3.4	28	1	1	2	4	6	12	32
B. OPERATED	92	4.6	26	1	2	3	5	9	14	31
TOTAL 0-19 YRS	56	2.6	18	1	1	2	3	4	6	31
20-34	3	4.7	1	4	4	4	6	6	6	6
35-49	8	5.6	27		2	3	8	14	15	15
50-64	37	4.7	20	1	1	3	5	12	16	20
65+	38	5.8	45	2	2	4	7	10	13	42
GRAND TOTAL	**142**	**4.2**	**27**	**1**	**1**	**3**	**4**	**9**	**13**	**33**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	4.7	36	1	1	3	5	9	22	28
20-34	12	5.0	9	1	2	4	6	10	12	12
35-49	33	6.1	52	1	2	4	8	11	14	41
50-64	63	8.0	75	1	2	5	9	18	32	42
65+	37	10.9	100	1	2	8	14	25	27	51
B. *Operated*										
0-19 YRS	40	12.6	63	3	6	11	15	19	28	45
20-34	31	13.2	65	4	5	11	17	22	29	42
35-49	49	14.5	131	2	6	12	17	24	35	73
50-64	72	13.9	85	2	4	12	18	22	31	51
65+	54	16.8	198	2	5	14	19	30	45	81
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	5.6	67	1	1	3	5	13	20	46
20-34	28	10.6	161	1	2	5	15	21	40	60
35-49	54	9.1	107	2	2	5	11	22	34	52
50-64	139	11.5	177	1	2	7	15	27	38	81
65+	124	13.5	184	3	3	9	15	30	44	70
B. *Operated*										
0-19 YRS	54	20.9	308	3	4	16	26	46	62	84
20-34	32	15.5	238	4	5	11	15	40	71	99+
35-49	43	15.1	165	3	3	13	18	26	31	81
50-64	100	23.2	285	6	8	18	27	53	59	73
65+	81	23.9	361	6	7	18	30	55	64	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	7.4	68	1	1	5	9	16	26	42
B. *Operated*	246	14.4	113	3	5	12	18	23	35	59
2. MULTIPLE DX										
A. *Not Operated*	388	11.1	160	1	2	7	14	26	38	64
B. *Operated*	310	21.1	296	4	6	16	25	47	60	86
1. SINGLE DX	426	11.4	106	1	2	9	16	22	30	52
2. MULTIPLE DX	698	15.5	245	2	3	11	19	35	53	80
A. NOT OPERATED	568	9.9	134	1	2	6	12	23	35	57
B. OPERATED	556	18.1	226	4	6	14	21	35	55	81
TOTAL 0-19 YRS	172	11.8	179	1	1	8	16	26	41	63
20-34	103	12.3	146	2	3	10	15	21	39	84
35-49	179	11.5	129	2	2	9	15	23	32	67
50-64	374	14.5	200	2	3	10	19	32	45	71
65+	296	16.6	245	3	4	12	21	35	51	81
GRAND TOTAL	**1124**	**14.0**	**196**	**2**	**2**	**10**	**18**	**30**	**43**	**73**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	7	<1	<1	3	5	8	8	8
20-34										
35-49	1	17.0		17	17	17	17	17	17	17
50-64										
65+	2	29.5	145	21	21	29	38	38	38	38
B. *Operated*										
0-19 YRS	4	16.8	122	6	6	16	26	29	29	29
20-34	4	12.3	2	11	11	12	13	14	14	14
35-49	5	16.2	67	5	5	16	20	28	28	28
50-64	5	22.0	63	16	16	18	27	35	35	35
65+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.4	37	1	1	3	7	16	19	19
20-34	3	9.3	32	3	3	11	13	14	14	14
35-49	4	17.0	232	1	1	18	30	31	31	31
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	4	13.8	149	7	7	8	20	32	32	32
B. *Operated*										
0-19 YRS	11	20.8	298	3	6	17	23	50	63	64
20-34	4	16.8	325	2	2	11	27	43	43	43
35-49	2	12.5	13	10	10	12	15	15	15	15
50-64	8	21.1	262	5	6	18	29	48	53	53
65+	8	24.1	330	2	3	20	35	51	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	11.9	164	<1	1	6	19	33	38	38
B. *Operated*	19	17.4	63	5	7	16	23	29	32	35
2. MULTIPLE DX										
A. *Not Operated*	21	9.6	99	1	1	7	12	30	31	32
B. *Operated*	33	20.7	263	2	5	17	27	45	57	64
1. SINGLE DX	27	15.7	94	2	3	16	22	29	35	38
2. MULTIPLE DX	54	16.4	226	1	2	11	20	36	51	64
A. NOT OPERATED	29	10.2	113	1	1	7	15	30	32	38
B. OPERATED	52	19.5	190	3	6	16	24	37	52	64
TOTAL 0-19 YRS	28	12.8	194	1	1	8	18	27	42	64
20-34	11	13.1	115	2	3	11	14	26	42	43
35-49	12	15.9	91	1	4	16	23	30	31	31
50-64	15	19.1	189	3	4	17	24	35	49	53
65+	15	22.0	237	3	7	20	34	38	53	58
GRAND TOTAL	**81**	**16.2**	**180**	**1**	**3**	**14**	**21**	**35**	**41**	**62**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.9	10	1	1	2	3	4	7	20
20-34	14	2.1	1	<1	1	2	3	3	4	4
35-49	14	2.6	1	1	1	3	3	4	4	4
50-64	12	3.6	6	<1	1	3	4	7	10	10
65+	10	3.9	9	1	1	3	4	8	12	12
B. *Operated*										
0-19 YRS	26	6.7	17	1	2	6	9	11	14	20
20-34	50	5.1	12	2	3	4	5	8	13	19
35-49	60	5.8	17	2	3	4	6	11	15	22
50-64	46	6.5	36	2	3	5	7	9	14	41
65+	26	6.2	9	3	3	[illegible]	7	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	5.2	63	1	1	3	5	9	13	56
20-34	11	3.9	5	1	1	4	5	7	9	9
35-49	22	4.5	14	1	2	3	5	12	14	14
50-64	27	8.2	60	2	2	5	11	22	41	99+
65+	36	9.1	50	1	2	6	14	20	22	29
B. *Operated*										
0-19 YRS	33	13.7	177	2	2	9	18	29	49	57
20-34	62	5.9	18	3	3	5	6	9	12	28
35-49	75	7.4	27	3	3	6	9	12	17	31
50-64	58	10.9	112	3	3	7	13	23	34	58
65+	81	13.2	134	3	4	10	17	28	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	2.9	7	1	1	3	3	4	6	17
B. *Operated*	208	5.9	19	2	3	5	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	155	6.4	51	1	2	4	7	15	21	56
B. *Operated*	309	9.9	93	3	3	7	11	20	29	53
1. SINGLE DX	295	5.0	17	1	2	4	6	9	12	20
2. MULTIPLE DX	464	8.8	82	2	3	6	11	19	28	56
A. NOT OPERATED	242	5.2	38	1	1	3	5	12	18	37
B. OPERATED	517	8.3	67	3	3	6	9	17	23	43
TOTAL 0-19 YRS	155	6.7	81	1	1	3	8	15	21	56
20-34	137	5.1	14	1	2	4	5	9	11	23
35-49	171	6.1	22	2	2	5	7	12	15	28
50-64	143	8.3	74	2	3	5	9	18	29	61
65+	153	10.4	94	2	3	7	13	21	29	45
GRAND TOTAL	**759**	**7.3**	**60**	**1**	**2**	**5**	**8**	**15**	**21**	**42**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	3.1	3	<1	1	3	4	6	7	8
20-34	9	6.0	53	<1	<1	5	6	18	24	24
35-49	34	6.3	45	1	1	4	7	16	23	27
50-64	118	7.1	83	1	1	4	9	17	22	46
65+	156	7.1	40	2	2	4	11	16	18	26
B. *Operated*										
0-19 YRS	20	5.9	16	2	2	5	7	12	14	17
20-34	27	8.3	37	1	2	7	10	20	22	23
35-49	72	6.8	29	1	2	6	10	12	13	34
50-64	175	7.1	41	1	1	5	10	14	17	28
65+	291	8.5	72	1	2	6	11	18	25	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	3.9	21	1	1	3	4	5	10	28
20-34	112	6.2	36	1	1	5	8	12	17	31
35-49	558	7.3	62	1	2	5	9	15	23	39
50-64	1723	8.4	65	1	2	6	11	18	24	42
65+	2887	9.6	74	2	2	7	12	20	26	44
B. *Operated*										
0-19 YRS	39	13.3	142	3	4	9	17	34	41	47
20-34	160	12.5	172	2	3	8	14	29	38	73
35-49	550	11.6	118	2	2	9	15	25	31	55
50-64	1619	12.5	102	2	3	10	17	25	32	49
65+	2548	13.5	126	2	3	11	18	27	35	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	6.7	54	1	1	4	9	16	20	31
B. *Operated*	585	7.7	55	1	2	5	10	16	22	38
2. MULTIPLE DX										
A. *Not Operated*	5335	8.8	70	1	2	6	11	19	25	43
B. *Operated*	4916	12.9	119	2	3	10	17	26	34	57
1. SINGLE DX	925	7.4	55	1	2	5	10	16	21	35
2. MULTIPLE DX	10251	10.8	98	2	2	8	14	23	30	50
A. NOT OPERATED	5675	8.7	69	1	2	6	11	19	25	43
B. OPERATED	5501	12.4	115	2	3	10	16	25	33	56
TOTAL 0-19 YRS	137	6.7	69	1	1	4	7	16	26	45
20-34	308	9.7	116	1	2	7	11	21	31	48
35-49	1214	9.2	90	1	2	6	11	20	28	48
50-64	3635	10.1	86	2	2	7	13	21	28	46
65+	5882	11.2	100	2	2	8	15	23	31	52
GRAND TOTAL	**11176**	**10.5**	**95**	**2**	**2**	**8**	**14**	**22**	**29**	**49**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.7	11	1	1	2	3	6	11	15
20-34	28	3.3	12	<1	1	2	4	7	8	18
35-49	22	3.5	5	<1	1	3	5	7	8	8
50-64	19	4.1	13	1	1	3	5	10	13	13
65+	13	3.8	15	1	1	2	6	10	11	11
B. *Operated*										
0-19 YRS	72	7.2	20	1	1	7	10	14	15	18
20-34	99	8.2	31	2	2	7	11	15	20	28
35-49	63	6.9	37	1	2	6	8	14	18	35
50-64	34	10.3	54	1	2	10	13	21	26	31
65+	19	12.3	133	<1	1	9	20	31	38	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.8	9	<1	1	3	5	7	9	14
20-34	50	6.1	26	1	1	5	8	12	16	25
35-49	30	5.4	18	1	1	4	7	13	14	16
50-64	43	5.1	27	1	1	4	7	10	17	25
65+	35	6.8	37	1	1	4	9	15	21	25
B. *Operated*										
0-19 YRS	20	8.1	55	<1	1	6	10	19	25	29
20-34	53	9.1	39	2	2	8	12	18	22	27
35-49	34	12.4	209	2	4	10	15	19	23	88
50-64	42	11.0	53	1	3	10	15	24	26	27
65+	54	16.1	221	1	2	14	22	34	43	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	3.4	11	1	1	2	5	7	11	16
B. *Operated*	287	8.2	40	1	2	7	11	15	20	34
2. MULTIPLE DX										
A. *Not Operated*	184	5.6	25	1	1	4	7	13	16	25
B. *Operated*	203	11.8	126	1	2	10	16	23	28	64
1. SINGLE DX	389	6.9	37	1	1	5	10	14	18	30
2. MULTIPLE DX	387	8.8	88	1	1	6	12	19	25	42
A. NOT OPERATED	286	4.8	21	1	1	3	7	11	14	24
B. OPERATED	490	9.7	79	1	2	8	12	19	25	39
TOTAL 0-19 YRS	138	6.0	25	1	1	5	8	13	15	23
20-34	230	7.3	32	1	2	6	10	15	19	27
35-49	149	7.3	75	1	1	6	9	15	18	37
50-64	138	8.1	47	1	1	6	12	17	25	27
65+	121	11.5	152	1	1	7	17	25	35	5[illegible]
GRAND TOTAL	**776**	**7.9**	**63**	**1**	**1**	**6**	**11**	**17**	**22**	**35**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	4.0	16	<1	1	3	5	9	13	18
20-34	6	3.2	3	1	1	4	4	5	5	5
35-49	3	2.7	4	<1	<1	2	4	5	5	5
50-64	13	7.8	53	1	1	7	11	19	23	24
65+	25	6.5	42	<1	1	3	9	15	23	25
B. *Operated*										
0-19 YRS	133	4.6	35	1	1	2	5	11	18	29
20-34	7	19.6	113	3	5	19	29	31	31	31
35-49	15	13.1	181	1	1	8	22	34	41	43
50-64	19	8.8	81	2	2	7	10	19	22	40
65+	26	9.6	93	2	2	7	11	16	30	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	241	4.7	17	1	1	4	6	10	12	20
20-34	9	4.7	24	1	1	3	6	13	16	16
35-49	16	6.6	68	<1	1	4	6	21	28	31
50-64	83	6.9	47	1	2	5	8	15	22	36
65+	271	7.9	47	1	2	6	11	17	23	32
B. *Operated*										
0-19 YRS	75	10.5	164	1	1	7	11	26	44	62
20-34	22	19.5	227	2	4	17	29	39	53	58
35-49	14	19.4	232	1	3	14	35	39	44	46
50-64	91	12.5	130	2	3	9	17	26	42	52
65+	167	12.7	138	2	3	9	15	27	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	206	4.5	22	<1	1	3	5	11	15	23
B. *Operated*	200	6.8	72	1	1	3	9	19	24	41
2. MULTIPLE DX										
A. *Not Operated*	620	6.4	37	1	1	4	8	14	19	31
B. *Operated*	369	12.8	154	2	2	9	15	29	41	58
1. SINGLE DX	406	5.6	48	<1	1	3	7	14	20	35
2. MULTIPLE DX	989	8.8	90	1	1	6	11	19	28	49
A. NOT OPERATED	826	6.0	34	1	1	4	8	13	18	30
B. OPERATED	569	10.7	133	1	1	7	13	25	36	52
TOTAL 0-19 YRS	608	5.2	42	1	1	4	6	11	15	35
20-34	44	14.3	187	1	1	9	21	31	39	58
35-49	48	12.1	172	1	1	6	21	35	38	46
50-64	206	9.6	93	1	2	7	11	22	29	48
65+	489	9.6	85	1	2	7	12	19	27	48
GRAND TOTAL	**1395**	**7.9**	**80**	**1**	**1**	**5**	**10**	**18**	**25**	**46**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	4.8	11	1	1	4	5	8	11	18
20-34	31	4.7	16	1	1	3	6	12	13	15
35-49	26	7.2	64	<1	<1	4	8	22	25	30
50-64	36	5.0	14	1	1	4	7	12	14	99+
65+	43	4.3	23	1	1	3	5	9	14	25
B. *Operated*										
0-19 YRS	26	9.1	108	1	2	5	11	20	30	49
20-34	26	15.6	250	1	1	9	29	37	44	53
35-49	24	13.2	233	1	2	5	21	35	43	58
50-64	26	10.2	142	1	1	5	12	29	38	49
65+	34	9.3	78	2	2	7	11	20	30	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	6.4	56	1	2	4	7	11	18	41
20-34	27	6.3	56	<1	1	3	8	13	28	31
35-49	36	6.8	86	<1	<1	2	8	23	31	35
50-64	121	7.2	69	1	1	5	8	16	27	44
65+	252	8.5	106	1	1	5	12	20	29	50
B. *Operated*										
0-19 YRS	37	18.9	405	2	2	11	31	43	67	82
20-34	41	21.6	360	2	4	16	31	46	62	85
35-49	55	21.6	325	3	5	15	32	51	59	76
50-64	88	21.3	288	3	4	15	35	43	57	68
65+	159	14.6	160	2	3	10	21	35	40	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	5.0	22	1	1	4	6	11	15	27
B. *Operated*	136	11.3	158	1	2	6	14	31	37	54
2. MULTIPLE DX										
A. *Not Operated*	552	7.6	84	1	1	4	9	17	28	49
B. *Operated*	380	18.3	266	2	3	12	27	41	51	69
1. SINGLE DX	335	7.6	86	1	1	4	9	19	30	50
2. MULTIPLE DX	932	12.0	186	1	1	7	15	31	40	65
A. NOT OPERATED	751	6.9	69	1	1	4	8	15	24	41
B. OPERATED	516	16.5	247	2	3	10	26	37	48	68
TOTAL 0-19 YRS	242	8.2	123	1	2	5	9	16	32	64
20-34	125	12.8	235	1	1	6	17	32	43	71
35-49	141	13.7	241	<1	1	7	23	35	50	69
50-64	271	11.7	184	1	1	7	14	35	42	65
65+	488	10.2	125	1	1	6	13	25	33	50
GRAND TOTAL	**1267**	**10.8**	**163**	**1**	**1**	**6**	**13**	**29**	**37**	**63**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	3.4	8	1	1	3	3	5	7	20
20-34	31	4.7	27	<1	1	3	6	13	16	23
35-49	58	5.0	30	<1	1	4	7	10	15	33
50-64	139	6.1	89	1	1	3	6	14	23	59
65+	260	6.2	54	1	1	4	7	15	21	32
B. *Operated*										
0-19 YRS	38	7.1	33	<1	1	5	12	15	18	20
20-34	35	7.1	25	1	2	6	10	14	16	23
35-49	98	7.2	40	1	2	5	10	15	18	34
50-64	229	6.9	35	1	2	5	10	13	16	28
65+	322	9.7	93	2	2	7	13	20	25	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	5.0	44	1	2	3	5	9	16	45
20-34	33	5.4	29	<1	1	3	6	12	18	25
35-49	143	7.4	73	1	1	5	9	15	23	47
50-64	433	9.0	93	1	1	6	11	21	26	46
65+	994	9.1	89	1	2	7	11	19	25	50
B. *Operated*										
0-19 YRS	22	14.3	280	2	3	8	14	35	55	72
20-34	31	13.6	134	3	3	9	20	39	41	99+
35-49	123	12.6	205	2	2	9	14	27	41	97
50-64	459	14.1	156	2	3	11	19	29	37	78
65+	900	14.0	135	3	4	11	18	28	39	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	554	5.6	54	1	1	3	7	14	19	34
B. *Operated*	722	8.2	62	1	2	6	11	16	21	40
2. MULTIPLE DX										
A. *Not Operated*	1701	8.6	86	1	2	6	11	18	25	48
B. *Operated*	1535	13.9	148	2	3	11	18	29	39	72
1. SINGLE DX	1276	7.1	60	1	1	4	9	15	20	39
2. MULTIPLE DX	3236	11.1	123	1	2	8	15	24	32	55
A. NOT OPERATED	2255	7.9	80	1	1	5	10	17	24	16
B. OPERATED	2257	12.1	128	2	3	9	16	25	34	60
TOTAL 0-19 YRS	224	5.8	63	1	2	3	6	13	18	45
20-34	130	7.7	63	1	1	5	10	17	25	52
35-49	422	8.5	105	1	1	6	11	17	27	62
50-64	1260	10.2	115	1	2	7	13	22	30	53
65+	2476	10.7	110	1	2	8	14	23	30	53
GRAND TOTAL	**4512**	**10.0**	**108**	**1**	**2**	**7**	**13**	**22**	**29**	**53**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	4	5.5	14	2	2	5	8	10	10	10
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	44	3.1	5	<1	<1	2	4	6	7	12
20-34	109	3.0	2	1	1	3	4	5	5	8
35-49	131	3.3	4	1	1	3	4	5	6	12
50-64	169	3.4	4	1	2	3	4	5	6	8
65+	131	4.0	4	1	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+	3	5.7	2	4	4	6	7	7	7	7
B. *Operated*										
0-19 YRS	11	3.1	9	<1	<1	2	4	7	11	11
20-34	24	4.5	6	2	2	4	6	8	9	10
35-49	45	3.7	6	1	1	3	4	8	9	13
50-64	85	3.8	10	1	1	3	4	6	8	20
65+	97	5.3	16	1	2	4	6	11	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.7	12	1	1	2	6	9	10	10
B. *Operated*	584	3.4	4	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	4	4.5	7	1	1	5	6	7	7	7
B. *Operated*	262	4.4	11	1	1	3	5	8	11	18
1. SINGLE DX	591	3.4	4	1	2	3	4	5	7	11
2. MULTIPLE DX	266	4.4	11	1	1	3	5	8	10	18
A. NOT OPERATED	11	4.0	9	1	1	3	7	8	10	10
B. OPERATED	846	3.7	6	1	2	3	4	6	8	13
TOTAL 0-19 YRS	57	3.1	6	<1	<1	2	4	6	8	12
20-34	134	3.2	3	1	1	3	4	5	7	9
35-49	176	3.4	4	1	1	3	4	5	7	12
50-64	258	3.6	6	1	2	3	4	6	7	10
65+	232	4.5	9	1	2	4	5	8	11	18
GRAND TOTAL	**857**	**3.7**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.3		1	1	1	1	2	3	3
20-34	14	2.9	3	1	1	3	4	5	7	7
35-49	40	2.1	1	1	1	2	2	4	5	6
50-64	78	2.8	8	1	1	2	3	5	8	17
65+	80	2.9	4	1	1	2	3	6	7	11
B. *Operated*										
0-19 YRS	50	3.5	11	1	1	2	3	8	11	16
20-34	51	5.0	20	1	1	3	8	11	16	18
35-49	194	4.1	16	1	1	2	5	10	13	19
50-64	377	3.6	15	1	1	2	4	9	11	19
65+	456	4.7	23	1	1	3	6	12	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.6	5	1	1	3	5	7	8	9
20-34	14	3.1	6	1	1	3	4	5	9	10
35-49	55	4.2	11	1	1	3	5	9	12	16
50-64	164	3.6	9	1	1	3	4	7	9	13
65+	262	4.8	17	1	1	4	6	9	11	22
B. *Operated*										
0-19 YRS	33	8.4	136	1	2	6	9	15	24	66
20-34	72	7.4	57	1	1	5	9	17	23	39
35-49	246	5.9	32	1	1	4	8	12	17	31
50-64	824	5.8	31	1	1	4	8	13	17	27
65+	1523	7.3	61	1	2	5	10	16	21	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	2.6	5	1	1	2	3	5	7	12
B. *Operated*	1128	4.2	19	1	1	2	5	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	511	4.3	13	1	1	3	5	8	11	22
B. *Operated*	2698	6.8	50	1	1	4	9	15	19	34
1. SINGLE DX	1352	3.9	17	1	1	2	4	10	13	20
2. MULTIPLE DX	3209	6.4	45	1	1	4	8	14	19	32
A. NOT OPERATED	735	3.8	11	1	1	3	5	7	9	19
B. OPERATED	3826	6.0	42	1	1	4	8	14	18	31
TOTAL 0-19 YRS	111	4.7	51	1	1	3	6	10	13	41
20-34	151	5.8	37	1	1	3	8	12	18	27
35-49	535	4.8	23	1	1	3	6	11	14	24
50-64	1443	4.8	24	1	1	3	6	11	15	25
65+	2321	6.4	48	1	1	4	9	14	19	34
GRAND TOTAL	**4561**	**5.6**	**38**	**1**	**1**	**3**	**8**	**12**	**17**	**29**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.1	2	<1	1	1	3	4	5	5
20-34										
35-49										
50-64										
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	170	2.1	2	1	1	2	2	3	5	10
20-34	54	3.0	7	1	1	2	3	7	8	14
35-49	58	3.5	11	1	1	2	4	10	12	13
50-64	76	4.5	14	<1	1	3	7	11	12	14
65+	55	3.4	13	<1	1	2	3	8	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.7	1	1	1	1	2	3	4	4
20-34	3	6.7	52	2	2	3	12	15	15	15
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	4	7.0	25	1	1	7	10	13	13	13
65+	7	5.0	17	1	1	3	7	12	13	13
B. *Operated*										
0-19 YRS	45	3.4	12	1	1	2	3	10	11	15
20-34	20	6.4	55	1	2	3	7	15	24	32
35-49	35	8.2	68	<1	1	5	12	21	28	31
50-64	68	8.6	61	1	1	6	13	18	27	35
65+	50	9.6	115	2	2	6	12	22	28	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.2	2	<1	1	2	3	4	5	5
B. *Operated*	413	3.0	8	1	1	2	3	7	11	13
2. MULTIPLE DX										
A. *Not Operated*	28	3.9	16	1	1	2	5	11	13	15
B. *Operated*	218	7.5	68	1	1	4	10	17	26	38
1. SINGLE DX	430	3.0	8	1	1	2	3	7	11	13
2. MULTIPLE DX	246	7.1	63	1	1	4	10	16	24	36
A. NOT OPERATED	45	3.2	11	1	1	2	4	7	13	15
B. OPERATED	631	4.6	33	1	1	2	5	11	15	29
TOTAL 0-19 YRS	240	2.3	4	1	1	2	2	4	7	11
20-34	77	4.0	22	1	1	2	5	8	14	28
35-49	97	5.1	36	1	1	2	7	13	17	30
50-64	148	6.4	40	1	1	4	10	14	17	30
65+	114	6.2	66	1	1	3	8	13	21	47
GRAND TOTAL	**676**	**4.5**	**32**	**1**	**1**	**2**	**5**	**11**	**15**	**29**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.7	2	1	1	2	4	5	6	6
20-34	10	4.2	21	1	1	3	4	11	17	17
35-49	9	3.3	4	1	1	3	4	6	8	8
50-64	6	3.0	4	<1	<1	2	5	6	6	6
65+	13	2.8	8	<1	<1	2	3	6	10	11
B. *Operated*										
0-19 YRS	446	2.9	4	1	1	2	3	5	6	12
20-34	556	2.9	6	<1	1	2	3	5	7	12
35-49	659	3.0	7	<1	1	2	3	5	8	13
50-64	572	3.0	8	<1	1	2	3	5	8	14
65+	293	3.4	7	1	1	3	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	6	1.7	1	<1	<1	1	2	3	3	3
35-49	16	4.6	8	1	1	4	6	9	10	11
50-64	23	4.5	11	1	2	3	6	8	13	14
65+	27	4.8	9	1	1	4	7	9	11	12
B. *Operated*										
0-19 YRS	100	5.6	53	1	2	3	6	12	15	46
20-34	199	4.2	22	1	1	3	5	8	14	27
35-49	348	4.2	18	1	2	3	5	8	11	23
50-64	474	4.9	21	1	2	3	6	11	14	21
65+	360	5.6	24	1	2	4	8	13	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.2	8	1	1	3	4	5	8	17
B. *Operated*	2526	3.0	7	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	75	4.3	9	1	1	3	6	8	11	14
B. *Operated*	1481	4.9	24	1	2	3	6	10	14	24
1. SINGLE DX	2577	3.0	7	<1	1	2	3	5	7	14
2. MULTIPLE DX	1556	4.8	23	1	2	3	6	10	14	24
A. NOT OPERATED	126	3.8	9	1	1	3	5	7	11	15
B. OPERATED	4007	3.7	14	1	1	3	4	7	10	18
TOTAL 0-19 YRS	562	3.3	14	1	1	2	4	6	8	18
20-34	771	3.2	10	<1	1	2	4	6	8	17
35-49	1032	3.4	11	<1	1	2	4	6	9	18
50-64	1075	3.9	15	1	1	3	4	8	11	18
65+	693	4.6	17	1	1	3	5	9	14	18
GRAND TOTAL	**4133**	**3.7**	**14**	**1**	**1**	**3**	**4**	**7**	**10**	**18**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.6	3	<1	<1	2	4	5	6	8
20-34	5	2.2	1	<1	<1	2	3	3	3	3
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	7	3.0	8	<1	<1	2	4	8	9	9
65+	2	7.0	72	1	1	13	78	99+	99+	99+
B. *Operated*										
0-19 YRS	516	2.5	8	<1	<1	2	3	4	6	13
20-34	185	3.0	7	<1	<1	2	3	5	8	14
35-49	151	3.2	28	<1	<1	2	3	5	9	35
50-64	126	3.0	6	<1	1	2	4	5	7	15
65+	95	3.8	10	<1	1	3	5	7	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.0	9	<1	<1	3	6	9	10	11
20-34	11	4.1	10	<1	1	3	4	10	11	11
35-49	12	5.7	51	1	1	2	7	18	23	24
50-64	17	6.3	28	1	2	4	10	15	17	17
65+	33	4.0	26	1	1	2	5	11	12	26
B. *Operated*										
0-19 YRS	128	4.5	72	<1	1	2	4	9	15	56
20-34	105	4.2	22	<1	1	2	5	10	12	26
35-49	135	4.3	26	<1	1	3	5	9	13	32
50-64	153	5.1	34	<1	1	3	7	12	14	25
65+	122	7.5	94	1	2	4	9	17	22	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.8	6	<1	<1	2	4	7	11	99+
B. *Operated*	1073	2.8	11	<1	<1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	95	4.6	23	<1	1	3	6	11	14	25
B. *Operated*	643	5.1	51	<1	1	3	5	11	16	41
1. SINGLE DX	1111	2.8	10	<1	<1	2	3	5	8	15
2. MULTIPLE DX	738	5.1	47	<1	1	3	6	11	16	37
A. NOT OPERATED	133	4.1	19	<1	1	2	5	11	13	38
B. OPERATED	1716	3.7	27	<1	1	2	4	7	11	24
TOTAL 0-19 YRS	687	2.9	20	<1	<1	2	3	5	8	20
20-34	306	3.4	12	<1	1	2	4	7	10	19
35-49	301	3.8	28	<1	<1	2	4	8	11	33
50-64	303	4.2	23	<1	1	3	4	10	13	22
65+	252	5.7	56	1	1	3	7	12	18	53
GRAND TOTAL	**1849**	**3.7**	**25**	**<1**	**1**	**2**	**4**	**8**	**12**	**25**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	295	1.9		<1	1	2	2	3	3	4
20-34	510	1.9		<1	<1	2	2	3	3	4
35-49	341	2.0	1	<1	<1	2	2	3	4	5
50-64	171	2.3	1	1	1	2	3	4	4	7
65+	105	2.3	1	<1	1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.0		1	1	1	1	1	1	1
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	3	3.7	2	2	2	4	5	5	5	5
65+	2	7.0	8	5	5	7	9	9	9	9
B. *Operated*										
0-19 YRS	46	2.3	3	<1	1	2	2	3	7	10
20-34	174	2.4	2	<1	1	2	3	4	5	8
35-49	305	2.9	4	1	1	2	3	5	8	11
50-64	180	3.1	5	1	2	2	3	5	8	12
65+	156	3.7	10	2	2	3	4	7	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7		1	1	2	2	2	2	2
B. *Operated*	1422	2.0	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	12	2.9	6	1	1	2	4	6	9	9
B. *Operated*	861	2.9	5	1	1	2	3	5	8	11
1. SINGLE DX	1425	2.0	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	873	2.9	5	1	1	2	3	5	8	11
A. NOT OPERATED	15	2.7	5	1	1	2	4	5	8	9
B. OPERATED	2283	2.3	2	<1	1	2	2	4	5	9
TOTAL 0-19 YRS	343	2.0	1	<1	1	2	2	3	3	5
20-34	688	2.0	1	<1	<1	2	2	3	3	6
35-49	650	2.4	2	<1	1	2	3	4	5	10
50-64	354	2.7	3	1	1	2	3	4	6	10
65+	263	3.2	7	<1	2	2	3	6	8	16
GRAND TOTAL	**2298**	**2.3**	**2**	**<1**	**1**	**2**	**2**	**4**	**5**	**9**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	25	3.0	3	<1	<1	3	4	5	6	7
35-49	35	3.7	6	1	1	3	5	7	9	12
50-64	6	2.8	3	1	1	2	3	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	3	5.0	21	1	1	4	8	10	10	10
20-34	537	5.8	4	2	3	6	7	8	8	11
35-49	1219	6.0	5	1	2	6	7	8	9	12
50-64	145	6.0	5	1	2	6	7	8	9	12
65+	30	8.0	25	<1	2	8	9	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	76	2.9	4	<1	1	3	4	6	7	9
35-49	159	3.8	8	<1	1	3	5	8	10	14
50-64	41	4.6	24	<1	1	3	5	8	18	24
65+	30	6.4	29	2	2	5	7	14	21	25
B. *Operated*										
0-19 YRS	12	5.0	10	1	1	5	7	10	11	11
20-34	1825	6.5	6	2	4	6	8	9	10	15
35-49	7131	7.0	7	4	5	7	8	10	11	17
50-64	1337	7.5	11	3	5	7	8	11	13	20
65+	230	10.3	43	3	5	9	12	17	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	3.4	5	<1	1	3	5	6	7	12
B. *Operated*	1934	6.0	5	1	2	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	306	3.9	12	<1	1	3	5	8	10	19
B. *Operated*	10535	7.1	8	3	5	7	8	10	12	17
1. SINGLE DX	2002	5.9	5	1	2	6	7	8	9	12
2. MULTIPLE DX	10841	7.0	9	2	4	7	8	10	12	18
A. NOT OPERATED	374	3.8	11	<1	1	3	5	7	9	18
B. OPERATED	12469	6.9	8	2	5	7	8	10	11	17
TOTAL 0-19 YRS	16	4.9	10	1	1	4	7	10	11	11
20-34	2463	6.2	6	2	3	6	7	9	10	14
35-49	8544	6.8	7	2	5	7	8	9	11	16
50-64	1529	7.3	11	2	4	7	8	11	13	19
65+	291	9.6	41	2	3	8	12	16	21	33
GRAND TOTAL	**12843**	**6.8**	**8**	**2**	**4**	**7**	**8**	**10**	**11**	**17**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	35	3.3	5	1	1	2	5	7	7	8
35-49	27	4.3	8	<1	<1	4	7	9	9	9
50-64	5	5.4	19	<1	<1	6	9	11	11	11
65+	2	2.0	2	<1	<1	1	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	4	4.0	11	2	2	3	6	9	9	9
20-34	43	5.4	14	1	2	6	7	9	9	23
35-49	88	6.9	11	2	3	7	8	9	12	22
50-64	30	7.8	36	2	2	7	10	12	17	32
65+	17	7.1	26	2	2	7	9	14	19	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	73	3.7	7	<1	1	3	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	3	3.7	1	3	3	3	5	5	5	5
B. *Operated*	182	6.7	16	2	2	7	8	10	13	24
1. SINGLE DX	74	3.7	7	<1	1	3	6	8	9	11
2. MULTIPLE DX	185	6.6	16	2	2	7	8	10	13	24
A. NOT OPERATED	4	3.8	1	3	3	4	4	5	5	5
B. OPERATED	255	5.8	16	1	2	6	8	9	11	23
TOTAL 0-19 YRS	8	3.1	6	2	2	2	3	7	9	9
20-34	78	4.4	11	1	1	4	7	8	9	19
35-49	118	6.3	12	1	2	6	8	9	11	20
50-64	35	7.4	33	<1	2	7	10	11	16	32
65+	20	6.4	25	1	2	5	8	13	17	21
GRAND TOTAL	**259**	**5.8**	**16**	**1**	**2**	**6**	**8**	**9**	**11**	**23**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.3	1	1	1	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	2	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	86	5.7	2	3	4	6	7	8	8	10
20-34	316	5.7	3	4	4	5	6	7	9	13
35-49	102	6.6	3	4	5	6	7	9	10	12
50-64	72	7.8	7	4	5	7	9	11	12	20
65+	37	8.8	6	5	6	8	10	12	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	4.0		4	4	4	4	4	4	4
50-64	3	8.3	12	5	5	8	11	12	12	12
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	52	6.9	15	4	5	6	7	9	18	23
20-34	364	6.5	6	4	4	6	7	10	11	16
35-49	320	7.6	8	4	5	7	8	11	13	19
50-64	216	9.3	37	5	6	8	10	13	17	30
65+	187	11.8	43	6	7	10	13	20	24	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.0	1	1	1	2	3	3	3	3
B. *Operated*	613	6.3	5	4	4	6	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	9	5.6	9	2	2	5	7	10	12	12
B. *Operated*	1139	8.2	22	4	5	7	9	12	16	24
1. SINGLE DX	620	6.2	5	4	4	6	7	9	10	14
2. MULTIPLE DX	1148	8.2	22	4	5	7	9	12	16	24
A. NOT OPERATED	16	4.0	9	1	1	3	5	8	11	12
B. OPERATED	1752	7.5	17	4	5	7	8	11	14	23
TOTAL 0-19 YRS	139	6.1	7	4	4	6	7	8	9	20
20-34	685	6.1	5	4	4	6	7	8	10	15
35-49	425	7.3	7	4	5	7	8	10	12	18
50-64	293	8.9	30	5	6	8	10	12	15	23
65+	226	11.3	38	6	6	9	12	17	23	34
GRAND TOTAL	**1768**	**7.5**	**17**	**4**	**5**	**7**	**8**	**11**	**14**	**23**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	4.5	10	1	1	4	7	8	8	8
20-34	12	2.9	3	<1	<1	3	4	5	5	5
35-49	21	4.0	11	<1	1	2	6	7	11	15
50-64	13	3.2	13	<1	<1	2	3	6	13	15
65+	3	4.0	12	2	2	2	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	22	5.6	6	1	2	6	7	9	9	9
35-49	19	5.5	5	2	2	6	7	8	10	11
50-64	11	3.3	6	<1	1	2	4	8	9	9
65+	6	5.8	12	2	2	5	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	8.0		8	8	8	8	8	8	8
B. *Operated*	53	3.6	9	<1	1	2	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*	60	5.2	7	1	2	5	7	9	9	11
1. SINGLE DX	54	3.7	9	<1	1	3	5	8	8	15
2. MULTIPLE DX	63	5.1	7	1	2	5	7	9	9	11
A. NOT OPERATED	4	4.3	7	2	2	3	6	8	8	8
B. OPERATED	113	4.5	9	<1	1	4	6	8	9	15
TOTAL 0-19 YRS	7	5.4	10	1	1	6	8	9	9	9
20-34	37	4.5	6	<1	1	4	6	8	9	9
35-49	40	4.7	9	1	2	5	6	8	10	15
50-64	24	3.3	10	<1	<1	2	3	7	11	15
65+	9	5.2	11	2	2	5	8	10	11	11
GRAND TOTAL	**117**	**4.4**	**8**	**<1**	**1**	**4**	**6**	**8**	**9**	**15**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	23	3.6	26	<1	1	2	3	6	14	26
35-49	19	2.7	3	1	1	2	3	4	7	9
50-64	12	2.6	4	<1	<1	2	3	6	8	8
65+	9	2.9	4	<1	1	2	3	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	4.4	19	<1	<1	4	5	11	16	16
35-49	9	4.1	4	1	1	4	6	7	7	7
50-64	16	6.8	97	2	2	4	6	12	33	42
65+	13	5.0	12	2	2	4	6	9	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	66	3.0	11	<1	1	2	3	5	8	23
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	49	5.2	39	1	2	4	6	8	15	42
1. SINGLE DX	67	3.0	11	<1	1	2	3	5	8	23
2. MULTIPLE DX	49	5.2	39	1	2	4	6	8	15	42
A. NOT OPERATED	1	5.0		5	5	5	5	5	5	5
B. OPERATED	115	3.9	24	1	1	3	4	7	9	32
TOTAL 0-19 YRS	4	2.3	1	1	1	2	3	3	3	3
20-34	33	3.8	23	<1	1	3	4	6	15	26
35-49	28	3.1	4	1	1	3	4	6	7	9
50-64	28	5.0	60	<1	1	3	5	9	15	42
65+	23	4.2	9	1	2	3	5	7	10	15
GRAND TOTAL	**116**	**4.0**	**24**	**1**	**1**	**3**	**4**	**7**	**9**	**31**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	3	5.3	6	3	3	5	7	8	8	8
20-34	6	2.7	2	1	1	2	4	5	5	5
35-49	7	9.4	76	<1	1	4	16	23	24	24
50-64	18	4.6	12	<1	<1	4	7	9	12	13
65+	26	3.3	9	1	1	2	4	8	10	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	2	7.0	32	3	3	7	11	11	11	11
B. Operated										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	7	4.9	5	2	2	5	7	8	8	8
35-49	23	5.7	17	1	1	4	8	13	15	15
50-64	28	6.2	35	1	2	4	7	16	19	23
65+	49	6.9	43	1	2	4	8	18	23	26
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	60	4.4	19	<1	1	3	5	9	14	23
2. MULTIPLE DX										
A. Not Operated	3	5.0	28	1	1	3	9	11	11	11
B. Operated	109	6.3	32	1	2	4	7	15	19	25
1. SINGLE DX	60	4.4	19	<1	1	3	5	9	14	23
2. MULTIPLE DX	112	6.2	32	1	2	4	8	15	19	25
A. NOT OPERATED	3	5.0	28	1	1	3	9	11	11	11
B. OPERATED	169	5.6	28	1	2	4	7	14	18	24
TOTAL 0-19 YRS	5	4.8	6	2	2	5	6	8	8	8
20-34	14	3.6	5	1	1	3	5	7	8	8
35-49	30	6.5	31	<1	1	4	9	15	17	24
50-64	46	5.6	26	1	1	4	7	14	17	23
65+	77	5.7	34	1	2	3	7	15	19	25
GRAND TOTAL	**172**	**5.6**	**28**	**1**	**1**	**4**	**7**	**14**	**18**	**24**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	20	1.5		<1	<1	1	2	2	2	2
20-34	6	2.3	1	<1	<1	2	3	4	4	4
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	6	2.7	3	<1	<1	2	3	6	6	6
65+	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. Operated										
0-19 YRS	6	2.2	2	<1	<1	2	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64										
65+	6	2.8	2	1	1	3	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated	38	1.9	1	<1	<1	2	2	3	5	6
2. MULTIPLE DX										
A. Not Operated	1	1.0		1	1	1	1	1	1	1
B. Operated	15	3.1	5	<1	1	3	4	5	9	10
1. SINGLE DX	38	1.9	1	<1	<1	2	2	3	5	6
2. MULTIPLE DX	16	3.0	5	<1	1	3	4	5	8	10
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	53	2.3	3	<1	<1	2	3	4	5	10
TOTAL 0-19 YRS	26	1.7	1	<1	<1	1	2	2	4	4
20-34	8	2.3	1	<1	<1	2	3	4	4	4
35-49	5	4.4	12	1	1	4	6	10	10	10
50-64	6	2.7	3	<1	<1	2	3	6	6	6
65+	9	2.4	2	1	1	2	3	5	5	5
GRAND TOTAL	**54**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.5	10	2	2	3	6	9	9	9
35-49	5	2.4	3	1	1	2	3	5	5	5
50-64	9	8.2	297	1	1	2	4	35	54	54
65+	12	8.9	86	2	2	5	11	23	32	34
B. *Operated*										
0-19 YRS	13	9.5	27	<1	1	11	12	16	17	17
20-34	33	12.1	41	2	3	12	15	17	27	30
35-49	57	13.5	134	2	3	11	15	22	36	70
50-64	74	12.0	64	3	3	10	15	19	24	47
65+	51	16.2	87	4	7	15	20	29	34	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	72	2	2	8	14	14	14	14
20-34	1	2.0		2	2	2	2	2	2	2
35-49	10	5.5	13	2	2	4	8	11	13	13
50-64	23	9.4	71	1	2	7	13	25	28	30
65+	59	8.5	60	2	2	6	10	17	20	49
B. *Operated*										
0-19 YRS	7	13.9	71	4	4	15	22	23	23	23
20-34	23	15.7	158	2	7	13	18	24	41	66
35-49	48	16.2	121	3	4	14	18	32	41	51
50-64	97	15.8	136	3	5	14	18	29	37	67
65+	109	20.7	184	3	7	17	26	44	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	7.0	123	1	1	3	6	16	34	54
B. *Operated*	228	13.2	83	2	3	11	16	22	30	47
2. MULTIPLE DX										
A. *Not Operated*	95	8.3	57	2	2	6	10	17	22	42
B. *Operated*	284	17.7	156	3	5	15	22	35	48	74
1. SINGLE DX	258	12.5	91	2	3	11	15	21	30	49
2. MULTIPLE DX	379	15.4	148	2	3	13	19	30	44	65
A. NOT OPERATED	125	8.0	72	1	2	5	10	17	23	52
B. OPERATED	512	15.7	129	3	4	13	18	29	41	64
TOTAL 0-19 YRS	22	10.7	44	1	2	11	15	21	22	23
20-34	61	12.8	90	2	3	12	16	20	28	62
35-49	120	13.5	125	2	3	12	16	25	38	57
50-64	203	13.3	114	2	3	11	16	25	32	54
65+	231	16.0	152	2	3	14	21	33	45	69
GRAND TOTAL	**637**	**14.2**	**127**	**2**	**3**	**12**	**17**	**28**	**39**	**62**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	3.8	4	1	1	4	5	6	6	6
35-49										
50-64										
65+	4	3.5	3	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	28	3.4	5	2	2	3	3	4	5	14
20-34	200	3.6	1	2	2	3	4	5	5	7
35-49	218	3.9	2	2	3	4	4	5	7	9
50-64	149	4.1	2	2	3	4	5	6	7	10
65+	88	4.5	5	2	3	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	2.5	1	1	1	3	3	3	3	3
35-49	3	9.0	67	2	2	7	15	18	18	18
50-64	2	8.0	50	3	3	8	13	13	13	13
65+	3	6.0	9	3	3	6	8	9	9	9
B. *Operated*										
0-19 YRS	9	3.7	1	2	2	4	4	5	5	5
20-34	81	4.6	9	2	2	4	5	8	11	17
35-49	127	4.9	21	3	3	4	5	6	9	28
50-64	151	5.7	24	3	3	4	6	10	12	23
65+	93	7.9	69	3	3	5	8	16	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.3	4	<1	<1	4	5	6	6	6
B. *Operated*	683	3.9	2	2	3	4	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	13	5.8	24	1	2	3	7	14	17	18
B. *Operated*	461	5.7	30	3	3	4	6	9	13	36
1. SINGLE DX	692	3.9	2	2	2	4	4	5	6	10
2. MULTIPLE DX	474	5.7	30	3	3	4	6	9	13	35
A. NOT OPERATED	22	4.8	17	<1	1	4	6	10	15	18
B. OPERATED	1144	4.6	14	2	3	4	5	7	9	17
TOTAL 0-19 YRS	39	3.4	4	2	2	3	4	4	5	14
20-34	289	3.8	4	2	2	4	4	5	6	14
35-49	348	4.3	10	2	3	4	5	6	7	14
50-64	302	4.9	14	3	3	4	5	8	10	14
65+	188	6.2	40	3	3	5	6	10	16	41
GRAND TOTAL	**1166**	**4.6**	**14**	**2**	**3**	**4**	**5**	**7**	**9**	**18**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	3.7	7	1	1	3	4	8	9	9
35-49	5	4.6	4	2	2	5	6	7	7	7
50-64	6	6.7	17	2	2	6	9	13	13	13
65+	3	9.0	31	4	4	8	13	15	15	15
B. *Operated*										
0-19 YRS	4	11.5	20	8	8	10	14	18	18	18
20-34	31	8.1	13	4	5	8	9	13	16	20
35-49	25	10.4	33	3	4	9	13	17	22	26
50-64	36	8.7	76	2	3	6	10	16	24	49
65+	21	8.3	27	3	4	7	10	18	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	13	3.5	5	1	1	4	5	7	8	8
35-49	11	4.8	25	1	1	4	4	12	18	19
50-64	15	7.1	23	1	2	6	9	14	18	19
65+	17	9.2	44	1	2	8	14	19	23	24
B. *Operated*										
0-19 YRS	7	13.0	38	5	6	14	16	22	23	23
20-34	32	11.5	68	3	5	9	15	22	23	44
35-49	56	13.2	130	4	4	10	16	27	32	69
50-64	65	10.8	69	3	3	8	15	21	25	48
65+	78	12.1	87	3	4	9	16	25	33	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.3	14	1	2	4	8	10	14	15
B. *Operated*	117	8.9	39	3	4	8	11	16	20	35
2. MULTIPLE DX										
A. *Not Operated*	58	6.4	28	1	2	4	8	15	19	24
B. *Operated*	238	11.9	88	3	4	9	15	23	28	48
1. SINGLE DX	139	8.4	37	2	3	7	10	16	19	30
2. MULTIPLE DX	296	10.9	81	2	3	8	14	22	27	48
A. NOT OPERATED	80	6.1	24	1	2	4	8	14	18	23
B. OPERATED	355	10.9	73	3	4	9	14	21	27	48
TOTAL 0-19 YRS	14	10.4	39	1	3	9	15	18	22	23
20-34	83	8.3	41	2	2	7	9	16	21	37
35-49	97	11.1	95	2	3	9	14	20	28	59
50-64	122	9.5	64	2	3	7	13	18	23	50
65+	119	10.9	70	3	4	8	14	23	27	40
GRAND TOTAL	**435**	**10.1**	**68**	**2**	**3**	**8**	**13**	**20**	**24**	**47**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	11	3.3	8	<1	<1	2	4	8	9	9
20-34	678	4.1	5	1	2	4	6	7	8	10
35-49	213	4.8	6	1	2	5	7	8	9	10
50-64	47	5.0	8	2	2	5	7	9	10	11
65+	45	4.5	8	1	2	4	7	8	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	1.5	1	<1	<1	1	2	3	3	3
35-49	5	2.4	4	1	1	1	4	5	5	5
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	4	8.3	57	3	3	6	13	19	19	19
B. *Operated*										
0-19 YRS	8	3.5	3	2	2	3	4	6	7	7
20-34	596	5.0	7	1	2	5	6	8	10	12
35-49	362	6.2	10	2	3	6	7	9	11	20
50-64	129	7.1	12	2	2	7	9	12	13	17
65+	95	7.5	23	2	2	7	9	14	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	994	4.3	6	1	2	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	21	3.2	17	<1	1	2	3	7	13	19
B. *Operated*	1190	5.8	11	2	2	6	7	9	11	17
1. SINGLE DX	995	4.3	6	1	2	4	6	7	8	10
2. MULTIPLE DX	1211	5.8	11	1	2	6	7	9	11	17
A. NOT OPERATED	22	3.2	16	<1	1	2	3	7	12	19
B. OPERATED	2184	5.1	9	1	2	5	7	8	10	14
TOTAL 0-19 YRS	20	3.3	5	<1	<1	3	4	7	8	9
20-34	1282	4.5	6	1	2	5	6	7	9	12
35-49	581	5.7	9	1	2	6	7	9	10	15
50-64	179	6.5	12	2	2	7	8	11	13	17
65+	144	6.6	21	2	2	6	8	12	15	22
GRAND TOTAL	**2206**	**5.1**	**9**	**1**	**2**	**5**	**7**	**8**	**10**	**15**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	3	2.7	4	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	28	4.2	7	1	2	3	6	8	9	12
35-49	66	4.5	9	1	1	4	6	8	10	15
50-64	125	5.1	28	1	1	3	7	11	15	30
65+	133	5.4	25	1	1	4	6	12	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	3	4.3	4	2	2	5	6	6	6	6
50-64										
65+	32	9.9	129	2	3	6	11	18	46	50
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	29	4.3	8	2	2	4	6	7	8	15
35-49	73	6.0	29	2	2	6	7	11	13	35
50-64	161	7.3	64	2	2	6	9	13	17	31
65+	262	9.0	62	2	2	7	13	18	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.1	7	1	1	2	5	7	8	8
B. *Operated*	353	5.1	22	1	1	3	6	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	37	9.1	116	1	2	5	10	17	38	50
B. *Operated*	527	7.8	56	2	2	6	10	16	20	40
1. SINGLE DX	361	5.0	21	1	1	3	6	10	14	23
2. MULTIPLE DX	564	7.9	60	2	2	6	10	16	20	41
A. NOT OPERATED	45	8.0	101	1	1	5	9	16	26	50
B. OPERATED	880	6.7	44	1	2	5	8	15	18	32
TOTAL 0-19 YRS	4	5.0	25	1	1	3	8	12	12	12
20-34	60	4.2	7	1	2	3	6	7	9	15
35-49	143	5.3	19	1	2	5	7	9	13	17
50-64	288	6.4	49	1	2	4	8	12	16	31
65+	430	7.9	58	1	2	5	11	17	22	40
GRAND TOTAL	**925**	**6.8**	**47**	**1**	**2**	**5**	**8**	**15**	**18**	**33**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.7	3	<1	<1	2	3	6	7	8
20-34	49	3.4	13	<1	1	2	4	7	10	22
35-49	47	3.0	6	1	1	2	4	5	10	11
50-64	80	4.1	10	1	1	3	5	8	10	17
65+	92	4.9	31	1	1	3	6	12	16	30
B. *Operated*										
0-19 YRS	154	4.7	27	<1	1	3	6	10	13	20
20-34	176	4.5	13	1	1	4	6	8	12	19
35-49	183	4.8	16	1	1	3	7	10	13	18
50-64	237	5.4	24	1	1	3	7	12	15	22
65+	243	6.1	29	1	1	4	9	13	15	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	3.5	15	<1	1	2	4	10	13	17
20-34	58	4.9	15	1	1	4	7	10	14	16
35-49	86	5.2	12	2	2	4	7	10	12	18
50-64	202	5.0	20	1	1	4	7	10	12	23
65+	476	7.6	65	1	2	5	9	15	22	38
B. *Operated*										
0-19 YRS	86	8.7	70	2	2	7	11	18	21	51
20-34	141	7.3	68	1	2	6	8	14	23	76
35-49	241	8.6	112	1	2	6	9	16	30	73
50-64	330	8.7	68	1	2	7	11	17	22	43
65+	700	9.7	59	2	2	8	13	20	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	3.9	16	1	1	3	4	8	11	19
B. *Operated*	993	5.2	22	1	1	3	7	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	874	6.4	45	1	1	4	8	13	17	32
B. *Operated*	1498	9.0	72	2	2	7	12	18	24	45
1. SINGLE DX	1304	4.9	21	1	1	3	7	11	14	22
2. MULTIPLE DX	2372	8.0	63	1	2	6	10	17	23	40
A. NOT OPERATED	1185	5.7	38	1	1	4	7	12	16	30
B. OPERATED	2491	7.5	55	1	2	5	10	16	21	38
TOTAL 0-19 YRS	335	5.3	37	<1	1	3	7	12	16	26
20-34	424	5.4	33	1	1	4	7	10	15	27
35-49	557	6.3	60	1	2	4	8	11	16	54
50-64	849	6.4	42	1	1	4	9	13	18	31
65+	1511	8.2	57	1	2	6	11	17	23	36
GRAND TOTAL	**3676**	**6.9**	**51**	**1**	**2**	**5**	**9**	**15**	**19**	**36**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.3	1	1	1	2	3	4	4	4
20-34	15	2.9	3	1	1	2	4	5	6	6
35-49	19	2.5	1	<1	<1	2	4	4	4	4
50-64	13	3.8	8	<1	1	3	5	9	9	9
65+	6	3.5	4	<1	<1	3	5	6	6	6
B. *Operated*										
0-19 YRS	24	3.4	1	1	2	3	4	5	6	6
20-34	192	3.9	1	2	3	4	4	5	6	8
35-49	279	4.3	9	2	3	4	5	6	8	13
50-64	279	4.4	3	3	3	4	5	6	7	11
65+	147	5.0	7	2	3	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	1	3	3	4	5	5	5	5
20-34	27	3.1	2	1	1	3	4	5	5	6
35-49	46	4.5	11	2	2	3	5	8	10	19
50-64	70	4.8	25	1	1	4	5	9	10	34
65+	75	6.7	80	1	2	4	9	12	14	62
B. *Operated*										
0-19 YRS	7	3.6	3	1	1	3	4	6	7	7
20-34	81	4.7	4	2	3	4	5	9	9	11
35-49	133	5.3	12	3	3	4	6	8	11	15
50-64	236	6.1	19	2	3	5	7	11	14	25
65+	186	7.6	33	3	3	6	9	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	2.9	3	<1	1	3	4	5	6	9
B. *Operated*	921	4.4	5	2	3	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	222	5.1	39	1	2	4	6	9	12	32
B. *Operated*	693	6.1	20	3	3	5	7	11	14	26
1. SINGLE DX	983	4.3	5	2	3	4	5	6	7	12
2. MULTIPLE DX	915	5.9	25	2	3	5	7	10	13	26
A. NOT OPERATED	284	4.7	32	1	1	3	5	9	10	26
B. OPERATED	1614	5.1	12	2	3	4	6	8	11	18
TOTAL 0-19 YRS	44	3.3	2	1	2	3	4	5	6	7
20-34	315	4.0	3	2	2	4	5	6	7	10
35-49	527	4.6	10	2	3	4	5	7	9	15
50-64	598	5.1	13	2	3	4	5	8	10	18
65+	414	6.5	33	2	3	5	8	11	15	28
GRAND TOTAL	**1898**	**5.0**	**15**	**2**	**3**	**4**	**5**	**8**	**11**	**18**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.3	4	1	1	3	5	6	7	10
20-34	122	4.3	11	1	2	4	5	8	11	18
35-49	117	5.0	16	1	2	4	6	9	11	21
50-64	65	5.6	10	2	3	5	7	11	13	15
65+	48	5.8	21	2	2	4	6	11	15	28
B. *Operated*										
0-19 YRS	40	4.5	11	1	2	4	4	6	8	23
20-34	176	5.2	11	2	3	4	6	9	12	21
35-49	157	4.[illegible]	7	2	2	4	5	8	9	16
50-64	93	4.5	4	2	3	4	5	6	7	14
65+	29	5.3	14	2	2	5	5	7	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	5.1	12	1	1	4	7	10	13	16
20-34	196	5.2	13	2	2	4	7	9	12	20
35-49	283	6.3	24	2	2	5	8	11	14	30
50-64	374	6.9	28	2	3	5	9	13	16	32
65+	470	8.9	46	2	3	7	11	16	21	39
B. *Operated*										
0-19 YRS	14	6.0	10	3	3	5	8	11	13	13
20-34	82	7.4	43	2	3	5	8	15	21	39
35-49	154	7.3	62	2	2	5	8	14	17	51
50-64	153	7.1	20	3	3	6	9	13	16	22
65+	131	12.4	172	3	4	8	14	23	36	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	406	4.8	13	1	2	4	6	9	11	17
B. *Operated*	495	4.9	8	2	3	4	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	1372	7.1	33	2	2	6	9	13	16	32
B. *Operated*	534	8.5	77	2	3	6	10	16	22	44
1. SINGLE DX	901	4.8	10	2	2	4	5	8	11	18
2. MULTIPLE DX	1906	7.5	45	2	3	6	9	14	18	36
A. NOT OPERATED	1778	6.6	29	2	2	5	8	12	16	30
B. OPERATED	1029	6.7	47	2	3	5	7	12	17	35
TOTAL 0-19 YRS	157	4.4	10	1	1	4	5	8	10	16
20-34	576	5.3	17	2	2	4	6	10	13	21
35-49	711	5.9	28	2	2	5	7	10	14	32
50-64	685	6.5	22	2	3	5	8	12	15	29
65+	678	9.2	70	2	3	7	11	17	23	43
GRAND TOTAL	**2807**	**6.7**	**36**	**2**	**2**	**5**	**8**	**12**	**16**	**33**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	317	5.7	9	2	2	5	7	10	12	15
20-34	242	5.1	10	1	2	5	6	9	10	13
35-49	296	5.5	11	2	2	5	7	9	12	18
50-64	363	6.1	11	2	3	5	8	10	13	19
65+	296	7.3	23	3	3	6	9	14	17	26
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	6.7	16	2	2	9	9	9	9	9
35-49	8	6.6	17	2	2	6	8	13	15	15
50-64	14	6.1	39	2	2	4	7	18	21	22
65+	15	7.6	57	1	2	7	9	13	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	295	5.8	30	1	1	5	7	10	13	31
20-34	468	6.2	28	2	2	5	7	11	14	29
35-49	1055	6.3	15	2	3	5	8	11	14	22
50-64	2196	7.3	23	2	3	6	9	12	16	25
65+	2615	8.3	39	3	3	7	10	14	19	34
B. *Operated*										
0-19 YRS	12	13.8	268	2	2	7	19	37	55	58
20-34	43	11.3	110	1	2	8	14	21	31	59
35-49	142	11.7	95	2	4	9	14	24	30	51
50-64	280	12.4	141	2	3	9	14	25	35	72
65+	330	12.6	99	3	4	10	15	24	35	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1514	6.0	13	2	2	5	7	10	13	20
B. *Operated*	41	6.7	37	2	2	4	9	14	20	32
2. MULTIPLE DX										
A. *Not Operated*	6629	7.4	30	2	3	6	9	13	17	26
B. *Operated*	807	12.3	116	2	3	9	14	24	34	57
1. SINGLE DX	1555	6.0	14	2	2	5	7	10	13	21
2. MULTIPLE DX	7436	7.9	41	2	3	6	9	14	19	35
A. NOT OPERATED	8143	7.1	27	2	3	6	9	12	16	27
B. OPERATED	848	12.1	113	2	3	9	14	24	33	57
TOTAL 0-19 YRS	625	5.9	24	1	2	5	7	10	13	25
20-34	756	6.1	29	1	2	5	7	10	14	29
35-49	1501	6.7	24	2	3	5	8	12	14	28
50-64	2853	7.6	36	2	3	6	9	13	17	32
65+	3256	8.6	46	3	3	7	10	15	20	37
GRAND TOTAL	**8991**	**7.6**	**37**	**2**	**3**	**6**	**9**	**13**	**18**	**33**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	660	4.6	15	1	2	4	6	9	10	15
20-34	369	4.7	7	1	2	4	6	8	9	14
35-49	182	5.4	11	1	2	5	7	9	12	17
50-64	108	7.2	21	2	3	6	9	12	14	26
65+	94	6.6	13	2	3	6	8	11	13	19
B. *Operated*										
0-19 YRS	3	5.7	2	4	4	6	7	7	7	7
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	564	4.9	12	1	2	4	7	9	11	19
20-34	670	6.0	22	2	2	5	7	11	14	24
35-49	495	7.9	49	2	3	6	10	14	18	29
50-64	532	8.9	51	2	3	7	11	16	19	36
65+	612	10.1	57	3	4	9	12	17	22	34
B. *Operated*										
0-19 YRS	19	15.8	155	3	4	11	25	35	39	42
20-34	51	10.0	51	3	4	8	13	23	27	99
35-49	56	17.7	144	4	6	15	20	36	46	54
50-64	61	18.8	216	5	7	15	22	38	52	78
65+	63	18.0	115	6	8	16	22	31	49	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1413	5.1	13	1	2	4	7	9	11	16
B. *Operated*	6	7.5	5	4	4	8	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	2873	7.5	41	2	2	6	9	14	18	29
B. *Operated*	250	16.3	145	4	5	13	21	32	47	80
1. SINGLE DX	1419	5.1	13	1	2	4	7	9	11	16
2. MULTIPLE DX	3123	8.2	55	2	2	7	10	15	21	40
A. NOT OPERATED	4286	6.7	33	2	2	5	8	12	16	26
B. OPERATED	256	16.1	143	4	5	13	21	31	47	70
TOTAL 0-19 YRS	1246	4.9	18	1	2	4	6	9	11	21
20-34	1091	5.7	19	2	2	5	7	10	13	24
35-49	734	8.1	55	2	3	6	9	15	19	37
50-64	702	9.5	69	2	3	7	11	17	22	46
65+	769	10.3	63	3	4	9	13	19	23	45
GRAND TOTAL	**4542**	**7.2**	**44**	**2**	**2**	**6**	**9**	**14**	**18**	**33**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	261	5.4	12	2	2	5	7	9	11	15
20-34	322	5.4	9	2	2	5	7	9	11	17
35-49	398	5.9	11	2	3	5	7	10	12	16
50-64	586	6.4	20	2	3	5	8	10	13	18
65+	533	7.2	18	2	3	6	9	12	15	21
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	15	3.9	7	1	1	3	5	6	10	12
35-49	14	8.3	114	1	2	3	15	29	32	33
50-64	58	5.8	61	1	2	3	7	11	13	47
65+	71	7.8	88	1	2	4	10	23	30	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	241	5.8	50	1	2	5	7	10	12	22
20-34	844	6.1	18	2	2	5	8	11	14	23
35-49	1772	6.9	22	2	3	6	9	12	15	24
50-64	3829	7.6	27	3	3	7	9	13	16	26
65+	4915	8.8	42	3	4	7	11	15	20	34
B. *Operated*										
0-19 YRS	11	15.6	204	1	2	11	26	40	42	42
20-34	189	12.9	173	3	4	8	15	27	38	74
35-49	451	13.0	98	3	4	10	17	26	33	59
50-64	1118	15.5	177	3	4	12	20	33	45	83
65+	1466	18.2	222	3	4	14	24	38	50	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2100	6.2	16	2	3	5	8	10	13	18
B. *Operated*	160	6.7	73	1	2	3	7	14	29	44
2. MULTIPLE DX										
A. *Not Operated*	11601	7.9	33	2	3	7	9	14	17	29
B. *Operated*	3235	16.3	190	3	4	12	21	34	45	78
1. SINGLE DX	2260	6.3	20	2	2	5	8	11	13	22
2. MULTIPLE DX	14836	9.7	80	3	3	7	11	18	26	51
A. NOT OPERATED	13701	7.6	31	2	3	6	9	13	17	28
B. OPERATED	3395	15.8	189	2	4	12	21	34	45	78
TOTAL 0-19 YRS	515	5.8	35	1	2	5	7	10	12	29
20-34	1370	6.9	43	2	2	5	8	12	17	33
35-49	2635	7.8	39	2	3	6	9	14	19	34
50-64	5591	9.0	68	3	3	7	10	16	23	50
65+	6985	10.7	94	3	4	8	13	21	29	55
GRAND TOTAL	**17096**	**9.2**	**73**	**2**	**3**	**7**	**11**	**17**	**24**	**48**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	2	1	1	2	4	4	4	4
20-34	18	2.3	3	<1	1	2	2	5	7	7
35-49	4	3.3	4	1	1	3	5	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	25	4.4	5	1	2	4	5	6	8	12
20-34	135	4.0	5	<1	1	4	6	7	8	10
35-49	7	3.0	3	1	1	3	4	6	6	6
50-64	2	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	5	1	1	2	5	7	8	8
20-34	29	4.7	19	2	2	3	5	11	16	20
35-49	7	5.1	10	2	2	4	7	10	11	11
50-64	3	3.3		3	3	3	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	35	4.1	7	1	1	4	6	7	8	13
20-34	243	4.9	10	1	1	5	6	8	10	15
35-49	46	7.0	17	2	2	6	9	12	17	19
50-64	3	5.3	8	2	2	7	7	7	7	7
65+	2	2.5	1	2	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.6	3	1	1	2	4	5	6	7
B. *Operated*	170	4.0	5	<1	1	4	6	7	7	11
2. MULTIPLE DX										
A. *Not Operated*	51	4.3	14	2	2	3	5	8	14	20
B. *Operated*	329	5.1	11	1	1	5	7	9	10	18
1. SINGLE DX	200	3.8	5	<1	1	4	6	6	7	10
2. MULTIPLE DX	380	5.0	11	1	1	5	6	9	11	18
A. NOT OPERATED	81	3.7	10	1	1	3	4	7	9	19
B. OPERATED	499	4.7	9	1	1	5	6	8	10	16
TOTAL 0-19 YRS	78	3.9	6	1	1	4	5	6	8	13
20-34	425	4.5	9	<1	1	4	6	7	9	15
35-49	64	6.1	16	1	2	6	8	11	14	19
50-64	9	3.8	4	2	2	3	5	7	7	7
65+	4	2.3	1	1	1	2	3	3	3	3
GRAND TOTAL	**580**	**4.6**	**9**	**1**	**1**	**4**	**6**	**8**	**10**	**17**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	199	3.0	9	1	1	2	4	5	6	19
20-34	131	3.9	11	<1	1	3	5	7	10	17
35-49	116	4.3	22	1	2	3	5	7	10	26
50-64	109	4.3	11	1	1	4	5	8	9	18
65+	99	4.7	13	1	1	4	6	8	11	22
B. *Operated*										
0-19 YRS	22	3.5	4	<1	1	3	4	6	7	8
20-34	16	6.2	11	2	2	5	9	11	12	12
35-49	23	8.6	115	1	2	5	11	16	30	53
50-64	20	7.3	41	1	2	5	9	18	22	25
65+	13	7.5	14	3	4	6	10	13	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	232	3.5	10	1	1	3	4	7	10	16
20-34	354	4.6	11	1	2	4	6	8	10	21
35-49	500	5.4	32	1	2	4	6	10	14	30
50-64	698	6.1	33	1	2	5	7	11	15	33
65+	1469	7.2	37	2	2	6	9	14	18	31
B. *Operated*										
0-19 YRS	29	13.1	206	2	3	7	16	35	42	64
20-34	59	8.1	35	2	2	7	10	16	22	30
35-49	77	8.3	48	2	2	6	10	16	27	33
50-64	128	11.2	70	4	4	9	14	23	28	43
65+	172	14.0	159	4	5	10	17	30	39	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	654	3.9	13	1	1	3	5	7	10	20
B. *Operated*	94	6.6	43	1	2	5	8	12	16	41
2. MULTIPLE DX										
A. *Not Operated*	3253	6.1	32	1	2	5	8	12	16	30
B. *Operated*	465	11.5	108	3	4	8	14	24	31	51
1. SINGLE DX	748	4.2	18	1	1	3	5	8	10	22
2. MULTIPLE DX	3718	6.8	44	1	2	5	8	13	18	34
A. NOT OPERATED	3907	5.8	29	1	2	4	7	11	15	28
B. OPERATED	559	10.7	100	2	3	8	13	21	30	51
TOTAL 0-19 YRS	482	3.9	26	1	1	3	4	7	11	26
20-34	560	4.8	15	1	2	4	6	9	11	22
35-49	716	5.7	36	1	2	4	6	10	15	33
50-64	955	6.6	39	1	2	5	8	13	17	34
65+	1753	7.7	52	2	2	6	9	15	20	36
GRAND TOTAL	**4466**	**6.4**	**41**	**1**	**2**	**5**	**8**	**12**	**17**	**32**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.0	1	2	2	3	3	4	5	5
20-34	3	4.3	6	2	2	4	6	7	7	7
35-49	8	7.0	19	1	2	7	8	14	16	16
50-64	6	7.2	21	2	2	6	12	13	13	13
65+	11	10.3	87	3	4	6	10	28	30	30
B. *Operated*										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	2	8.0	50	3	3	8	13	13	13	13
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	11.9	115	2	3	9	14	24	30	58
20-34	30	13.2	261	2	2	8	20	29	30	84
35-49	30	11.1	77	3	4	10	15	19	23	47
50-64	96	10.8	98	2	3	8	13	18	30	54
65+	460	11.0	70	3	4	9	14	22	27	42
B. *Operated*										
0-19 YRS	5	17.2	120	7	7	15	23	35	35	35
20-34	8	22.4	66	10	11	24	26	33	36	36
35-49	13	15.1	72	4	5	13	22	28	29	29
50-64	28	12.1	59	5	5	10	16	27	38	99+
65+	84	21.1	301	4	6	16	27	42	61	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	6.7	39	2	2	5	8	13	23	30
B. *Operated*	7	6.3	12	3	3	6	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	655	11.1	85	3	3	8	14	22	28	49
B. *Operated*	138	18.6	222	4	6	15	25	36	53	87
1. SINGLE DX	45	6.6	34	2	2	5	8	13	19	30
2. MULTIPLE DX	793	12.4	117	3	4	9	16	25	31	62
A. NOT OPERATED	693	10.9	84	3	3	8	14	22	28	48
B. OPERATED	145	18.0	219	4	5	14	24	36	50	86
TOTAL 0-19 YRS	56	10.6	105	2	3	7	13	22	30	57
20-34	43	13.9	215	2	2	9	22	28	32	84
35-49	53	11.3	70	3	4	10	15	22	28	46
50-64	131	10.8	86	2	3	8	13	21	31	62
65+	555	12.5	118	3	4	9	16	26	31	64
GRAND TOTAL	**838**	**12.1**	**114**	**3**	**3**	**9**	**15**	**25**	**30**	**60**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	9.1	31	2	3	9	10	14	18	31
20-34	25	9.2	15	2	4	10	11	14	15	17
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	17	10.6	37	2	3	11	15	18	22	24
20-34	6	10.0	74	<1	<1	9	16	22	23	23
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	264	10.1	43	2	3	9	13	17	20	37
20-34	71	10.8	37	2	3	11	14	18	24	30
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	89	12.8	152	2	3	11	14	21	36	76
20-34	9	12.8	245	1	2	9	13	38	53	53
35-49	4	2.0	1	<1	<1	2	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	9.1	29	2	3	9	11	14	17	31
B. *Operated*	24	10.1	46	<1	1	10	15	18	23	24
2. MULTIPLE DX										
A. *Not Operated*	336	10.2	41	2	3	9	13	17	21	34
B. *Operated*	102	12.4	156	2	2	10	14	20	38	74
1. SINGLE DX	223	9.2	30	2	3	9	11	15	18	30
2. MULTIPLE DX	438	10.7	69	2	3	10	13	17	22	48
A. NOT OPERATED	535	9.8	37	2	3	9	12	16	19	31
B. OPERATED	126	12.0	135	1	2	10	14	20	34	72
TOTAL 0-19 YRS	544	10.2	58	2	3	9	13	17	21	42
20-34	111	10.6	49	1	3	10	13	17	23	39
35-49	6	2.2	1	<1	<1	2	3	4	4	4
50-64										
65+										
GRAND TOTAL	**661**	**10.2**	**56**	**2**	**3**	**9**	**13**	**17**	**21**	**42**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.8	9	1	1	3	5	8	11	12
20-34	10	4.9	26	1	1	3	4	13	18	18
35-49	13	3.5	7	<1	<1	3	5	8	9	9
50-64	5	6.6	46	1	1	3	12	17	17	17
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	13	7.4	15	2	4	6	8	12	17	18
20-34	178	7.7	5	5	5	8	9	10	11	16
35-49	132	8.8	14	5	5	8	10	12	12	27
50-64	31	9.0	10	5	5	9	11	13	14	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.5	54	1	1	4	5	6	7	50
20-34	58	4.9	14	1	2	4	7	8	14	20
35-49	81	6.1	40	1	2	4	7	11	15	41
50-64	81	7.6	95	2	2	5	8	13	17	67
65+	31	9.2	28	4	4	8	12	15	20	27
B. *Operated*										
0-19 YRS	11	6.8	8	2	2	7	9	10	11	11
20-34	299	8.4	25	4	5	8	9	12	15	33
35-49	358	10.1	69	5	5	8	10	15	25	48
50-64	83	11.4	77	4	5	9	12	20	32	49
65+	9	11.7	42	3	4	10	17	21	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	4.3	16	<1	1	3	5	9	13	18
B. *Operated*	354	8.2	9	5	5	8	9	11	12	16
2. MULTIPLE DX										
A. *Not Operated*	293	6.4	52	1	2	5	7	12	15	45
B. *Operated*	760	9.5	52	5	5	8	10	14	21	42
1. SINGLE DX	398	7.8	11	3	4	8	9	11	12	17
2. MULTIPLE DX	1053	8.6	54	2	3	7	10	14	19	42
A. NOT OPERATED	337	6.1	48	1	2	4	7	11	15	40
B. OPERATED	1114	9.1	39	5	5	8	10	12	17	38
TOTAL 0-19 YRS	81	5.2	34	1	1	4	6	9	10	40
20-34	545	7.7	18	3	4	7	9	11	13	25
35-49	584	9.1	53	3	4	8	10	13	18	42
50-64	200	9.4	76	2	3	8	11	15	21	48
65+	41	9.6	31	3	4	8	12	18	21	27
GRAND TOTAL	**1451**	**8.4**	**42**	**2**	**4**	**7**	**10**	**12**	**16**	**38**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	3.9	16	<1	1	3	5	7	10	25
20-34	45	4.0	12	1	1	3	5	7	12	19
35-49	39	4.1	20	<1	1	2	5	9	15	21
50-64	30	4.6	10	1	1	4	6	9	12	15
65+	28	5.7	18	1	2	5	7	13	15	17
B. *Operated*										
0-19 YRS	35	4.4	10	1	1	4	5	11	13	99+
20-34	63	4.6	29	1	1	3	5	9	12	35
35-49	86	4.0	11	1	1	3	5	9	11	16
50-64	39	4.6	24	<1	1	3	7	10	13	27
65+	23	9.1	220	<1	1	4	11	20	40	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	241	5.4	29	1	1	4	7	11	16	28
20-34	150	5.4	15	2	2	4	7	9	13	20
35-49	202	6.6	53	2	2	5	8	11	16	30
50-64	219	7.1	33	2	2	5	8	15	20	27
65+	294	8.4	48	2	3	6	11	17	21	40
B. *Operated*										
0-19 YRS	41	10.6	171	1	2	6	15	34	51	99+
20-34	115	10.2	154	2	2	7	10	19	34	68
35-49	149	8.6	60	2	2	7	9	17	23	39
50-64	151	8.3	55	1	2	6	11	16	24	39
65+	131	12.1	160	2	3	8	15	26	34	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	4.2	16	1	1	3	5	8	12	20
B. *Operated*	246	4.8	38	1	1	3	6	10	13	39
2. MULTIPLE DX										
A. *Not Operated*	1106	6.8	39	1	2	5	8	14	19	30
B. *Operated*	587	9.8	109	2	2	7	11	20	31	52
1. SINGLE DX	486	4.5	27	1	1	3	5	9	13	26
2. MULTIPLE DX	1693	7.8	65	1	2	5	9	16	22	42
A. NOT OPERATED	1346	6.3	36	1	2	5	8	13	18	29
B. OPERATED	833	8.3	93	1	2	5	9	16	27	51
TOTAL 0-19 YRS	415	5.5	42	1	1	4	6	12	17	46
20-34	373	6.6	66	1	2	5	8	12	18	44
35-49	476	6.6	48	1	2	5	8	12	18	35
50-64	439	7.1	40	1	2	5	9	15	20	32
65+	476	9.3	88	2	2	7	11	18	25	44
GRAND TOTAL	**2179**	**7.1**	**58**	**1**	**2**	**5**	**8**	**15**	**20**	**39**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	3.8	1	<1	2	4	4	5	6	6
35-49	27	4.0	8	1	1	3	6	9	10	10
50-64	34	4.8	7	1	2	4	7	8	10	13
65+	65	4.5	6	2	2	4	6	8	9	13
B. *Operated*										
0-19 YRS										
20-34	4	3.5	4	<1	<1	3	5	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64	8	5.3	28	2	2	3	7	14	17	17
65+	7	6.7	22	2	2	5	10	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	22	3.5	3	1	2	3	4	5	7	10
35-49	95	5.4	12	1	2	5	7	9	13	19
50-64	207	5.7	19	2	2	5	7	10	14	25
65+	421	7.9	37	2	3	6	9	15	21	32
B. *Operated*										
0-19 YRS										
20-34	4	8.8	41	2	2	8	14	16	16	16
35-49	9	7.9	98	1	1	6	8	24	33	33
50-64	44	13.9	142	2	3	10	20	34	39	51
65+	51	12.2	118	3	3	9	16	25	36	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	4.4	6	1	2	4	6	8	9	13
B. *Operated*	20	5.3	20	1	2	3	7	12	15	17
2. MULTIPLE DX										
A. *Not Operated*	746	6.8	29	2	2	5	8	13	18	27
B. *Operated*	108	12.4	124	2	3	9	16	27	36	52
1. SINGLE DX	159	4.5	8	1	2	4	6	8	10	14
2. MULTIPLE DX	854	7.6	45	2	3	6	9	15	22	35
A. NOT OPERATED	885	6.5	26	2	2	5	8	12	16	27
B. OPERATED	128	11.3	114	2	2	7	15	26	35	52
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	43	4.0	8	1	2	4	4	6	11	16
35-49	132	5.2	17	1	2	4	7	9	11	22
50-64	293	6.8	45	2	2	5	7	14	21	36
65+	544	7.9	43	2	3	6	9	15	22	35
GRAND TOTAL	**1013**	**7.1**	**40**	**2**	**2**	**5**	**8**	**14**	**20**	**34**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	3.2	5	1	1	3	4	6	9	12
20-34	56	2.9	3	1	1	3	4	5	6	9
35-49	65	3.3	6	1	1	3	4	5	6	16
50-64	67	3.8	6	1	1	3	5	7	8	14
65+	169	6.0	21	1	2	5	7	11	14	23
B. *Operated*										
0-19 YRS	4	3.0	5	1	1	2	4	6	6	6
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	4	10.3	77	3	3	7	15	23	23	23
65+	7	13.1	257	2	2	3	25	39	41	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	887	3.7	12	1	1	3	4	6	9	21
20-34	456	4.1	9	1	2	3	5	8	9	16
35-49	602	5.3	20	1	2	4	7	10	12	29
50-64	1281	6.9	44	2	2	5	8	13	17	36
65+	5255	8.6	52	2	3	7	10	16	21	37
B. *Operated*										
0-19 YRS	25	7.4	47	1	2	5	9	18	23	30
20-34	45	8.2	142	<1	1	4	8	15	38	57
35-49	49	8.1	50	1	1	6	11	17	22	34
50-64	124	12.4	115	2	3	11	15	24	31	77
65+	375	17.0	171	4	6	14	21	32	52	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	454	4.3	13	1	1	3	5	8	11	18
B. *Operated*	17	9.0	132	1	2	3	8	29	37	41
2. MULTIPLE DX										
A. *Not Operated*	8481	7.3	45	2	2	6	9	14	19	34
B. *Operated*	618	14.3	156	2	4	11	18	29	41	69
1. SINGLE DX	471	4.5	18	1	1	3	5	8	11	23
2. MULTIPLE DX	9099	7.8	56	2	2	6	10	15	21	39
A. NOT OPERATED	8935	7.2	44	2	2	5	9	14	18	34
B. OPERATED	635	14.2	155	2	3	11	18	29	41	68
TOTAL 0-19 YRS	1013	3.7	13	1	1	3	4	6	9	21
20-34	558	4.3	20	1	1	3	5	8	10	19
35-49	717	5.3	22	1	2	4	7	10	13	29
50-64	1476	7.2	51	2	2	5	9	14	19	41
65+	5806	9.0	63	2	3	7	11	17	23	43
GRAND TOTAL	**9570**	**7.6**	**54**	**2**	**2**	**6**	**9**	**15**	**20**	**39**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	3.2	3	1	1	3	4	5	6	8
20-34	32	3.7	5	1	1	3	5	6	8	10
35-49	46	4.0	5	1	2	3	5	7	9	10
50-64	39	4.0	4	1	2	4	5	7	7	10
65+	109	5.1	9	1	2	4	7	9	11	16
B. *Operated*										
0-19 YRS	5	4.6	10	2	2	3	6	10	10	10
20-34	7	4.7	13	2	2	3	6	11	12	12
35-49	11	5.2	7	2	2	5	7	9	9	9
50-64	13	6.8	15	3	3	6	7	12	17	18
65+	40	7.0	17	2	3	6	9	13	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	3.8	4	1	2	4	5	6	8	9
20-34	105	4.9	10	1	2	4	6	8	10	17
35-49	219	5.0	13	1	2	4	6	8	10	21
50-64	336	5.8	13	1	2	5	7	10	13	18
65+	1345	6.8	30	2	2	6	8	12	15	25
B. *Operated*										
0-19 YRS	11	7.9	29	2	3	6	10	17	19	19
20-34	47	6.2	20	2	2	5	7	15	17	18
35-49	121	7.2	18	2	3	6	9	12	16	21
50-64	155	8.7	33	3	3	8	11	14	18	26
65+	448	9.8	40	3	4	8	12	17	23	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	268	4.3	7	1	1	4	6	7	9	13
B. *Operated*	76	6.3	15	2	3	5	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	2094	6.2	24	1	2	5	8	11	14	23
B. *Operated*	782	8.9	35	3	3	8	11	16	20	28
1. SINGLE DX	344	4.7	9	1	2	4	6	8	10	16
2. MULTIPLE DX	2876	7.0	29	2	2	6	9	12	16	26
A. NOT OPERATED	2362	6.0	23	1	2	5	7	11	13	22
B. OPERATED	858	8.7	34	2	3	8	11	16	20	28
TOTAL 0-19 YRS	147	3.9	7	1	1	4	5	7	9	16
20-34	191	5.0	12	1	2	4	6	9	13	18
35-49	397	5.6	15	1	2	5	7	10	12	20
50-64	543	6.5	20	2	2	6	8	11	14	21
65+	1942	7.4	33	2	3	6	9	13	17	28
GRAND TOTAL	**3220**	**6.7**	**27**	**2**	**2**	**6**	**8**	**12**	**16**	**26**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	473	4.2	9	1	1	4	6	8	9	12
20-34	562	5.5	11	1	2	5	7	10	11	18
35-49	124	5.4	12	1	2	5	7	8	11	21
50-64	11	3.3	3	<1	1	3	5	6	6	6
65+	5	6.0	15	1	1	6	9	11	11	11
B. *Operated*										
0-19 YRS	5	8.2	20	3	3	8	10	15	15	15
20-34	7	7.4	19	2	2	9	11	12	12	12
35-49	3	11.7	52	7	7	8	17	20	20	20
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	619	4.9	17	<1	1	4	6	10	12	20
20-34	696	6.8	19	2	2	6	8	12	15	24
35-49	188	6.8	22	2	3	6	8	11	13	25
50-64	40	5.2	13	1	1	4	7	11	13	14
65+	13	8.7	13	2	4	9	11	13	15	15
B. *Operated*										
0-19 YRS	23	11.8	82	1	1	11	16	21	29	41
20-34	53	12.8	95	2	3	10	18	28	32	46
35-49	15	9.9	51	2	2	10	14	18	25	27
50-64	5	9.8	33	2	2	9	13	18	18	18
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1175	5.0	11	1	1	4	6	9	11	18
B. *Operated*	15	8.5	24	2	2	8	11	15	19	20
2. MULTIPLE DX										
A. *Not Operated*	1556	6.0	20	1	2	5	8	11	14	22
B. *Operated*	97	12.0	80	2	2	10	16	23	29	44
1. SINGLE DX	1190	5.0	11	1	2	4	7	9	11	18
2. MULTIPLE DX	1653	6.3	25	1	2	5	8	12	15	25
A. NOT OPERATED	2731	5.6	16	1	2	5	7	10	12	20
B. OPERATED	112	11.5	74	2	2	10	16	21	29	43
TOTAL 0-19 YRS	1120	4.8	16	<1	1	4	6	9	11	20
20-34	1318	6.5	21	1	2	6	8	12	15	24
35-49	330	6.4	21	2	2	6	8	11	14	25
50-64	56	5.2	15	1	1	4	7	11	13	18
65+	19	8.2	15	1	3	8	11	13	14	15
GRAND TOTAL	**2843**	**5.8**	**20**	**1**	**2**	**5**	**7**	**11**	**13**	**23**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	215	2.4	7	<1	<1	1	3	5	9	14
20-34	71	3.4	14	<1	<1	2	4	7	9	22
35-49	47	5.2	18	1	1	4	6	12	15	18
50-64	82	3.8	10	<1	<1	3	5	9	10	12
65+	372	3.9	18	<1	1	3	5	8	11	15
B. *Operated*										
0-19 YRS	35	7.3	55	2	2	6	7	13	21	42
20-34	18	4.6	10	<1	1	4	7	9	11	12
35-49	14	6.1	10	2	2	6	7	10	13	14
50-64	29	7.7	36	3	3	6	8	16	20	30
65+	75	7.0	25	1	2	6	9	12	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	4.0	31	1	1	3	5	8	11	22
20-34	169	5.2	19	1	1	4	6	10	13	25
35-49	268	5.5	48	1	1	4	7	11	14	25
50-64	607	5.6	25	1	1	4	7	11	15	26
65+	2456	6.1	29	1	1	5	8	12	16	28
B. *Operated*										
0-19 YRS	49	10.1	153	1	2	6	12	18	33	74
20-34	70	10.9	230	1	2	6	10	26	43	86
35-49	117	9.8	103	2	2	7	11	18	26	63
50-64	258	9.9	71	2	3	8	13	18	23	51
65+	866	10.9	77	3	3	9	14	20	26	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	787	3.5	14	<1	<1	2	4	8	10	17
B. *Operated*	171	6.9	30	1	2	6	8	12	16	29
2. MULTIPLE DX										
A. *Not Operated*	3701	5.8	30	1	1	4	7	12	15	27
B. *Operated*	1360	10.6	89	2	3	8	13	19	26	55
1. SINGLE DX	958	4.1	19	<1	<1	3	5	9	12	22
2. MULTIPLE DX	5061	7.1	50	1	1	5	9	14	19	35
A. NOT OPERATED	4488	5.4	28	1	1	4	7	11	15	26
B. OPERATED	1531	10.2	83	2	3	8	12	19	26	53
TOTAL 0-19 YRS	500	4.2	40	<1	<1	2	5	9	13	28
20-34	328	6.0	69	<1	1	4	7	11	16	44
35-49	446	6.6	61	1	1	5	8	13	17	31
50-64	976	6.6	41	1	1	5	8	14	18	30
65+	3769	7.0	44	1	1	5	9	14	19	34
GRAND TOTAL	**6019**	**6.6**	**46**	**1**	**1**	**5**	**9**	**14**	**18**	**33**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.0	12	1	1	3	5	8	13	14
20-34	14	2.9	1	1	2	3	3	4	5	5
35-49	12	6.1	10	2	3	5	8	11	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	4.1	11	1	1	4	5	7	12	17
20-34	15	4.1	1	2	3	4	5	5	6	6
35-49	10	11.0	52	2	2	10	17	20	21	21
50-64	3	3.3	1	2	2	4	4	4	4	4
65+	4	7.8	6	5	5	7	9	11	11	11
B. *Operated*										
0-19 YRS	8	6.6	37	1	1	4	10	17	19	19
20-34	6	8.3	71	3	3	5	9	23	25	25
35-49	1	57.0		57	57	78	99+	99+	99+	99+
50-64	2	7.5	13	5	5	7	10	10	10	10
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	4.2	9	1	2	4	5	8	12	14
B. *Operated*	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	81	5.1	18	1	2	4	5	11	16	21
B. *Operated*	17	10.3	185	1	2	5	11	47	83	99+
1. SINGLE DX	40	4.2	8	1	2	4	5	8	11	14
2. MULTIPLE DX	98	6.0	49	1	2	4	6	15	20	79
A. NOT OPERATED	119	4.8	15	1	2	4	5	9	15	20
B. OPERATED	19	9.6	168	1	2	5	10	41	78	99+
TOTAL 0-19 YRS	70	4.4	14	1	1	3	5	8	14	19
20-34	36	4.3	15	2	2	4	5	5	8	25
35-49	23	10.4	135	2	3	7	14	25	70	99+
50-64	5	5.0	9	2	2	4	6	10	10	10
65+	4	7.8	6	5	5	7	9	11	11	11
GRAND TOTAL	**138**	**5.5**	**38**	**1**	**2**	**4**	**5**	**12**	**17**	**62**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	3.6	9	1	1	3	4	8	9	17
20-34	33	3.7	6	1	1	3	5	7	8	9
35-49	32	5.0	16	1	1	4	7	9	13	20
50-64	27	4.3	16	1	1	3	5	8	11	20
65+	92	3.9	21	1	1	3	5	8	10	28
B. *Operated*										
0-19 YRS	76	5.2	19	1	1	4	7	11	13	25
20-34	54	6.8	31	2	2	5	8	11	20	29
35-49	39	6.1	12	1	1	6	8	10	13	16
50-64	49	8.2	38	2	2	7	9	14	21	38
65+	31	9.9	124	3	3	7	12	17	19	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	191	4.6	26	1	1	3	5	9	10	31
20-34	137	5.7	19	1	1	4	7	12	15	20
35-49	172	5.7	21	1	2	5	8	10	12	25
50-64	304	6.8	38	1	2	5	8	13	17	39
65+	641	6.9	44	1	2	5	9	13	17	33
B. *Operated*										
0-19 YRS	69	7.2	29	2	2	6	9	14	23	85
20-34	108	8.9	42	2	3	7	11	21	23	29
35-49	105	10.6	108	2	3	8	12	20	26	60
50-64	165	10.6	70	2	3	8	13	20	26	49
65+	333	12.8	121	3	4	10	16	24	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	3.9	13	1	1	3	5	8	9	20
B. *Operated*	254	6.9	39	1	2	6	9	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	1445	6.3	36	1	2	5	8	12	16	33
B. *Operated*	780	11.0	92	2	3	8	14	22	28	57
1. SINGLE DX	616	5.1	26	1	1	4	7	9	13	24
2. MULTIPLE DX	2225	8.0	61	1	2	6	10	16	22	44
A. NOT OPERATED	1807	5.8	32	1	1	4	7	12	15	30
B. OPERATED	1034	10.0	82	2	3	8	12	21	26	55
TOTAL 0-19 YRS	514	4.7	20	1	1	3	6	9	12	25
20-34	337	6.7	30	1	2	5	8	14	20	26
35-49	348	7.2	50	1	2	6	9	12	19	39
50-64	545	8.0	50	2	2	7	10	15	21	41
65+	1097	8.5	77	1	2	6	11	18	24	53
GRAND TOTAL	**2841**	**7.3**	**54**	**1**	**2**	**5**	**9**	**15**	**21**	**41**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	541	2.2	2	1	1	2	3	4	4	8
20-34	107	2.3	2	1	1	2	3	4	5	8
35-49	19	3.2	2	<1	1	3	5	5	6	6
50-64	6	2.7	2	1	1	2	3	5	5	5
65+	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*										
0-19 YRS	328	3.6	2	2	2	3	4	5	6	9
20-34	124	3.9	3	2	2	4	5	6	6	10
35-49	18	5.3	7	3	3	4	5	9	11	12
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	270	2.5	3	1	1	2	3	5	6	9
20-34	77	2.7	2	1	1	2	3	5	6	7
35-49	22	4.0	4	1	1	4	5	7	8	8
50-64	11	5.9	10	2	3	5	7	11	12	12
65+	5	6.4	10	3	3	8	9	10	10	10
B. *Operated*										
0-19 YRS	161	4.5	6	2	2	4	5	7	9	16
20-34	66	5.9	10	2	3	5	7	10	12	17
35-49	15	6.8	13	3	3	6	8	13	14	15
50-64	1	9.0		9	9	9	9	9	9	9
65+	3	15.7	60	7	7	18	21	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	676	2.2	2	1	1	2	3	4	5	8
B. *Operated*	471	3.7	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	385	2.8	4	1	1	2	3	5	6	11
B. *Operated*	246	5.2	10	2	3	4	6	9	11	18
1. SINGLE DX	1147	2.8	3	1	1	2	4	5	6	9
2. MULTIPLE DX	631	3.7	8	1	1	3	5	7	9	15
A. NOT OPERATED	1061	2.4	3	1	1	2	3	4	5	8
B. OPERATED	717	4.2	6	2	2	4	5	7	9	14
TOTAL 0-19 YRS	1300	2.9	3	1	1	2	4	5	6	9
20-34	374	3.6	5	1	1	3	5	6	7	12
35-49	74	4.7	8	1	2	4	5	8	11	15
50-64	19	4.8	10	1	2	4	6	10	12	12
65+	11	7.9	44	2	2	7	10	20	22	22
GRAND TOTAL	**1778**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	4.1	6	1	2	4	5	7	8	12
20-34	26	3.1	3	1	1	3	4	6	6	7
35-49	6	3.2	2	1	1	3	4	5	5	5
50-64	3	8.3	33	5	5	5	13	15	15	15
65+	4	7.8	133	1	1	2	14	25	25	25
B. *Operated*										
0-19 YRS	138	3.1	6	<1	1	2	4	6	8	13
20-34	84	3.1	5	1	1	2	4	6	8	11
35-49	42	2.7	2	1	1	3	3	4	5	7
50-64	27	3.4	4	1	2	3	5	7	8	9
65+	12	4.1	5	<1	1	4	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	4.6	7	2	2	4	6	8	10	13
20-34	28	4.9	5	2	2	4	7	8	9	10
35-49	16	5.2	22	2	2	4	5	10	18	21
50-64	13	6.3	15	3	3	6	7	11	17	18
65+	12	6.4	21	1	2	5	10	14	14	14
B. *Operated*										
0-19 YRS	77	5.0	14	<1	1	4	7	10	13	18
20-34	47	5.6	53	1	2	3	7	11	14	48
35-49	33	4.7	12	2	2	3	6	11	12	14
50-64	35	6.4	23	1	2	5	8	12	16	24
65+	29	6.9	36	1	2	5	8	19	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	4.1	8	1	2	4	5	7	8	16
B. *Operated*	303	3.1	5	<1	1	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	198	4.9	9	2	2	4	6	9	11	16
B. *Operated*	221	5.6	27	1	1	4	7	11	14	23
1. SINGLE DX	517	3.5	6	1	1	3	5	7	8	12
2. MULTIPLE DX	419	5.2	18	1	2	4	7	10	13	21
A. NOT OPERATED	412	4.5	9	1	2	4	6	8	10	16
B. OPERATED	524	4.2	15	1	1	3	5	8	11	19
TOTAL 0-19 YRS	519	4.1	8	1	1	3	5	8	9	13
20-34	185	4.0	18	1	1	3	5	8	9	16
35-49	97	3.8	9	1	2	3	4	7	11	18
50-64	78	5.4	17	1	2	5	7	10	15	22
65+	57	6.2	31	1	2	4	8	14	21	25
GRAND TOTAL	**936**	**4.3**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.0	7	<1	<1	2	5	7	8	8
20-34	35	11.1	99	1	3	7	17	25	34	43
35-49	7	9.9	147	1	1	5	11	31	36	36
50-64	16	10.8	170	2	2	6	11	35	45	48
65+	29	9.9	127	1	1	7	12	29	32	47
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	9.4	105	1	1	6	14	26	31	31
20-34	29	9.9	117	1	2	8	11	20	25	58
35-49	33	12.5	211	1	3	8	14	24	33	80
50-64	65	12.4	136	3	4	8	14	30	37	61
65+	184	10.4	79	2	3	8	14	21	27	49
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	7	13.6	56	2	4	13	16	25	27	27
65+	14	16.9	165	4	4	12	29	36	41	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	9.6	113	1	1	6	12	26	36	48
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	319	10.9	107	2	3	8	14	22	30	55
B. *Operated*	21	15.8	127	3	4	13	20	35	38	42
1. SINGLE DX	99	9.6	113	1	1	6	12	26	36	48
2. MULTIPLE DX	340	11.2	110	2	3	8	14	24	31	53
A. NOT OPERATED	418	10.6	109	1	2	8	13	23	31	52
B. OPERATED	21	15.8	127	3	4	13	20	35	38	42
TOTAL 0-19 YRS	20	5.6	53	<1	1	2	7	14	23	31
20-34	64	10.6	105	1	2	7	13	22	30	56
35-49	40	12.1	196	1	2	8	13	25	35	60
50-64	88	12.2	134	2	3	8	13	29	38	58
65+	227	10.7	92	1	2	8	14	23	31	48
GRAND TOTAL	**439**	**10.9**	**111**	**1**	**2**	**8**	**13**	**24**	**31**	**52**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	2.3	13	<1	<1	1	2	4	6	23
20-34	96	3.4	13	<1	1	2	4	8	11	19
35-49	50	7.6	121	<1	1	3	9	15	25	60
50-64	91	9.0	77	1	2	6	11	21	24	46
65+	605	9.7	77	2	2	7	13	20	26	45
B. *Operated*										
0-19 YRS	4	4.0	13	1	1	4	7	8	8	8
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	7.0	22	3	3	5	9	15	15	15
50-64	4	3.8	3	2	2	3	5	6	6	6
65+	15	10.9	99	3	3	7	18	22	33	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	5.8	45	1	1	3	7	14	20	34
20-34	211	6.7	65	1	1	4	8	14	23	50
35-49	144	10.4	116	1	2	7	14	25	30	93
50-64	366	11.6	106	2	3	8	15	25	34	61
65+	3691	11.7	111	2	3	9	15	23	32	59
B. *Operated*										
0-19 YRS	7	5.6	28	1	1	5	12	74	99+	99+
20-34	19	8.2	69	2	2	6	9	21	30	33
35-49	14	12.9	126	2	2	11	15	31	40	42
50-64	35	18.8	395	3	4	14	22	57	99	99+
65+	288	20.2	247	4	5	16	25	42	58	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	955	8.0	73	1	1	5	11	19	24	45
B. *Operated*	29	8.1	64	1	2	5	10	21	23	37
2. MULTIPLE DX										
A. *Not Operated*	4528	11.3	109	2	3	8	14	23	31	58
B. *Operated*	363	18.9	253	3	4	14	24	42	58	99+
1. SINGLE DX	984	8.0	73	1	1	5	10	19	24	44
2. MULTIPLE DX	4891	11.8	124	2	3	9	15	25	34	64
A. NOT OPERATED	5483	10.7	104	2	2	8	14	22	30	55
B. OPERATED	392	18.1	247	3	4	14	23	40	57	99+
TOTAL 0-19 YRS	240	4.1	32	<1	1	2	4	10	16	33
20-34	327	5.8	52	1	1	4	7	12	19	36
35-49	213	9.8	117	1	2	6	13	24	30	72
50-64	496	11.6	125	2	2	8	15	25	35	84
65+	4599	12.0	120	2	3	9	15	24	33	62
GRAND TOTAL	**5875**	**11.2**	**117**	**2**	**2**	**8**	**14**	**23**	**32**	**61**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	24.0	512	8	8	24	40	40	40	40
65+	27	11.0	46	1	1	10	16	19	22	29
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	15	11.1	61	2	2	9	16	24	24	24
65+	183	10.5	62	2	3	8	14	22	27	48
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	79.0		79	79	79	79	79	79	79
65+	13	26.5	574	5	8	15	41	66	77	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	11.9	72	1	2	10	16	21	30	40
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	198	10.5	61	2	3	8	14	22	26	45
B. *Operated*	14	30.3	727	5	8	16	52	79	80	80
1. SINGLE DX	29	11.9	72	1	2	10	16	21	30	40
2. MULTIPLE DX	212	11.8	126	2	3	9	15	24	33	79
A. NOT OPERATED	227	10.7	63	2	3	8	14	22	27	43
B. OPERATED	14	30.3	727	5	8	16	52	79	80	80
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	18	16.3	342	2	2	9	22	35	63	79
65+	223	11.5	101	2	3	9	15	22	29	67
GRAND TOTAL	**241**	**11.9**	**119**	**2**	**3**	**9**	**15**	**23**	**31**	**79**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	50	4.3	24	<1	1	3	5	10	12	30
35-49	115	4.2	9	1	2	3	6	7	10	16
50-64	77	6.1	51	1	2	4	6	13	17	39
65+	39	5.6	12	2	2	5	8	11	13	15
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	27.0		27	27	27	27	27	27	27
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	5.7	74	<1	1	3	5	14	29	36
20-34	291	5.8	31	1	2	4	7	11	15	31
35-49	763	6.1	26	1	2	5	8	12	16	28
50-64	627	6.8	39	2	2	5	8	13	16	32
65+	221	10.1	89	2	3	7	12	19	28	51
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	8.6	50	3	3	7	9	20	25	25
35-49	33	13.2	112	3	4	11	16	23	37	54
50-64	34	17.4	154	4	6	14	20	37	48	54
65+	10	14.9	72	6	6	12	23	59	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	4.9	24	1	1	3	6	10	13	31
B. *Operated*	3	14.0	133	5	5	10	23	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	1919	6.7	40	1	2	5	8	13	17	33
B. *Operated*	86	14.5	123	3	4	12	19	30	45	83
1. SINGLE DX	287	5.0	25	1	1	4	6	10	13	31
2. MULTIPLE DX	2005	7.1	46	1	2	5	9	14	18	36
A. NOT OPERATED	2203	6.5	38	1	2	5	8	13	16	32
B. OPERATED	89	14.5	122	3	4	12	19	29	44	82
TOTAL 0-19 YRS	21	5.0	61	<1	1	2	4	11	25	36
20-34	349	5.6	31	1	2	4	7	11	15	30
35-49	912	6.1	29	1	2	5	7	12	16	28
50-64	739	7.3	51	2	2	5	9	14	19	44
65+	271	9.6	81	2	3	7	12	19	28	61
GRAND TOTAL	**2292**	**6.8**	**44**	**1**	**2**	**5**	**8**	**13**	**18**	**36**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	7.0	32	<1	1	5	10	14	19	23
20-34	49	8.9	149	1	2	4	10	22	38	58
35-49	15	5.6	30	1	2	4	7	12	19	22
50-64	12	7.8	44	1	2	6	8	18	25	26
65+	10	5.3	17	1	1	4	8	12	15	15
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	34.0		34	34	34	34	34	34	34
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	10.2	175	1	1	7	11	26	31	66
20-34	85	8.5	81	1	1	7	10	18	21	56
35-49	62	7.3	29	1	1	6	10	14	17	25
50-64	75	9.2	47	1	2	8	12	19	24	29
65+	140	8.5	50	2	3	7	11	16	25	36
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	3	11.0	31	6	6	10	15	17	17	17
35-49	1	13.0		13	13	13	13	13	13	13
50-64	4	9.0	22	5	5	9	13	14	14	14
65+	8	15.5	99	2	3	15	23	29	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	7.6	87	1	2	5	9	14	23	56
B. *Operated*	1	34.0		34	34	34	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*	391	8.6	62	1	2	7	10	17	24	36
B. *Operated*	17	12.9	59	3	5	12	17	24	29	31
1. SINGLE DX	105	7.9	93	1	2	5	9	15	24	56
2. MULTIPLE DX	408	8.7	62	1	2	7	11	18	24	36
A. NOT OPERATED	495	8.4	67	1	2	6	10	17	24	43
B. OPERATED	18	14.1	80	3	5	12	18	29	33	34
TOTAL 0-19 YRS	48	9.0	119	1	1	6	10	21	28	66
20-34	137	8.7	103	1	1	6	10	18	23	59
35-49	78	7.0	29	1	1	6	10	14	18	24
50-64	92	9.3	52	1	2	7	12	19	26	32
65+	158	8.7	53	1	3	7	11	17	25	35
GRAND TOTAL	**513**	**8.6**	**69**	**1**	**2**	**6**	**10**	**17**	**24**	**41**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	14.4	176	1	2	10	21	30	45	62
20-34	811	11.2	120	1	2	8	16	25	34	53
35-49	437	12.3	120	1	2	9	17	27	32	55
50-64	174	12.3	80	2	2	10	17	26	30	40
65+	59	14.4	81	2	3	14	19	24	33	44
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	20.7	21	18	18	18	24	26	26	26
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	22.3	393	2	5	17	28	47	63	89
20-34	281	12.4	121	1	2	9	17	26	32	59
35-49	268	13.3	131	2	3	10	17	29	36	56
50-64	146	15.0	85	2	4	14	21	28	32	40
65+	74	18.8	238	4	6	14	24	43	55	96
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	12	20.8	150	4	7	20	22	41	48	49
35-49	10	15.3	108	1	2	19	23	26	27	27
50-64	10	23.4	60	14	14	22	29	34	36	36
65+	3	22.0	163	11	11	19	32	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1537	11.9	116	1	2	9	17	26	32	52
B. *Operated*	5	17.4	32	11	11	18	20	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	796	14.1	143	2	3	11	19	29	36	60
B. *Operated*	36	20.0	110	3	4	20	25	35	37	49
1. SINGLE DX	1542	11.9	116	1	2	9	17	26	32	52
2. MULTIPLE DX	832	14.4	142	2	3	11	19	29	36	60
A. NOT OPERATED	2333	12.6	126	1	2	10	17	27	35	55
B. OPERATED	41	19.7	101	3	6	19	24	34	37	49
TOTAL 0-19 YRS	84	17.0	254	2	2	12	22	36	50	80
20-34	1104	11.6	121	1	2	8	16	26	33	55
35-49	718	12.7	124	1	2	10	17	27	35	55
50-64	331	13.8	86	2	3	12	20	27	31	40
65+	137	16.9	170	3	4	14	20	35	44	87
GRAND TOTAL	**2374**	**12.8**	**127**	**1**	**2**	**10**	**18**	**27**	**35**	**55**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	11.5	86	2	3	10	13	21	37	39
20-34	73	10.0	120	1	2	7	12	19	24	72
35-49	32	8.5	61	1	1	7	11	16	24	38
50-64	14	10.9	67	1	1	10	16	23	27	28
65+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	31	3	3	8	13	14	14	14
20-34	20	15.9	378	1	1	8	20	42	63	80
35-49	10	10.7	42	2	2	11	15	19	20	20
50-64	7	17.0	206	2	3	11	26	39	42	42
65+	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	21.0		21	21	21	21	21	21	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	9.9	94	1	2	8	12	18	25	42
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	43	13.7	223	1	2	9	18	30	43	80
B. *Operated*	2	13.5	113	6	6	13	21	21	21	21
1. SINGLE DX	144	9.9	94	1	2	8	12	18	25	42
2. MULTIPLE DX	45	13.7	216	2	2	9	19	28	43	80
A. NOT OPERATED	187	10.8	125	1	2	8	13	22	29	67
B. OPERATED	2	13.5	113	6	6	13	21	21	21	21
TOTAL 0-19 YRS	27	11.0	78	2	3	10	13	17	36	39
20-34	94	11.2	176	1	2	7	13	22	31	82
35-49	43	9.3	58	1	1	8	13	19	22	38
50-64	21	13.0	114	1	2	11	20	28	34	42
65+	4	5.0	5	2	2	5	6	7	7	7
GRAND TOTAL	**189**	**10.8**	**125**	**1**	**2**	**8**	**13**	**21**	**28**	**67**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	18.1	299	1	2	12	25	42	56	99+
20-34	1481	12.0	131	1	2	9	16	26	36	61
35-49	842	12.4	114	1	2	10	16	26	34	52
50-64	427	12.4	116	1	2	10	17	26	32	50
65+	106	13.5	128	2	2	10	18	26	34	60
B. *Operated*										
0-19 YRS	1	98.0		98	98	98	98	98	98	98
20-34										
35-49	3	14.0	103	3	3	16	21	23	23	23
50-64	1	13.0		13	13	13	13	13	13	13
65+	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	19.7	436	1	2	11	31	58	95	99+
20-34	749	12.2	116	1	2	9	17	26	33	53
35-49	571	13.4	118	2	3	11	18	26	35	52
50-64	474	14.3	149	2	3	11	18	28	37	62
65+	199	13.9	100	3	4	11	19	27	33	47
B. *Operated*										
0-19 YRS	5	37.8	976	13	13	37	88	99	99+	99+
20-34	41	27.3	500	5	6	20	36	63	74	99
35-49	34	22.6	183	5	7	20	30	47	52	53
50-64	29	22.6	297	5	7	17	26	46	64	77
65+	15	22.1	164	7	11	21	27	29	53	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3009	12.5	134	1	2	10	16	27	36	60
B. *Operated*	6	30.2	1178	3	4	19	28	91	98	98
2. MULTIPLE DX										
A. *Not Operated*	2090	13.5	139	2	3	10	18	28	37	61
B. *Operated*	124	24.7	342	6	7	20	30	52	65	99
1. SINGLE DX	3015	12.5	136	1	2	10	16	27	36	61
2. MULTIPLE DX	2214	14.1	157	2	3	11	19	29	39	70
A. NOT OPERATED	5099	12.9	136	1	2	10	17	27	36	60
B. OPERATED	130	25.0	373	5	7	20	30	52	69	99
TOTAL 0-19 YRS	256	19.4	390	1	2	13	29	48	85	99+
20-34	2271	12.3	136	1	2	9	16	26	36	63
35-49	1450	13.0	119	1	2	10	17	27	35	53
50-64	931	13.7	141	2	3	11	18	28	35	62
65+	321	14.2	115	2	3	11	20	27	33	51
GRAND TOTAL	**5229**	**13.2**	**146**	**1**	**2**	**10**	**18**	**28**	**37**	**63**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	19.6	750	2	2	9	48	95	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	18.9	488	1	1	17	40	96	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	19.6	750	2	2	9	48	95	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	24	18.9	488	1	1	17	40	96	99+	99+
B. *Operated*										
1. SINGLE DX	17	19.6	750	2	2	10	67	99+	99+	99+
2. MULTIPLE DX	24	18.9	488	1	1	17	40	96	99+	99+
A. NOT OPERATED	41	19.2	581	1	2	10	42	98	99+	99+
B. OPERATED										
TOTAL 0-19 YRS	41	19.2	581	1	2	11	43	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**41**	**19.2**	**581**	**1**	**2**	**11**	**43**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	14.2	214	2	3	9	16	34	48	69
20-34	639	12.0	113	1	2	9	16	26	33	51
35-49	737	14.5	168	2	3	11	20	31	43	65
50-64	512	16.3	164	3	4	13	21	31	42	78
65+	386	19.3	227	3	4	15	26	39	50	67
B. *Operated*										
0-19 YRS										
20-34	1	36.0		36	36	36	36	36	36	36
35-49	2	22.5	145	14	14	22	31	31	31	31
50-64	3	10.3	30	5	5	10	14	16	16	16
65+	3	24.7	226	15	15	17	36	42	42	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	21.1	462	1	2	14	33	67	97	99+
20-34	796	14.0	168	2	3	10	19	32	41	68
35-49	1038	14.9	176	3	3	11	19	30	42	72
50-64	1042	15.4	149	3	4	12	21	30	39	70
65+	927	19.8	223	4	5	16	27	40	51	74
B. *Operated*										
0-19 YRS	3	47.3	420	35	35	71	99+	99+	99+	99+
20-34	53	21.1	202	5	6	20	30	45	67	99+
35-49	81	22.5	202	8	9	18	29	40	49	77
50-64	86	20.2	198	6	7	15	27	41	46	66
65+	60	28.0	259	6	9	27	35	51	59	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2368	15.0	169	2	3	11	20	31	42	64
B. *Operated*	9	20.7	159	5	7	16	32	40	42	42
2. MULTIPLE DX										
A. *Not Operated*	3911	16.2	191	3	4	12	22	34	44	75
B. *Operated*	283	23.0	226	6	8	20	32	44	56	99+
1. SINGLE DX	2377	15.0	169	2	3	11	20	31	42	64
2. MULTIPLE DX	4194	16.6	196	3	4	13	22	35	46	76
A. NOT OPERATED	6279	15.7	183	2	3	12	21	33	43	72
B. OPERATED	292	22.9	223	6	8	20	32	44	56	99+
TOTAL 0-19 YRS	205	18.3	368	2	2	11	28	61	80	99+
20-34	1489	13.4	149	2	2	10	18	30	39	60
35-49	1858	15.1	176	2	3	11	20	32	43	69
50-64	1643	15.9	157	3	4	13	21	31	40	71
65+	1376	20.0	228	3	5	16	27	40	51	74
GRAND TOTAL	**6571**	**16.0**	**137**	**2**	**3**	**12**	**22**	**34**	**44**	**73**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	17.7	228	2	3	14	23	45	59	94
20-34	646	13.2	123	2	2	11	18	28	35	52
35-49	596	13.7	144	2	3	11	18	28	37	61
50-64	385	15.4	142	2	3	13	20	30	39	66
65+	148	18.6	200	2	5	15	24	38	47	68
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49										
50-64	3	17.0	21	13	13	16	20	22	22	22
65+	2	55.5	3121	16	16	55	95	95	95	95
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	18.6	371	2	3	15	23	51	62	99+
20-34	403	14.9	173	2	3	11	21	31	42	81
35-49	453	15.0	148	3	4	12	20	30	40	60
50-64	456	15.6	131	3	4	13	21	29	38	72
65+	320	19.3	238	4	6	15	25	38	50	80
B. *Operated*										
0-19 YRS	2	26.5	481	11	11	26	42	42	42	42
20-34	27	32.7	321	6	13	27	44	61	63	64
35-49	33	24.1	303	5	7	21	31	38	52	96
50-64	48	24.2	216	7	8	21	33	49	53	64
65+	22	39.1	442	16	16	36	57	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1838	14.4	146	2	3	12	19	29	38	62
B. *Operated*	6	29.5	1039	13	13	16	22	88	95	95
2. MULTIPLE DX										
A. *Not Operated*	1699	16.1	178	3	4	13	21	31	42	79
B. *Operated*	132	28.4	374	6	9	24	38	55	64	99+
1. SINGLE DX	1844	14.5	149	2	3	12	19	29	39	62
2. MULTIPLE DX	1831	17.0	198	3	4	13	23	34	45	85
A. NOT OPERATED	3537	15.2	162	2	3	12	20	30	41	68
B. OPERATED	138	28.5	348	6	10	24	37	55	64	99+
TOTAL 0-19 YRS	132	18.3	300	2	3	14	23	50	60	99+
20-34	1077	14.3	156	2	2	11	20	29	39	63
35-49	1082	14.6	154	2	3	11	19	30	38	62
50-64	892	16.0	143	2	4	13	21	31	40	67
65+	492	20.1	262	4	6	16	25	41	55	91
GRAND TOTAL	**3675**	**15.7**	**175**	**2**	**3**	**13**	**21**	**32**	**42**	**73**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	10.2	201	1	2	6	11	18	35	86
20-34	377	8.1	58	1	1	6	11	19	26	34
35-49	238	10.0	112	1	1	7	13	22	29	51
50-64	195	11.0	77	1	3	8	14	25	31	38
65+	176	11.7	136	1	2	8	15	28	36	54
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	5	10.4	82	3	3	5	18	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	16.0	425	1	2	10	19	65	95	99+
20-34	313	10.9	153	1	2	8	14	23	32	78
35-49	259	11.6	133	1	2	8	16	24	33	63
50-64	337	12.6	160	2	2	9	15	28	37	69
65+	881	11.1	100	2	3	8	14	24	31	53
B. *Operated*										
0-19 YRS	4	31.0	846	11	11	19	48	74	74	74
20-34	11	18.5	610	3	3	15	20	54	84	87
35-49	14	23.0	162	5	5	21	35	40	43	44
50-64	40	19.7	175	5	6	17	25	41	57	99+
65+	87	18.6	199	4	5	16	23	39	46	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1067	9.8	98	1	2	7	13	21	30	46
B. *Operated*	5	10.4	82	3	3	11	23	92	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	1855	11.6	136	2	2	8	14	25	34	72
B. *Operated*	156	19.6	229	3	5	16	24	40	47	86
1. SINGLE DX	1072	9.8	98	1	2	7	13	22	31	47
2. MULTIPLE DX	2011	12.2	148	2	2	8	15	26	37	75
A. NOT OPERATED	2922	10.9	123	1	2	7	14	24	32	62
B. OPERATED	161	19.3	227	3	4	16	24	40	49	98
TOTAL 0-19 YRS	150	13.3	324	1	2	8	15	35	76	99+
20-34	701	9.5	111	1	2	6	12	21	28	64
35-49	511	11.2	128	1	2	7	15	24	34	62
50-64	572	12.6	137	2	3	9	15	28	35	67
65+	1149	11.7	116	2	3	8	15	25	35	54
GRAND TOTAL	**3083**	**11.4**	**132**	**1**	**2**	**8**	**14**	**25**	**34**	**69**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	3.6	25	<1	1	2	4	6	9	32
20-34	338	5.1	37	<1	1	3	6	11	16	35
35-49	263	5.3	36	<1	1	3	6	12	15	34
50-64	145	6.8	64	<1	1	4	8	14	24	39
65+	81	6.4	32	1	2	5	7	12	18	32
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	8.3	36	2	2	9	13	14	14	14
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	5.5	53	1	1	3	5	12	29	58
20-34	565	6.7	63	1	1	4	8	15	23	41
35-49	630	6.6	54	1	2	4	8	14	21	38
50-64	464	6.9	53	1	2	4	8	16	22	38
65+	460	6.9	37	1	2	5	8	15	20	30
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	31	10.8	75	2	2	8	16	24	29	31
35-49	43	11.0	62	3	3	9	14	26	29	31
50-64	26	14.8	67	4	5	13	22	30	42	99+
65+	25	10.1	31	4	5	9	13	20	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	911	5.4	40	<1	1	3	6	12	17	36
B. *Operated*	8	7.3	13	2	3	7	9	12	14	14
2. MULTIPLE DX										
A. *Not Operated*	2235	6.7	52	1	2	4	8	14	22	38
B. *Operated*	128	11.3	62	2	3	10	15	23	29	46
1. SINGLE DX	919	5.4	40	<1	1	3	6	12	17	36
2. MULTIPLE DX	2363	6.9	54	1	2	5	8	15	23	38
A. NOT OPERATED	3146	6.3	49	1	1	4	7	14	21	37
B. OPERATED	136	11.1	60	2	3	9	15	23	29	41
TOTAL 0-19 YRS	204	4.7	41	<1	1	3	4	9	19	37
20-34	935	6.2	55	1	1	4	7	14	22	39
35-49	939	6.5	50	1	1	4	8	14	19	37
50-64	636	7.2	58	1	2	5	8	17	23	40
65+	568	7.0	37	1	2	5	8	15	20	30
GRAND TOTAL	**3282**	**6.5**	**51**	**1**	**1**	**4**	**8**	**14**	**22**	**37**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	15.2	210	1	2	11	25	48	99+	99+
20-34	1002	8.7	71	1	2	6	11	18	26	41
35-49	902	10.1	92	1	2	7	14	23	29	46
50-64	480	9.9	67	2	3	7	13	22	28	37
65+	230	12.8	110	2	3	10	17	27	34	56
B. *Operated*										
0-19 YRS										
20-34	3	23.7	312	12	12	15	37	44	44	44
35-49	5	16.6	119	2	2	23	24	27	27	27
50-64	2	19.0	98	12	12	19	26	26	26	26
65+	4	11.0	132	4	4	6	18	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	232	19.1	440	2	3	13	31	76	99+	99+
20-34	1203	10.9	100	1	2	8	15	25	30	50
35-49	1264	10.6	96	2	2	7	14	24	30	47
50-64	976	10.8	95	2	3	7	14	23	29	45
65+	848	11.2	86	3	3	8	14	24	31	43
B. *Operated*										
0-19 YRS	8	28.0	553	7	9	20	51	92	99+	99+
20-34	77	17.4	183	5	6	14	23	34	51	91
35-49	124	17.6	215	4	5	13	22	35	48	75
50-64	93	17.0	151	3	5	14	25	32	44	85
65+	66	20.5	281	4	7	15	27	43	59	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2781	10.1	91	1	2	7	14	23	30	52
B. *Operated*	14	16.9	145	3	4	19	27	94	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	4523	11.3	116	2	3	8	14	25	32	60
B. *Operated*	368	18.1	211	4	5	14	24	37	51	82
1. SINGLE DX	2795	10.2	92	1	2	7	14	23	30	53
2. MULTIPLE DX	4891	11.8	126	2	3	8	15	27	34	68
A. NOT OPERATED	7304	10.8	107	2	2	7	14	25	31	56
B. OPERATED	382	18.1	209	4	5	14	24	37	52	99+
TOTAL 0-19 YRS	407	17.7	351	2	2	13	29	68	99+	99+
20-34	2285	10.2	93	1	2	7	14	23	29	50
35-49	2295	10.8	104	2	2	7	14	24	31	49
50-64	1551	10.9	92	2	3	8	14	24	29	45
65+	1148	12.0	106	3	3	9	15	26	35	49
GRAND TOTAL	**7686**	**11.2**	**114**	**2**	**2**	**8**	**14**	**26**	**32**	**60**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	8.3	109	1	1	4	10	22	29	51
20-34	394	7.7	103	1	1	5	9	19	29	62
35-49	192	7.4	63	1	1	5	10	18	24	36
50-64	81	6.5	59	<1	1	3	7	20	25	31
65+	41	7.2	34	1	2	5	8	17	22	24
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	9	5.3	15	1	1	5	6	11	14	14
35-49	17	5.3	30	1	2	4	6	8	19	25
50-64	30	4.1	8	1	1	3	6	7	8	14
65+	12	6.1	8	2	3	6	8	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	229	12.0	234	1	1	6	14	34	49	99+
20-34	637	9.2	126	1	1	5	11	22	31	58
35-49	427	9.0	105	1	2	6	11	20	27	69
50-64	292	9.6	83	1	2	6	13	21	30	43
65+	236	9.8	99	2	2	7	12	21	30	61
B. *Operated*										
0-19 YRS	11	18.9	567	2	2	6	33	58	71	72
20-34	49	17.0	281	1	2	12	21	40	56	73
35-49	48	13.5	268	2	3	8	16	37	69	99+
50-64	61	10.1	114	2	3	6	12	27	42	94
65+	27	15.7	307	3	4	10	18	29	61	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	879	7.6	88	1	1	5	9	19	27	43
B. *Operated*	69	4.9	14	1	1	4	6	8	12	23
2. MULTIPLE DX										
A. *Not Operated*	1821	9.6	125	1	2	6	12	22	32	66
B. *Operated*	196	13.9	247	2	3	8	17	36	56	91
1. SINGLE DX	948	7.4	83	1	1	5	9	19	25	42
2. MULTIPLE DX	2017	10.1	138	1	2	6	12	23	34	71
A. NOT OPERATED	2700	9.0	114	1	1	5	11	21	30	59
B. OPERATED	265	11.6	202	2	2	6	14	31	49	80
TOTAL 0-19 YRS	412	10.7	193	1	1	5	13	30	42	81
20-34	1089	9.0	127	1	1	5	10	22	31	66
35-49	684	8.8	105	1	2	5	11	20	28	69
50-64	464	8.8	81	1	2	6	12	21	29	44
65+	316	9.8	108	2	2	7	12	21	27	63
GRAND TOTAL	**2965**	**9.2**	**122**	**1**	**1**	**5**	**11**	**22**	**32**	**68**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	7.3	110	<1	1	2	7	28	32	42
20-34	552	8.7	97	1	1	4	10	28	30	36
35-49	910	7.2	67	1	1	4	8	20	28	31
50-64	571	7.4	63	1	2	4	8	21	28	30
65+	184	9.3	77	1	2	6	11	23	28	39
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	12.3	97	2	2	9	18	28	29	29
50-64	4	16.0	609	3	3	4	29	53	53	53
65+	2	22.0	72	16	16	22	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	16.4	291	1	1	7	30	42	45	52
20-34	1143	12.7	146	1	2	7	24	30	35	42
35-49	2164	10.5	106	1	2	6	14	28	30	42
50-64	1957	9.8	90	2	2	6	11	28	30	38
65+	852	11.8	110	2	3	7	17	28	32	43
B. *Operated*										
0-19 YRS	4	26.5	825	<1	<1	24	51	57	57	57
20-34	42	18.4	271	1	3	15	28	35	41	89
35-49	101	15.4	122	2	4	11	22	32	36	46
50-64	85	16.6	148	3	4	13	24	35	40	53
65+	50	17.7	152	3	5	15	23	28	44	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2269	7.8	76	1	1	4	8	26	28	33
B. *Operated*	14	14.3	207	2	2	9	18	31	48	53
2. MULTIPLE DX										
A. *Not Operated*	6207	10.9	113	1	2	6	15	28	31	42
B. *Operated*	282	16.3	165	3	4	13	24	34	42	56
1. SINGLE DX	2283	7.8	77	1	1	4	9	27	28	34
2. MULTIPLE DX	6489	11.2	116	1	2	6	15	28	32	42
A. NOT OPERATED	8476	10.1	105	1	2	6	13	28	30	42
B. OPERATED	296	16.7	167	2	3	13	24	34	42	55
TOTAL 0-19 YRS	148	13.5	257	<1	1	4	28	42	45	53
20-34	1738	11.5	138	1	1	6	19	30	33	42
35-49	3181	9.7	98	1	2	5	12	28	30	41
50-64	2617	9.5	89	1	2	6	11	28	30	38
65+	1088	11.7	109	2	3	7	17	28	31	44
GRAND TOTAL	**8772**	**10.3**	**108**	**1**	**2**	**6**	**13**	**28**	**30**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	88	8.7	46	2	2	7	11	18	21	34
35-49	17	10.5	165	<1	<1	7	12	31	44	49
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	33.0		33	33	33	33	33	33	33
B. *Operated*										
0-19 YRS										
20-34	2	13.5	5	12	12	13	15	15	15	15
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	61.0	700	41	41	51	81	91	91	91
20-34	151	11.3	52	3	4	9	15	21	22	37
35-49	50	13.6	83	3	5	13	16	25	33	42
50-64	12	13.6	136	3	3	9	17	36	37	37
65+	4	12.5	34	5	5	13	17	18	18	18
B. *Operated*										
0-19 YRS										
20-34	20	19.2	147	5	6	17	24	32	46	58
35-49	9	16.6	49	5	7	16	22	26	27	27
50-64	1	19.0		19	19	19	19	19	19	19
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	9.1	69	1	2	7	12	19	29	42
B. *Operated*	2	13.5	5	12	12	13	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	220	12.7	101	3	4	10	15	21	33	45
B. *Operated*	30	18.4	111	5	6	17	24	28	34	58
1. SINGLE DX	110	9.2	68	1	2	7	12	19	29	42
2. MULTIPLE DX	250	13.4	105	3	5	11	16	23	33	51
A. NOT OPERATED	328	11.5	93	2	3	9	15	21	33	44
B. OPERATED	32	18.1	106	5	7	16	23	28	34	58
TOTAL 0-19 YRS	4	46.8	1279	4	4	46	71	91	91	91
20-34	261	11.1	63	2	3	9	15	21	26	37
35-49	76	13.3	98	2	3	12	17	27	34	47
50-64	14	13.2	126	3	3	9	19	35	37	37
65+	5	16.6	109	5	5	16	22	33	33	33
GRAND TOTAL	**360**	**12.1**	**97**	**2**	**3**	**9**	**15**	**22**	**33**	**48**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	11.7	265	1	2	4	14	38	53	56
20-34	82	9.9	100	1	2	6	12	28	29	46
35-49	22	10.8	128	1	2	7	11	29	36	43
50-64	10	14.0	122	3	3	12	25	28	30	30
65+	4	7.3	31	2	2	7	12	13	13	13
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	13.5	234	<1	1	6	24	42	42	44
20-34	151	14.8	202	1	2	9	23	42	42	52
35-49	58	14.2	105	4	5	11	19	29	37	49
50-64	21	15.0	198	4	5	10	16	37	48	61
65+	16	17.6	80	5	5	20	23	30	31	31
B. *Operated*										
0-19 YRS	1	41.0		41	41	41	41	41	41	41
20-34	9	14.0	88	4	6	11	18	29	36	36
35-49	2	5.0		5	5	5	5	5	5	5
50-64	1	29.0		29	29	29	29	29	29	29
65+	3	21.7	386	7	7	14	36	44	44	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	10.4	117	1	2	6	13	28	30	54
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	285	14.7	178	1	2	9	20	39	42	51
B. *Operated*	16	16.9	175	4	5	11	24	40	43	44
1. SINGLE DX	131	10.4	116	1	2	6	13	28	30	54
2. MULTIPLE DX	301	14.8	178	1	2	9	20	40	42	51
A. NOT OPERATED	415	13.4	163	1	2	9	19	32	42	53
B. OPERATED	17	16.3	171	4	5	11	21	40	43	44
TOTAL 0-19 YRS	52	13.6	247	1	2	5	22	42	42	56
20-34	242	13.1	168	1	2	8	19	32	42	52
35-49	82	13.0	111	2	3	10	18	29	37	48
50-64	33	14.9	167	3	3	10	19	31	38	61
65+	23	16.3	114	3	4	14	23	30	36	44
GRAND TOTAL	**432**	**13.5**	**163**	**1**	**2**	**9**	**19**	**33**	**42**	**52**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	1.4	2	<1	<1	1	1	2	3	9
20-34	80	2.4	14	<1	<1	1	2	5	7	23
35-49	53	3.7	20	<1	<1	2	4	9	17	19
50-64	49	3.1	4	<1	1	2	4	7	7	8
65+	14	4.1	24	1	1	2	5	12	17	18
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	3.9	69	<1	<1	1	2	5	27	42
20-34	192	5.0	51	<1	1	3	5	10	17	36
35-49	177	5.6	41	<1	1	4	7	12	19	31
50-64	180	6.6	49	1	2	4	7	14	27	33
65+	72	7.5	38	2	2	6	9	15	25	28
B. *Operated*										
0-19 YRS										
20-34	11	8.5	118	<1	<1	3	13	25	35	36
35-49	8	10.4	52	1	1	10	15	20	22	22
50-64	8	16.1	268	4	4	8	24	44	47	47
65+	4	4.0	10	1	1	3	6	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	2.6	11	<1	<1	1	3	6	8	19
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	712	5.7	50	<1	1	3	7	12	24	35
B. *Operated*	31	10.4	131	<1	1	7	14	28	37	47
1. SINGLE DX	273	2.6	11	<1	<1	1	3	6	8	19
2. MULTIPLE DX	743	5.9	54	<1	1	3	7	13	25	37
A. NOT OPERATED	985	4.8	41	<1	1	3	6	10	17	32
B. OPERATED	31	10.4	131	<1	1	7	14	28	37	47
TOTAL 0-19 YRS	168	2.8	40	<1	<1	1	2	4	9	40
20-34	283	4.4	45	<1	<1	2	5	9	16	35
35-49	238	5.4	38	<1	1	3	7	13	17	30
50-64	237	6.2	51	1	1	4	7	12	26	36
65+	90	6.8	36	1	2	5	8	15	22	27
GRAND TOTAL	**1016**	**5.0**	**44**	**<1**	**1**	**3**	**6**	**10**	**18**	**35**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	7.5	118	<1	1	3	6	27	33	43
20-34	138	10.2	153	1	1	5	11	30	40	46
35-49	21	13.4	180	<1	1	6	28	30	38	48
50-64	4	19.3	453	1	1	16	37	44	44	44
65+	3	1.7	1	1	1	1	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	13.4	155	1	1	9	23	34	41	88
20-34	238	10.6	129	1	1	6	14	28	31	44
35-49	70	10.9	75	2	2	8	15	27	28	30
50-64	56	10.9	141	2	3	8	12	24	34	68
65+	43	9.1	44	2	3	7	12	20	24	27
B. *Operated*										
0-19 YRS	3	21.0	475	6	6	11	37	46	46	46
20-34	13	15.3	142	3	4	11	21	37	39	40
35-49	4	20.3	297	3	3	20	35	37	37	37
50-64	2	14.0	50	9	9	14	19	19	19	19
65+	2	36.0	1800	6	6	36	66	66	66	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	10.1	154	1	1	4	12	30	40	47
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	479	11.0	119	1	2	7	14	28	31	46
B. *Operated*	24	18.5	270	3	5	11	30	41	52	66
1. SINGLE DX	207	10.1	154	1	1	4	12	30	40	47
2. MULTIPLE DX	503	11.3	128	1	2	7	14	28	35	48
A. NOT OPERATED	686	10.7	129	1	1	6	13	28	35	46
B. OPERATED	24	18.5	270	3	5	11	30	41	52	66
TOTAL 0-19 YRS	116	11.6	155	1	1	6	17	32	40	66
20-34	389	10.6	138	1	1	6	13	28	36	45
35-49	95	11.8	107	1	2	8	18	28	30	43
50-64	62	11.6	155	2	2	8	12	29	39	67
65+	48	9.8	112	1	2	7	12	21	25	66
GRAND TOTAL	**710**	**11.0**	**136**	**1**	**1**	**6**	**14**	**29**	**36**	**47**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	3.1	4	<1	1	3	4	6	7	11
20-34	91	3.7	7	<1	1	3	5	8	9	13
35-49	68	4.6	49	1	1	3	5	8	10	49
50-64	60	4.4	11	1	2	3	5	7	14	17
65+	32	4.5	9	1	1	4	7	9	10	11
B. *Operated*										
0-19 YRS	5	3.6	5	1	1	3	5	7	7	7
20-34	9	4.7	11	1	1	3	7	10	11	11
35-49	14	4.9	11	2	2	4	7	10	12	12
50-64	6	3.8	7	2	2	3	4	8	9	9
65+	2	4.0	18	<1	<1	3	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	4.1	12	1	1	3	5	8	10	22
20-34	198	5.2	20	1	2	4	6	10	13	22
35-49	196	5.6	24	1	2	4	7	10	15	28
50-64	179	5.7	23	2	2	4	7	10	13	26
65+	187	6.5	27	2	2	5	8	12	16	31
B. *Operated*										
0-19 YRS	10	7.4	30	3	3	5	12	16	19	19
20-34	27	9.1	27	4	4	8	11	18	21	24
35-49	25	8.8	43	2	2	7	11	20	22	25
50-64	18	7.7	25	2	2	6	10	13	18	22
65+	19	9.9	24	3	4	10	14	16	18	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	339	3.9	16	<1	1	3	5	8	9	16
B. *Operated*	36	4.4	9	1	2	3	7	9	11	12
2. MULTIPLE DX										
A. *Not Operated*	836	5.6	23	1	2	4	7	10	14	25
B. *Operated*	99	8.8	30	2	3	7	12	17	20	25
1. SINGLE DX	375	4.0	15	<1	1	3	5	8	9	16
2. MULTIPLE DX	935	5.9	24	1	2	5	7	11	16	25
A. NOT OPERATED	1175	5.1	21	1	2	4	6	9	13	24
B. OPERATED	135	7.6	28	2	2	6	11	15	20	24
TOTAL 0-19 YRS	179	3.8	10	1	1	3	5	7	10	18
20-34	325	5.1	19	1	1	4	6	10	13	22
35-49	303	5.6	31	1	1	4	7	11	16	28
50-64	263	5.5	20	2	2	4	6	10	13	25
65+	240	6.5	26	1	2	5	8	12	16	29
GRAND TOTAL	**1310**	**5.4**	**23**	**1**	**2**	**4**	**7**	**10**	**13**	**24**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	526	10.8	196	1	1	5	13	29	43	82
20-34	730	5.7	39	1	1	4	7	12	17	31
35-49	417	6.3	40	1	1	4	8	14	20	30
50-64	148	7.2	53	1	1	5	9	21	24	28
65+	46	7.1	41	1	2	6	9	12	22	33
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	2	8.0	72	2	2	8	14	14	14	14
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	560	12.1	236	1	1	7	14	32	53	99+
20-34	1062	6.8	43	1	1	5	9	15	21	33
35-49	765	7.7	52	1	2	5	10	15	21	36
50-64	340	8.7	68	2	2	6	11	19	27	42
65+	238	10.3	108	2	2	7	13	20	31	61
B. *Operated*										
0-19 YRS	17	16.6	250	1	3	15	27	54	86	99+
20-34	41	11.8	57	2	4	12	15	25	29	30
35-49	46	12.6	133	3	4	9	17	25	38	60
50-64	18	11.9	73	3	5	8	17	27	29	30
65+	16	13.8	70	2	6	11	18	24	32	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1867	7.4	89	1	1	4	8	17	26	51
B. *Operated*	4	10.3	91	2	2	8	18	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	2965	8.5	93	1	2	6	10	19	29	58
B. *Operated*	138	12.9	108	2	4	10	17	27	31	68
1. SINGLE DX	1871	7.4	89	1	1	4	8	17	26	51
2. MULTIPLE DX	3103	8.7	95	1	2	6	11	19	29	60
A. NOT OPERATED	4832	8.1	92	1	1	5	10	18	28	55
B. OPERATED	142	12.9	108	2	4	10	17	27	31	66
TOTAL 0-19 YRS	1104	11.6	217	1	1	6	14	30	49	99+
20-34	1835	6.5	43	1	1	4	8	14	20	32
35-49	1229	7.4	52	1	2	5	9	16	22	35
50-64	506	8.4	64	1	2	5	11	20	26	36
65+	300	10.0	98	2	2	7	13	20	30	54
GRAND TOTAL	**4974**	**8.2**	**93**	**1**	**1**	**5**	**10**	**19**	**28**	**56**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	618	13.3	288	1	1	7	17	38	57	99+
20-34	866	7.9	75	1	2	5	10	17	24	47
35-49	643	8.0	56	1	2	6	10	17	24	35
50-64	346	10.6	116	1	2	7	15	23	34	53
65+	192	12.7	137	2	3	9	16	26	35	64
B. *Operated*										
0-19 YRS	11	4.4	13	1	1	4	9	99+	99+	99+
20-34	7	3.9	4	2	2	3	5	7	7	7
35-49	14	7.5	57	1	2	4	11	21	22	22
50-64	4	6.0	18	3	3	5	9	12	12	12
65+	4	10.8	115	1	1	10	20	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	805	14.9	348	1	2	7	19	48	71	99+
20-34	1289	8.3	80	1	2	5	10	18	28	43
35-49	1203	6.4	81	1	2	6	10	18	25	50
50-64	879	9.6	93	2	2	7	12	21	28	50
65+	822	10.4	89	2	3	7	13	21	29	49
B. *Operated*										
0-19 YRS	27	16.1	530	1	2	8	18	86	99+	99+
20-34	57	11.8	146	<1	1	8	16	29	36	60
35-49	92	12.2	75	3	3	10	17	27	32	35
50-64	74	14.2	135	4	5	11	17	29	41	60
65+	73	17.6	175	4	6	14	21	38	49	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2665	9.8	135	1	2	6	12	23	34	70
B. *Operated*	40	6.2	38	1	2	4	9	21	53	99+
2. MULTIPLE DX										
A. *Not Operated*	4998	10.0	132	2	2	6	12	22	33	71
B. *Operated*	363	13.9	163	2	3	10	18	30	40	78
1. SINGLE DX	2705	9.8	134	1	2	6	12	23	34	71
2. MULTIPLE DX	5361	10.2	135	2	2	6	12	23	34	71
A. NOT OPERATED	7663	9.9	133	1	2	6	12	22	33	71
B. OPERATED	403	13.1	155	2	3	10	17	29	40	94
TOTAL 0-19 YRS	1461	14.2	324	1	2	7	18	45	70	99+
20-34	2259	8.3	81	1	2	5	10	18	28	46
35-49	1952	8.4	73	1	2	6	10	18	25	40
50-64	1303	10.1	103	2	2	7	13	22	29	52
65+	1091	11.3	106	2	3	8	14	23	32	54
GRAND TOTAL	**8066**	**10.1**	**135**	**1**	**2**	**6**	**12**	**23**	**34**	**71**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	6.4	33	1	2	4	8	16	19	21
20-34	10	4.2	21	<1	<1	3	5	11	16	16
35-49	6	11.8	241	2	2	6	10	40	43	43
50-64	2	8.5	85	2	2	8	15	15	15	15
65+	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	11.2	205	1	1	7	14	24	43	97
20-34	74	10.3	91	1	1	9	14	20	23	59
35-49	44	7.1	38	1	2	5	10	14	19	32
50-64	21	8.6	32	1	2	8	11	17	20	22
65+	9	16.4	252	5	6	10	18	42	57	57
B. *Operated*										
0-19 YRS	9	8.2	83	2	2	5	9	23	31	31
20-34	6	5.0	11	1	1	5	8	8	8	8
35-49	2	7.0	72	1	1	7	13	13	13	13
50-64	4	18.3	129	10	10	14	25	35	35	35
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	6.8	64	<1	1	4	8	16	20	43
B. *Operated*	6	4.7	3	2	2	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	234	10.1	126	1	2	7	13	21	26	71
B. *Operated*	21	9.1	81	1	1	8	12	21	33	35
1. SINGLE DX	42	6.5	55	<1	1	4	7	15	18	43
2. MULTIPLE DX	255	10.0	122	1	2	7	13	21	27	67
A. NOT OPERATED	270	9.7	118	1	1	7	12	20	25	67
B. OPERATED	27	8.1	67	1	2	6	10	15	32	35
TOTAL 0-19 YRS	113	10.2	170	1	2	6	12	22	34	95
20-34	91	9.3	82	1	1	7	13	19	21	53
35-49	54	7.5	58	1	2	5	10	14	20	43
50-64	28	9.9	54	1	2	9	13	18	23	35
65+	11	14.4	225	2	4	10	16	34	55	57
GRAND TOTAL	**297**	**9.5**	**114**	**1**	**1**	**7**	**12**	**20**	**26**	**66**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	422	9.8	20	2	3	10	12	15	16	24
20-34	74	7.6	26	2	2	7	11	15	17	27
35-49	38	9.4	37	1	2	9	13	18	22	25
50-64	24	9.4	94	1	1	8	11	14	33	46
65+	9	9.6	32	1	2	9	13	17	19	19
B. *Operated*										
0-19 YRS	60	13.5	48	3	5	13	16	23	33	99+
20-34	24	9.8	137	1	2	6	9	22	42	51
35-49	36	11.2	180	2	3	6	10	28	35	67
50-64	30	8.2	72	2	2	7	10	12	16	45
65+	5	20.6	458	7	7	8	31	57	57	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	427	11.6	32	3	5	11	14	17	19	33
20-34	78	9.8	75	3	3	8	11	16	22	50
35-49	56	10.6	45	2	3	10	15	19	25	27
50-64	64	11.5	62	3	3	11	14	23	29	37
65+	48	18.1	219	3	5	11	23	41	55	99+
B. *Operated*										
0-19 YRS	106	20.2	184	7	10	15	27	35	40	77
20-34	21	17.7	232	2	3	11	27	40	50	56
35-49	49	16.2	381	2	2	10	18	44	67	91
50-64	52	18.5	228	2	3	14	27	43	54	56
65+	31	22.5	219	5	6	20	34	48	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	567	9.5	26	2	3	10	12	15	17	25
B. *Operated*	133	11.3	120	2	3	9	14	23	36	72
2. MULTIPLE DX										
A. *Not Operated*	673	11.8	57	3	4	11	14	18	24	48
B. *Operated*	259	19.2	238	2	4	15	26	39	54	90
1. SINGLE DX	700	9.8	44	2	3	10	12	15	19	39
2. MULTIPLE DX	932	13.8	118	3	4	11	16	26	35	57
A. NOT OPERATED	1240	10.7	44	2	3	11	13	16	21	38
B. OPERATED	392	16.5	211	2	3	12	21	35	50	85
TOTAL 0-19 YRS	995	11.8	53	2	4	11	14	17	24	40
20-34	197	9.8	87	2	3	7	11	17	29	51
35-49	177	12.0	167	2	2	9	15	22	30	74
50-64	170	12.8	133	2	3	10	15	28	39	55
65+	93	18.8	219	3	5	15	26	44	56	99+
GRAND TOTAL	**1632**	**12.1**	**90**	**2**	**3**	**11**	**14**	**21**	**30**	**55**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	1.3		1	1	1	2	2	2	2
35-49	3	2.3		2	2	2	3	3	3	3
50-64	27	8.7	35	1	2	8	12	19	20	21
65+	170	9.6	56	3	3	7	12	21	26	39
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	5.0	3	4	4	4	6	7	7	7
50-64	2	6.5	13	4	4	6	9	9	9	9
65+	5	10.2	61	3	3	10	13	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	3	5.7	6	3	3	6	7	8	8	8
35-49	14	6.9	19	2	2	6	9	14	16	17
50-64	138	10.6	62	3	3	8	14	21	24	60
65+	1012	10.6	71	3	3	8	13	20	26	43
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	23	16.1	112	3	4	14	22	31	39	41
65+	129	18.4	186	5	6	15	25	47	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	9.3	53	2	3	7	11	20	25	35
B. *Operated*	10	7.9	35	3	3	6	10	17	23	23
2. MULTIPLE DX										
A. *Not Operated*	1168	10.6	71	3	3	8	13	20	27	42
B. *Operated*	152	18.1	174	4	6	15	25	41	65	99+
1. SINGLE DX	214	9.2	52	2	3	7	11	20	25	34
2. MULTIPLE DX	1320	11.4	89	3	3	9	14	23	30	63
A. NOT OPERATED	1372	10.4	69	3	3	8	13	20	26	41
B. OPERATED	162	17.4	171	4	5	14	24	39	59	99+
TOTAL 0-19 YRS	2	9.5	5	8	8	9	11	11	11	11
20-34	6	3.5	8	1	1	2	5	8	8	8
35-49	20	5.9	16	2	2	5	7	12	15	17
50-64	190	11.0	67	2	3	9	14	21	25	41
65+	1316	11.3	67	3	3	9	14	23	30	63
GRAND TOTAL	**1534**	**11.1**	**84**	**3**	**3**	**9**	**14**	**22**	**29**	**57**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	11.3	44	4	4	13	16	17	17	17
20-34	113	7.3	35	1	1	6	11	17	19	22
35-49	164	9.5	48	1	2	9	13	20	23	31
50-64	48	6.9	47	1	1	4	9	16	21	31
65+	6	10.5	57	2	2	10	15	20	21	21
B. *Operated*										
0-19 YRS										
20-34	22	9.0	28	2	3	9	12	18	51	99+
35-49	11	5.1	21	1	1	3	6	13	16	16
50-64	7	9.0	43	2	2	8	10	20	22	22
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	8.4	61	2	2	6	11	22	22	22
20-34	92	10.9	106	2	3	8	15	22	27	61
35-49	161	11.3	87	2	3	9	14	23	29	46
50-64	90	11.1	73	2	3	10	14	20	26	47
65+	32	11.1	97	2	2	7	15	30	32	36
B. *Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	22	15.7	187	1	2	12	25	37	45	50
35-49	50	12.3	93	3	4	11	14	20	27	61
50-64	28	19.3	195	4	5	17	27	40	68	99+
65+	12	16.0	137	5	6	11	20	37	42	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334	8.4	45	1	1	7	12	18	21	28
B. *Operated*	40	7.9	30	2	2	8	11	16	23	99+
2. MULTIPLE DX										
A. *Not Operated*	380	11.1	88	2	3	8	15	23	29	48
B. *Operated*	113	15.2	145	3	4	12	20	34	41	78
1. SINGLE DX	374	8.4	43	1	1	7	12	18	22	30
2. MULTIPLE DX	493	12.0	104	2	3	9	16	25	32	57
A. NOT OPERATED	714	9.9	69	1	2	8	14	20	25	38
B. OPERATED	153	13.3	125	2	3	10	17	27	40	98
TOTAL 0-19 YRS	9	11.3	74	2	3	7	18	24	26	26
20-34	249	9.6	79	1	2	7	14	21	25	50
35-49	386	10.5	71	1	2	9	13	20	26	43
50-64	173	11.2	99	1	2	9	16	23	31	63
65+	50	12.2	103	2	3	9	15	30	34	43
GRAND TOTAL	**867**	**10.5**	**81**	**1**	**2**	**8**	**14**	**22**	**27**	**48**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	607	3.4	8	1	1	3	4	7	9	14
20-34	276	3.4	10	1	1	3	4	7	9	11
35-49	140	3.8	9	1	1	3	4	8	9	16
50-64	100	3.9	10	1	1	3	5	7	9	19
65+	76	4.3	9	1	1	4	5	7	12	15
B. *Operated*										
0-19 YRS	8	5.9	6	2	2	6	8	9	9	9
20-34	14	6.1	23	2	3	4	8	10	19	21
35-49	4	6.0	17	2	2	6	9	10	10	10
50-64	7	3.4	7	<1	<1	3	3	8	9	9
65+	5	3.8	4	2	2	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	635	4.1	13	1	1	3	5	8	11	19
20-34	445	4.8	18	1	1	4	6	10	13	23
35-49	442	6.1	45	1	2	4	7	11	16	39
50-64	512	6.9	43	1	2	5	9	13	17	38
65+	705	7.9	61	2	2	6	9	15	22	42
B. *Operated*										
0-19 YRS	30	9.6	87	2	2	6	11	22	32	41
20-34	32	10.5	181	2	2	7	14	19	24	76
35-49	30	9.9	63	2	3	7	13	26	34	99+
50-64	49	12.9	147	2	4	9	15	29	43	62
65+	60	14.7	193	2	3	11	17	29	47	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1199	3.5	9	1	1	3	4	7	9	15
B. *Operated*	38	5.2	13	2	2	4	7	9	10	21
2. MULTIPLE DX										
A. *Not Operated*	2739	6.0	39	1	2	4	7	12	16	32
B. *Operated*	201	12.1	146	2	3	8	15	27	39	74
1. SINGLE DX	1237	3.6	9	1	1	3	4	7	9	15
2. MULTIPLE DX	2940	6.5	48	1	2	4	8	13	18	39
A. NOT OPERATED	3938	5.3	31	1	1	4	6	11	14	28
B. OPERATED	239	11.0	131	2	2	7	14	24	34	72
TOTAL 0-19 YRS	1280	3.9	13	1	1	3	5	8	10	18
20-34	767	4.6	24	1	1	3	5	9	13	24
35-49	616	5.8	39	1	2	4	7	11	15	38
50-64	668	6.8	49	1	2	5	8	13	18	41
65+	846	8.0	69	2	2	6	10	16	22	43
GRAND TOTAL	**4177**	**5.6**	**39**	**1**	**1**	**4**	**7**	**11**	**16**	**32**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	301	3.5	13	<1	1	3	4	7	9	19
20-34	262	4.8	28	1	1	3	5	9	17	23
35-49	211	4.5	14	1	1	3	6	9	13	19
50-64	197	6.8	93	1	2	4	8	12	18	64
65+	275	7.8	49	2	2	6	9	16	21	37
B. *Operated*										
0-19 YRS	269	4.9	18	1	2	3	6	10	13	22
20-34	152	7.2	69	1	1	5	9	15	20	40
35-49	147	7.0	30	2	2	5	10	14	17	24
50-64	125	7.6	53	2	2	6	9	17	25	35
65+	122	9.6	98	2	2	6	14	20	28	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	451	5.6	50	1	1	3	6	12	20	39
20-34	364	8.6	151	1	2	5	9	16	30	74
35-49	420	8.7	113	1	2	6	10	17	25	53
50-64	650	9.4	105	2	3	6	11	19	28	87
65+	2064	11.1	110	2	3	8	13	22	32	57
B. *Operated*										
0-19 YRS	444	7.5	89	1	2	4	8	15	25	61
20-34	259	10.4	134	1	2	7	14	23	37	97
35-49	300	12.3	169	2	3	8	15	27	46	99+
50-64	356	12.7	166	2	2	9	16	30	44	66
65+	623	14.7	185	2	3	10	20	34	47	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1246	5.4	39	1	1	4	7	10	16	30
B. *Operated*	815	6.8	49	1	2	4	9	15	19	36
2. MULTIPLE DX										
A. *Not Operated*	3949	9.7	109	2	2	7	12	20	30	59
B. *Operated*	1982	11.8	158	2	2	8	15	27	40	90
1. SINGLE DX	2061	6.0	44	1	1	4	7	12	17	34
2. MULTIPLE DX	5931	10.4	126	2	2	7	13	23	33	68
A. NOT OPERATED	5195	8.7	96	1	2	6	10	18	27	56
B. OPERATED	2797	10.4	131	2	2	7	13	23	36	69
TOTAL 0-19 YRS	1465	5.6	50	1	1	3	7	11	16	40
20-34	1037	7.9	107	1	2	5	9	17	25	67
35-49	1078	8.7	105	1	2	6	10	17	27	74
50-64	1328	9.7	118	2	2	6	11	20	32	66
65+	3084	11.5	122	2	3	8	14	24	34	63
GRAND TOTAL	**7992**	**9.3**	**109**	**1**	**2**	**6**	**11**	**20**	**30**	**63**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	264	2.6	2	1	1	2	3	4	5	7
20-34	569	3.3	6	<1	1	3	4	6	8	11
35-49	384	3.6	6	1	1	3	5	7	8	12
50-64	125	3.8	10	1	1	3	4	7	9	18
65+	33	4.0	17	<1	<1	3	4	8	11	23
B. *Operated*										
0-19 YRS	5	3.0	4	1	1	3	4	6	6	6
20-34	46	3.7	7	1	2	3	4	6	11	12
35-49	36	4.8	12	2	2	4	6	9	13	17
50-64	12	5.0	13	2	2	4	7	11	11	11
65+	5	5.8	31	2	2	3	9	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	174	3.2	6	1	1	3	4	6	7	13
20-34	663	4.5	11	1	2	3	5	8	10	20
35-49	651	5.1	23	1	2	4	6	9	13	22
50-64	299	4.5	8	1	2	4	6	9	10	13
65+	103	5.6	14	2	2	5	7	11	14	18
B. *Operated*										
0-19 YRS	10	5.1	16	1	1	4	9	11	12	12
20-34	56	5.5	12	2	2	4	7	10	12	19
35-49	61	7.2	20	2	3	6	10	14	15	20
50-64	39	7.6	18	3	3	7	9	14	15	19
65+	22	9.5	108	2	3	6	11	20	37	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1375	3.3	6	1	1	3	4	6	8	11
B. *Operated*	104	4.3	10	2	2	3	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	1890	4.6	15	1	2	4	6	9	11	19
B. *Operated*	188	6.9	28	2	2	5	9	13	15	26
1. SINGLE DX	1479	3.4	6	1	1	3	4	6	8	12
2. MULTIPLE DX	2078	4.9	16	1	2	4	6	9	12	19
A. NOT OPERATED	3265	4.1	11	1	1	3	5	8	10	17
B. OPERATED	292	6.0	23	2	2	4	8	12	14	20
TOTAL 0-19 YRS	453	2.9	4	1	1	2	4	5	6	10
20-34	1334	4.0	9	1	1	3	5	7	9	17
35-49	1132	4.7	17	1	2	4	6	9	12	19
50-64	475	4.6	10	1	2	4	6	9	10	15
65+	163	5.8	30	2	2	5	7	11	15	29
GRAND TOTAL	**3557**	**4.2**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	12	2.3	2	<1	1	2	3	4	6	6
35-49	18	2.5	3	<1	<1	2	3	5	6	6
50-64	19	4.1	4	<1	1	4	5	7	8	8
65+	3	3.7	9	<1	<1	3	6	7	7	7
B. *Operated*										
0-19 YRS	31	2.2	1	<1	<1	2	3	4	4	5
20-34	462	2.2	2	<1	<1	2	3	3	4	8
35-49	888	2.2	2	<1	<1	2	3	3	4	8
50-64	751	2.2	2	<1	1	2	3	3	4	7
65+	479	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	18	3.6	5	<1	1	3	5	7	8	8
35-49	50	4.4	6	1	1	4	6	8	9	10
50-64	57	4.6	10	1	1	4	7	9	10	15
65+	36	4.6	4	1	2	4	6	7	8	9
B. *Operated*										
0-19 YRS	11	3.0	14	<1	<1	2	3	8	13	14
20-34	171	3.6	31	<1	1	2	4	6	10	21
35-49	370	3.6	9	1	1	2	4	8	10	13
50-64	503	3.5	7	1	1	3	4	7	9	13
65+	334	4.5	20	1	2	3	5	9	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	3.1	4	<1	<1	3	4	6	7	8
B. *Operated*	2611	2.2	2	<1	1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	163	4.4	7	1	1	4	6	8	9	13
B. *Operated*	1389	3.8	14	1	1	3	4	8	10	18
1. SINGLE DX	2665	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	1552	3.9	13	1	1	3	5	8	10	16
A. NOT OPERATED	217	4.1	6	<1	1	3	6	7	9	11
B. OPERATED	4000	2.8	7	<1	1	2	3	5	7	13
TOTAL 0-19 YRS	46	2.4	4	<1	<1	2	3	4	4	14
20-34	663	2.6	10	<1	1	2	3	4	6	11
35-49	1326	2.7	5	<1	1	2	3	5	7	11
50-64	1330	2.9	5	<1	1	2	3	5	7	13
65+	852	3.3	11	<1	1	2	3	6	9	19
GRAND TOTAL	**4217**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	5.6	52	1	1	3	7	11	18	44
20-34	187	5.0	27	1	1	4	6	9	11	36
35-49	233	4.8	14	1	2	4	6	9	12	20
50-64	236	4.9	16	1	1	4	6	10	13	23
65+	161	6.3	61	1	2	4	7	11	14	45
B. *Operated*										
0-19 YRS	72	4.2	19	1	1	3	5	7	14	26
20-34	472	4.2	13	1	2	3	5	8	11	16
35-49	700	4.5	20	1	2	3	5	9	12	23
50-64	644	3.8	11	1	2	3	4	8	10	17
65+	309	4.5	21	2	2	3	5	10	12	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	9.2	193	1	1	4	10	21	31	84
20-34	218	7.8	90	1	2	5	9	15	28	46
35-49	370	7.2	78	1	2	5	9	13	16	59
50-64	605	7.4	53	2	2	6	9	14	19	34
65+	796	8.4	62	2	3	6	10	16	21	46
B. *Operated*										
0-19 YRS	68	5.5	56	1	1	3	6	12	42	99+
20-34	263	7.3	57	1	2	4	9	15	23	44
35-49	448	6.2	36	2	2	4	7	13	18	35
50-64	500	6.8	46	2	2	4	8	15	20	39
65+	422	9.9	116	2	2	7	12	21	29	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	897	5.2	29	1	2	4	6	10	13	26
B. *Operated*	2197	4.2	16	1	2	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	2061	7.9	70	2	2	6	9	15	21	46
B. *Operated*	1701	7.4	65	2	2	5	9	16	22	50
1. SINGLE DX	3094	4.5	20	1	2	3	5	9	12	23
2. MULTIPLE DX	3762	7.7	68	2	2	5	9	15	22	47
A. NOT OPERATED	2958	7.1	59	1	2	5	8	14	19	44
B. OPERATED	3898	5.6	40	1	2	3	7	12	17	35
TOTAL 0-19 YRS	292	6.1	82	1	1	3	7	12	22	76
20-34	1140	5.7	43	1	2	4	6	11	16	38
35-49	1751	5.5	37	1	2	4	7	11	15	30
50-64	1985	5.8	36	1	2	4	7	12	16	32
55+	1688	7.9	71	2	2	5	10	16	22	51
GRAND TOTAL	**6856**	**6.2**	**49**	**1**	**2**	**4**	**7**	**13**	**18**	**38**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	<1	<1	2	2	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	3	3.7		3	3	4	4	4	4	4
B. *Operated*										
0-19 YRS	49	4.8	4	2	3	4	6	8	9	10
20-34	80	5.6	14	2	2	5	7	9	10	25
35-49	99	4.4	4	1	2	4	6	7	8	9
50-64	294	4.5	4	2	2	4	6	7	8	9
65+	266	4.8	6	2	2	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	48	1	1	1	10	13	13	13
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	1.8	2	<1	<1	1	2	4	4	4
50-64	4	3.0	8	<1	<1	2	5	7	7	7
65+	9	4.3	21	1	1	3	4	12	16	16
B. *Operated*										
0-19 YRS	49	5.2	11	2	2	5	6	9	12	21
20-34	52	6.4	12	3	3	6	8	11	14	20
35-49	83	6.2	13	2	3	5	8	10	15	18
50-64	243	6.1	13	2	3	5	7	10	13	19
65+	312	5.9	19	2	3	5	7	10	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.5	1	<1	<1	2	4	4	4	4
B. *Operated*	788	4.7	5	2	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	22	3.5	16	<1	<1	2	4	9	14	16
B. *Operated*	739	6.0	16	2	3	5	7	10	14	19
1. SINGLE DX	799	4.7	5	2	2	4	6	8	9	12
2. MULTIPLE DX	761	5.9	16	2	3	5	7	10	14	19
A. NOT OPERATED	33	3.2	11	<1	<1	2	4	6	12	16
B. OPERATED	1527	5.3	11	2	2	5	7	9	10	17
TOTAL 0-19 YRS	106	4.9	8	1	2	4	6	8	9	17
20-34	134	5.9	13	2	3	5	7	9	11	21
35-49	187	5.1	9	1	2	4	7	9	9	18
50-64	543	5.2	9	2	2	5	6	8	10	17
65+	590	5.4	14	2	2	5	6	9	11	16
GRAND TOTAL	**1560**	**5.3**	**11**	**2**	**2**	**5**	**6**	**9**	**10**	**17**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.3		1	1	1	1	2	3	3
20-34										
35-49	2	3.0		3	3	3	3	3	3	3
50-64	12	2.1	1	1	1	2	3	4	4	4
65+	31	2.4	3	1	1	2	3	5	6	8
B. *Operated*										
0-19 YRS	7	2.1	2	1	1	2	2	4	5	5
20-34	7	2.9	2	1	1	3	4	5	5	5
35-49	31	2.4	1	1	1	2	3	4	4	5
50-64	83	2.7	2	1	1	2	4	5	6	7
65+	188	2.7	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	15	3.9	9	1	1	3	5	9	10	11
65+	43	4.5	14	1	1	3	6	9	11	19
B. *Operated*										
0-19 YRS	6	2.0		1	1	2	2	3	3	3
20-34	6	5.3	24	2	2	3	6	14	15	15
35-49	10	3.5	5	1	1	3	4	7	8	8
50-64	63	4.9	24	1	2	3	5	11	17	26
65+	177	5.1	56	2	2	3	5	11	13	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.1	2	1	1	2	3	4	5	8
B. *Operated*	316	2.7	2	1	1	2	3	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	63	4.1	12	1	1	3	6	9	11	18
B. *Operated*	262	4.9	45	1	2	3	5	10	14	27
1. SINGLE DX	373	2.6	2	1	1	2	3	4	5	9
2. MULTIPLE DX	325	4.8	38	1	2	3	5	10	13	25
A. NOT OPERATED	120	3.1	8	1	1	2	4	7	9	14
B. OPERATED	578	3.7	23	1	1	3	4	6	10	19
TOTAL 0-19 YRS	28	1.6	1	1	1	1	2	3	3	5
20-34	13	4.0	13	1	2	3	4	8	14	15
35-49	45	2.6	2	1	1	2	3	4	5	8
50-64	173	3.6	12	1	1	2	4	6	10	19
65+	439	3.8	27	1	1	3	4	7	10	19
GRAND TOTAL	**698**	**3.6**	**20**	**1**	**1**	**3**	**4**	**6**	**10**	**18**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	3	2.3		2	2	2	3	3	3	3
35-49										
50-64	6	3.8	8	1	1	4	6	7	7	7
65+	13	2.6	2	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	16	2.3	1	1	1	2	3	3	5	5
20-34	17	5.1	37	2	2	3	5	12	22	26
35-49	29	3.1	5	1	1	2	4	6	7	12
50-64	44	3.8	7	1	2	3	4	7	8	16
65+	110	2.8	5	<1	1	2	3	5	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	4	1	1	1	3	5	5	5
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	6	4.2	14	<1	<1	2	9	9	9	9
50-64	9	4.0	21	<1	<1	2	6	11	15	15
65+	33	7.7	66	2	2	5	9	14	23	43
B. *Operated*										
0-19 YRS	8	4.4	23	2	2	3	4	13	16	16
20-34	21	4.0	7	2	2	3	4	8	10	12
35-49	21	3.9	6	1	2	3	4	6	10	13
50-64	51	4.4	29	2	2	3	5	9	10	37
65+	151	4.7	30	1	1	3	5	10	17	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.6	3	<1	1	2	4	6	6	7
B. *Operated*	216	3.2	8	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	54	6.1	49	1	1	4	8	14	15	42
B. *Operated*	252	4.5	25	1	2	3	5	9	13	32
1. SINGLE DX	243	3.1	7	1	1	2	4	6	7	14
2. MULTIPLE DX	306	4.8	30	1	2	3	5	10	14	34
A. NOT OPERATED	81	4.9	36	1	1	3	6	11	14	37
B. OPERATED	468	3.9	18	1	1	3	4	7	10	24
TOTAL 0-19 YRS	33	2.6	7	1	1	2	3	5	5	16
20-34	43	4.2	18	2	2	3	4	8	13	26
35-49	56	3.5	6	<1	1	3	4	7	9	13
50-64	110	4.1	18	1	1	3	5	8	10	24
65+	307	4.3	25	1	1	3	4	9	14	28
GRAND TOTAL	**549**	**4.1**	**20**	**1**	**1**	**3**	**4**	**8**	**12**	**24**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	12	2.3	3	<1	<1	2	3	4	7	7
65+	39	1.7	1	<1	<1	1	2	3	3	4
B. *Operated*										
0-19 YRS										
20-34										
35-49	548	2.2	1	1	1	2	2	3	4	7
50-64	3318	2.2	1	1	1	2	2	3	4	5
65+	13771	2.3	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	10	2.6	5	1	1	2	4	6	7	7
50-64	66	2.3	4	<1	<1	2	3	5	6	10
65+	345	2.6	9	<1	1	2	3	6	9	16
B. *Operated*										
0-19 YRS										
20-34										
35-49	331	2.7	6	2	2	2	3	4	5	9
50-64	2405	2.7	6	1	2	2	3	4	5	12
65+	12009	2.7	6	1	2	2	3	4	5	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	1.8	1	<1	<1	2	2	3	3	7
B. *Operated*	17637	2.3	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	421	2.6	8	<1	1	2	3	6	9	15
B. *Operated*	14745	2.7	6	1	2	2	3	4	5	12
1. SINGLE DX	17690	2.3	1	1	1	2	2	3	4	5
2. MULTIPLE DX	15166	2.7	6	1	2	2	3	4	5	12
A. NOT OPERATED	474	2.5	7	<1	1	2	3	5	8	14
B. OPERATED	32382	2.5	3	1	2	2	3	3	4	9
TOTAL 0-19 YRS										
20-34										
35-49	891	2.4	3	1	2	2	3	3	4	7
50-64	5801	2.4	3	1	1	2	3	3	4	8
65+	26164	2.5	3	1	2	2	3	3	4	9
GRAND TOTAL	**32856**	**2.5**	**3**	**1**	**2**	**2**	**3**	**3**	**4**	**9**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	63	2.3	2	1	1	2	3	4	5	10
20-34	46	2.1	1	1	1	2	2	3	4	5
35-49	51	2.1	1	<1	1	2	2	3	4	5
50-64	115	2.1	2	1	1	2	2	3	4	7
65+	165	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	7.0		7	7	7	7	7	7	7
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	44	2.7	3	1	2	2	3	4	6	11
20-34	30	3.0	3	2	2	2	3	6	7	8
35-49	68	2.8	10	1	2	2	3	4	6	24
50-64	103	2.9	3	1	2	2	3	4	7	11
65+	123	3.2	11	1	1	2	3	7	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7	1	1	1	1	3	3	3	3
B. *Operated*	440	2.0	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	11	1.8	4	<1	<1	1	1	5	7	7
B. *Operated*	368	3.0	7	1	2	2	3	5	7	16
1. SINGLE DX	443	2.0	1	1	1	2	2	3	4	5
2. MULTIPLE DX	379	2.9	7	1	1	2	3	5	7	15
A. NOT OPERATED	14	1.8	3	<1	<1	1	1	4	6	7
B. OPERATED	808	2.4	4	1	1	2	3	4	5	12
TOTAL 0-19 YRS	112	2.4	2	1	1	2	3	4	5	11
20-34	78	2.5	2	1	1	2	3	4	5	8
35-49	120	2.5	6	<1	1	2	3	4	5	14
50-64	221	2.5	3	1	1	2	3	4	4	10
65+	291	2.4	6	1	1	2	2	3	5	15
GRAND TOTAL	**822**	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.2	7	<1	1	1	2	4	7	14
20-34	6	3.5	4	1	1	3	6	7	7	7
35-49	8	2.4	1	1	1	2	3	4	4	4
50-64	16	3.3	5	1	2	3	4	7	9	10
65+	10	3.3	5	1	1	2	5	7	7	7
B. *Operated*										
0-19 YRS	1293	1.6		<1	1	2	2	2	2	3
20-34	233	1.9		1	1	2	2	2	3	4
35-49	137	2.0		1	1	2	2	2	3	5
50-64	57	2.2	2	1	1	2	2	3	3	12
65+	33	2.7	4	1	1	2	2	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	1.6	2	<1	<1	1	1	3	6	7
20-34	16	4.1	8	1	1	4	6	8	10	11
35-49	19	4.3	11	1	1	3	6	8	12	15
50-64	36	7.0	26	2	3	5	8	15	20	23
65+	54	6.5	30	1	2	5	9	12	16	32
B. *Operated*										
0-19 YRS	358	1.7	1	<1	1	2	2	2	2	6
20-34	92	2.1	1	1	1	2	2	3	3	9
35-49	62	2.7	5	1	1	2	2	5	8	12
50-64	46	3.7	9	2	2	2	6	9	10	16
65+	54	5.1	24	1	2	3	7	12	17	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.8	5	1	1	2	3	5	7	13
B. *Operated*	1753	1.7	1	<1	1	2	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	175	4.7	22	<1	1	3	6	10	14	22
B. *Operated*	612	2.3	5	1	1	2	2	3	6	13
1. SINGLE DX	1817	1.8	1	<1	1	2	2	2	3	5
2. MULTIPLE DX	787	2.9	9	1	1	2	3	6	9	17
A. NOT OPERATED	239	4.2	18	<1	1	3	5	9	12	21
B. OPERATED	2365	1.9	2	<1	1	2	2	2	3	6
TOTAL 0-19 YRS	1725	1.7	1	<1	1	2	2	2	2	3
20-34	347	2.1	1	1	1	2	2	3	3	6
35-49	226	2.4	3	1	1	2	2	4	6	11
50-64	155	3.9	13	1	2	2	4	8	11	20
65+	151	5.0	22	1	1	3	7	10	15	21
GRAND TOTAL	**2604**	**2.1**	**4**	**<1**	**1**	**2**	**2**	**3**	**4**	**11**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	2.4	6	<1	<1	1	3	5	7	14
20-34	59	3.2	6	<1	<1	2	5	7	9	10
35-49	32	5.7	54	<1	<1	4	5	11	29	32
50-64	40	3.7	5	<1	1	3	5	7	8	11
65+	52	5.5	15	1	1	5	8	11	12	18
B. *Operated*										
0-19 YRS	243	2.1	2	<1	<1	2	2	3	5	10
20-34	191	2.2	3	<1	1	2	2	4	6	10
35-49	240	2.1	2	<1	<1	2	2	4	5	9
50-64	323	2.1	2	<1	1	2	2	3	4	7
65+	608	2.3	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	3.5	6	<1	1	3	5	7	9	11
20-34	40	3.7	9	<1	<1	3	5	7	9	17
35-49	38	5.9	41	1	1	4	7	11	14	38
50-64	48	6.0	23	1	2	4	7	15	16	20
65+	116	6.9	46	1	1	5	9	13	16	39
B. *Operated*										
0-19 YRS	90	3.7	10	<1	1	3	5	7	8	20
20-34	83	3.4	6	1	2	2	4	7	8	15
35-49	157	2.9	4	<1	1	2	4	5	6	12
50-64	344	3.4	35	1	1	2	4	5	7	16
65+	728	3.4	10	1	1	2	4	6	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	359	3.4	13	<1	<1	2	4	8	10	17
B. *Operated*	1605	2.2	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	425	5.0	24	<1	1	3	6	10	13	27
B. *Operated*	1402	3.4	15	1	1	2	4	6	8	16
1. SINGLE DX	1964	2.4	5	<1	<1	2	3	4	6	11
2. MULTIPLE DX	1827	3.8	18	1	1	3	4	7	10	18
A. NOT OPERATED	784	4.3	20	<1	<1	3	5	9	12	20
B. OPERATED	3007	2.7	9	<1	1	2	3	5	6	12
TOTAL 0-19 YRS	692	2.8	6	<1	<1	2	3	6	7	11
20-34	373	2.8	5	<1	<1	2	3	6	7	12
35-49	467	2.9	11	<1	<1	2	3	5	8	14
50-64	755	3.0	19	<1	1	2	3	5	7	15
65+	1504	3.3	12	1	1	2	4	6	9	16
GRAND TOTAL	**3791**	**3.1**	**11**	**<1**	**1**	**2**	**4**	**6**	**8**	**15**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	322	3.8	6	1	1	3	5	6	8	11
20-34	78	3.7	7	1	1	3	5	7	9	15
35-49	61	3.8	6	1	1	3	5	7	8	13
50-64	52	3.6	5	1	1	3	4	6	7	12
65+	59	4.6	8	1	1	4	6	8	10	13
B. *Operated*										
0-19 YRS	74	3.8	12	1	1	2	4	9	11	19
20-34	59	2.9	4	1	1	3	4	6	7	10
35-49	95	2.9	5	1	1	2	3	5	8	13
50-64	306	2.8	19	1	1	2	3	4	7	12
65+	765	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	276	4.3	6	1	2	4	5	7	10	13
20-34	78	4.3	6	1	1	4	5	8	9	11
35-49	75	5.1	11	1	2	5	7	9	11	16
50-64	105	5.0	16	1	1	4	6	9	11	22
65+	189	5.6	29	1	1	4	7	11	13	29
B. *Operated*										
0-19 YRS	79	6.7	69	1	2	4	7	16	28	86
20-34	75	5.1	48	1	1	3	5	10	17	43
35-49	131	5.3	39	2	2	3	6	9	16	37
50-64	366	4.5	25	1	2	3	5	9	14	29
65+	946	3.8	14	1	2	2	4	8	11	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	572	3.8	6	1	1	3	5	6	8	12
B. *Operated*	1299	2.6	7	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	723	4.8	14	1	2	4	6	9	11	16
B. *Operated*	1597	4.3	23	1	2	3	5	9	13	29
1. SINGLE DX	1871	3.0	7	1	1	2	3	5	7	11
2. MULTIPLE DX	2320	4.5	21	1	2	3	5	9	12	27
A. NOT OPERATED	1295	4.4	11	1	1	4	5	8	10	15
B. OPERATED	2896	3.5	17	1	2	2	3	7	10	23
TOTAL 0-19 YRS	751	4.3	14	1	2	4	5	7	10	21
20-34	290	4.1	17	1	1	3	5	7	10	19
35-49	362	4.4	19	1	2	3	5	8	10	24
50-64	829	3.9	21	1	2	2	4	8	10	27
65+	1959	3.4	12	1	2	2	3	7	10	16
GRAND TOTAL	**4191**	**3.8**	**15**	**1**	**2**	**3**	**4**	**7**	**10**	**21**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	1.7	1	<1	<1	1	2	3	3	4
20-34	24	3.2	5	<1	<1	3	4	7	8	9
35-49	16	2.6	1	1	1	2	4	4	4	4
50-64	13	3.5	3	<1	1	3	5	6	7	7
65+	10	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	15	3.1	11	<1	1	2	2	9	12	13
20-34	19	2.6	1	1	1	2	4	4	5	5
35-49	14	3.1	2	1	1	3	4	5	6	6
50-64	15	2.9	2	1	2	3	4	5	6	6
65+	26	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.0	5	<1	1	2	4	7	7	9
20-34	29	3.2	4	1	1	3	4	6	8	8
35-49	54	4.1	10	1	2	3	5	7	10	17
50-64	68	4.8	7	2	2	4	7	9	10	11
65+	71	7.1	65	1	2	5	8	15	20	50
B. *Operated*										
0-19 YRS	15	2.4	2	1	1	2	3	4	6	7
20-34	28	3.4	7	1	2	3	4	6	9	14
35-49	31	4.7	47	1	1	3	4	8	13	39
50-64	80	4.1	11	1	2	3	4	8	10	20
65+	65	5.0	15	2	2	4	6	10	16	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	2.6	3	<1	1	2	3	5	6	8
B. *Operated*	89	2.7	3	1	1	2	3	5	5	11
2. MULTIPLE DX										
A. *Not Operated*	252	4.9	25	1	1	3	6	9	12	25
B. *Operated*	219	4.3	17	1	2	3	5	8	11	20
1. SINGLE DX	181	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	471	4.6	21	1	2	3	5	9	12	20
A. NOT OPERATED	344	4.3	20	1	1	3	5	8	10	20
B. OPERATED	308	3.8	13	1	2	3	4	7	10	19
TOTAL 0-19 YRS	89	2.5	4	<1	1	2	3	5	7	12
20-34	100	3.2	4	<1	1	3	4	5	7	12
35-49	115	3.9	18	1	1	3	4	6	9	25
50-64	176	4.2	8	2	2	3	5	8	10	17
65+	172	5.3	36	1	2	3	6	11	16	26
GRAND TOTAL	**652**	**4.1**	**17**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	830	2.7	11	<1	<1	2	3	4	5	8
20-34	42	1.9	3	<1	<1	<1	2	4	6	9
35-49	15	3.4	7	<1	<1	3	5	8	9	9
50-64	16	5.1	21	<1	<1	4	6	14	15	16
65+	6	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	3290	1.2	1	<1	<1	1	1	2	2	5
20-34	153	2.2	2	1	1	2	2	3	3	10
35-49	134	2.4	1	1	1	2	3	3	4	7
50-64	118	2.1	1	1	1	2	2	3	4	4
65+	44	2.5	3	<1	<1	2	3	4	8	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2826	3.4	5	1	1	3	4	6	7	12
20-34	80	4.3	9	<1	1	4	5	8	11	16
35-49	70	5.0	12	1	1	4	6	10	12	15
50-64	71	6.3	21	2	2	5	8	11	14	27
65+	59	8.4	42	2	3	7	10	13	22	40
B. *Operated*										
0-19 YRS	3009	1.8	4	<1	<1	2	2	2	3	8
20-34	274	2.6	3	1	2	2	3	4	6	9
35-49	252	3.1	36	1	1	2	3	4	7	12
50-64	239	2.9	6	1	2	2	3	4	6	18
65+	113	3.8	44	1	2	2	3	5	8	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	909	2.7	11	<1	<1	2	3	4	6	9
B. *Operated*	3739	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	3106	3.6	7	1	1	3	4	6	8	13
B. *Operated*	3887	2.1	8	<1	<1	2	2	3	4	10
1. SINGLE DX	4648	1.6	4	<1	<1	1	2	3	4	7
2. MULTIPLE DX	6993	2.8	8	<1	1	2	3	5	7	12
A. NOT OPERATED	4015	3.4	8	<1	1	3	4	6	8	13
B. OPERATED	7626	1.7	5	<1	<1	1	2	3	[illegible]	8
TOTAL 0-19 YRS	9955	2.2	5	<1	<1	2	3	4	5	10
20-34	549	2.7	4	<1	1	2	3	5	6	11
35-49	471	3.2	22	1	1	2	3	5	9	13
50-64	444	3.3	9	1	1	2	3	6	9	18
65+	222	4.7	39	1	1	3	5	9	14	48
GRAND TOTAL	**11641**	**2.3**	**7**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	3.7	6	<1	1	3	5	7	9	12
20-34	56	3.0	3	<1	<1	3	4	5	7	7
35-49	39	3.9	4	2	2	3	5	6	9	11
50-64	18	7.0	94	<1	1	4	6	18	33	41
65+	9	3.8	15	<1	<1	3	5	10	13	13
B. *Operated*										
0-19 YRS	311	1.6	3	<1	<1	1	1	3	4	10
20-34	46	2.5	2	1	1	2	3	4	5	9
35-49	46	2.9	7	1	1	2	3	5	6	17
50-64	37	4.5	49	1	2	3	3	7	19	39
65+	22	3.2	9	1	1	2	4	7	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	4.0	6	1	1	3	6	7	9	11
20-34	72	4.9	34	<1	1	4	6	8	10	40
35-49	47	5.3	11	2	2	4	6	10	11	20
50-64	61	7.4	43	2	2	6	9	13	16	41
65+	74	8.3	38	2	2	7	11	16	18	37
B. *Operated*										
0-19 YRS	375	2.1	4	<1	<1	2	2	4	6	11
20-34	99	3.2	4	1	2	3	3	5	8	12
35-49	82	3.9	10	1	2	3	4	9	11	14
50-64	75	5.0	54	2	2	3	4	9	14	50
65+	54	7.3	95	1	1	3	10	16	33	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	3.9	13	<1	1	3	5	6	8	16
B. *Operated*	462	2.1	8	<1	<1	1	2	4	5	13
2. MULTIPLE DX										
A. *Not Operated*	431	5.5	25	1	2	4	7	10	13	27
B. *Operated*	685	3.2	19	<1	1	2	3	6	10	20
1. SINGLE DX	681	2.7	10	<1	<1	2	3	5	7	13
2. MULTIPLE DX	1116	4.1	23	1	1	3	5	9	11	24
A. NOT OPERATED	650	4.9	21	1	1	4	6	9	12	22
B. OPERATED	1147	2.8	15	<1	<1	2	3	5	9	16
TOTAL 0-19 YRS	960	2.5	5	<1	<1	2	3	5	7	11
20-34	273	3.5	12	<1	1	3	4	6	8	13
35-49	214	4.0	9	1	2	3	4	8	10	15
50-64	191	5.9	54	2	2	3	7	11	16	42
65+	159	7.0	55	1	1	5	10	14	18	43
GRAND TOTAL	**1797**	**3.6**	**18**	**<1**	**<1**	**2**	**4**	**7**	**10**	**19**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.6	2	1	1	2	3	5	6	8
20-34	121	3.0	4	1	1	2	4	5	8	10
35-49	228	3.3	8	1	1	3	4	6	7	16
50-64	338	3.5	6	1	1	3	4	6	7	13
65+	324	3.9	8	1	2	3	5	7	9	14
B. *Operated*										
0-19 YRS	7	2.4	1	2	2	2	2	4	5	5
20-34	26	2.5	1	1	2	2	3	4	5	6
35-49	55	3.9	5	2	2	3	5	7	9	10
50-64	51	3.9	6	2	2	3	5	7	8	16
65+	23	5.6	8	2	2	6	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.8	9	1	2	3	4	8	11	14
20-34	178	4.1	6	1	2	4	5	8	9	11
35-49	369	4.3	8	1	2	4	5	8	9	14
50-64	769	4.6	8	1	2	4	6	8	10	15
65+	1431	5.3	12	2	2	4	7	9	12	18
B. *Operated*										
0-19 YRS	4	4.8	11	1	1	5	7	8	8	8
20-34	19	5.5	12	2	2	5	6	12	14	14
35-49	38	5.1	15	1	2	4	7	12	13	17
50-64	88	6.4	18	2	2	6	8	13	15	19
65+	101	7.2	25	2	3	6	10	14	18	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1039	3.5	7	1	1	3	4	6	8	13
B. *Operated*	162	3.8	6	2	2	3	5	7	9	11
2. MULTIPLE DX										
A. *Not Operated*	2781	4.9	10	2	2	4	6	9	11	16
B. *Operated*	250	6.5	20	2	2	5	9	13	16	22
1. SINGLE DX	1201	3.6	7	1	1	3	4	6	8	13
2. MULTIPLE DX	3031	5.0	11	2	2	4	6	9	11	17
A. NOT OPERATED	3820	4.5	10	1	2	4	6	8	10	15
B. OPERATED	412	5.4	16	2	2	4	7	11	14	20
TOTAL 0-19 YRS	73	3.3	6	1	1	2	4	6	8	13
20-34	344	3.7	6	1	1	3	5	7	9	11
35-49	690	4.0	8	1	2	3	5	7	9	14
50-64	1246	4.4	9	1	2	4	6	8	10	16
65+	1879	5.1	13	2	2	4	7	9	12	18
GRAND TOTAL	**4232**	**4.6**	**10**	**1**	**2**	**4**	**6**	**8**	**10**	**16**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	4.0	7	<1	<1	4	6	7	7	7
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	18	1.9	1	<1	1	2	2	3	4	4
20-34	135	2.4	1	1	1	2	3	3	4	6
35-49	198	2.5	1	1	2	2	3	3	4	6
50-64	168	2.5	1	1	2	2	3	4	4	5
65+	56	2.9	3	2	2	2	3	4	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	5	7.8	46	1	1	5	14	16	16	16
B. *Operated*										
0-19 YRS	8	2.8	1	1	1	3	3	5	5	5
20-34	42	2.5	1	2	2	2	3	3	4	6
35-49	89	2.7	2	1	2	3	3	4	4	8
50-64	94	2.7	1	1	2	3	3	4	5	6
65+	35	2.8	1	2	2	3	3	4	4	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.6	6	<1	<1	3	5	7	7	7
B. *Operated*	575	2.5	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	12	4.2	28	<1	<1	2	4	15	16	16
B. *Operated*	268	2.7	1	1	2	3	3	4	4	7
1. SINGLE DX	580	2.5	1	1	2	2	3	4	4	6
2. MULTIPLE DX	280	2.8	2	1	2	3	3	4	5	8
A. NOT OPERATED	17	4.0	21	<1	<1	2	5	13	15	16
B. OPERATED	843	2.5	1	1	2	2	3	4	4	6
TOTAL 0-19 YRS	27	2.1	1	<1	1	2	3	3	4	5
20-34	178	2.4	1	1	1	2	3	3	4	6
35-49	290	2.5	1	1	2	2	3	4	4	7
50-64	268	2.6	1	1	2	2	3	4	5	7
65+	97	3.1	5	2	2	3	3	4	5	15
GRAND TOTAL	**860**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**4**	**7**

134: Miscellaneous diseases of ear
(380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.6	3	<1	<1	2	3	5	6	9
20-34	64	3.2	6	<1	<1	3	5	6	7	14
35-49	53	3.0	5	<1	1	3	4	5	6	12
50-64	48	3.3	4	1	1	3	5	6	7	7
65+	26	3.3	3	<1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	794	1.9	2	<1	1	2	2	3	3	4
20-34	430	2.1	1	1	1	2	2	3	4	5
35-49	328	2.2	1	1	1	2	3	3	4	6
50-64	227	2.3	2	1	1	2	3	3	4	6
65+	90	2.4	3	1	1	2	3	3	4	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.2	3	1	1	1	3	5	6	6
20-34	38	3.6	9	<1	1	3	4	8	11	12
35-49	49	4.1	15	1	1	3	5	8	9	25
50-64	68	4.7	9	1	1	4	6	9	11	13
65+	96	6.1	20	1	2	5	8	11	15	24
B. *Operated*										
0-19 YRS	513	2.1	1	<1	1	2	2	3	4	7
20-34	358	2.5	2	1	1	2	3	4	4	11
35-49	317	2.6	2	1	2	2	3	4	5	7
50-64	273	2.8	3	1	2	2	3	4	5	11
65+	143	3.7	13	1	2	2	4	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	3.1	5	<1	1	3	4	6	7	10
B. *Operated*	1869	2.1	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	284	4.6	14	1	1	4	6	10	12	20
B. *Operated*	1604	2.5	3	1	1	2	3	4	5	10
1. SINGLE DX	2096	2.2	2	1	1	2	2	3	4	7
2. MULTIPLE DX	1888	2.9	5	1	1	2	3	5	7	13
A. NOT OPERATED	511	3.9	11	<1	1	3	5	8	10	15
B. OPERATED	3473	2.3	2	1	1	2	3	3	4	8
TOTAL 0-19 YRS	1376	2.0	2	<1	1	2	2	3	3	6
20-34	890	2.4	2	1	1	2	3	4	5	8
35-49	747	2.6	3	1	1	2	3	4	5	8
50-64	616	2.9	4	1	1	2	3	5	6	12
65+	355	4.0	13	1	1	3	5	9	11	17
GRAND TOTAL	**3984**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	5.9	13	2	3	5	7	10	13	21
20-34	17	6.8	11	2	3	7	9	12	12	12
35-49	9	4.9	8	2	2	3	7	9	9	9
50-64	2	8.0	32	4	4	8	12	12	12	12
65+	2	11.0	32	7	7	11	15	15	15	15
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49										
50-64	3	20.0	13	16	16	21	22	23	23	23
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	6.9	36	2	2	6	8	12	21	30
20-34	21	5.5	7	2	2	5	7	9	10	11
35-49	25	7.2	34	1	2	5	9	18	19	23
50-64	26	9.4	101	1	2	6	12	20	35	45
65+	31	9.1	47	3	3	8	10	20	21	32
B. *Operated*										
0-19 YRS	3	19.3	9	16	16	20	21	22	22	22
20-34	3	8.0	1	7	7	8	9	9	9	9
35-49	9	9.4	21	2	3	11	13	15	15	15
50-64	14	10.6	34	2	2	10	16	18	20	20
65+	9	11.2	53	2	2	11	13	22	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	6.2	13	2	3	5	8	12	13	19
B. *Operated*	4	18.0	25	12	12	18	22	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	132	7.8	47	2	2	6	9	18	21	35
B. *Operated*	38	10.9	35	2	2	11	14	19	21	27
1. SINGLE DX	85	6.7	20	2	3	5	8	12	15	22
2. MULTIPLE DX	170	8.5	46	2	2	7	11	18	21	32
A. NOT OPERATED	213	7.2	35	2	2	6	8	13	19	32
B. OPERATED	42	11.6	38	2	2	11	16	20	22	27
TOTAL 0-19 YRS	84	6.8	27	2	3	5	8	12	20	27
20-34	41	6.2	9	2	3	6	8	11	12	12
35-49	43	7.2	27	2	2	6	9	15	18	23
50-64	45	10.4	76	2	2	9	14	20	25	45
65+	42	9.7	46	3	3	8	12	20	23	32
GRAND TOTAL	**255**	**7.9**	**38**	**2**	**2**	**7**	**10**	**16**	**20**	**32**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	1	4	4	5	6	6	6	6
20-34	17	4.0	6	2	2	3	4	8	9	10
35-49	29	3.7	5	2	2	3	4	7	8	11
50-64	19	4.2	9	1	1	3	7	9	9	9
65+	14	6.0	10	2	3	6	8	11	11	11
B. *Operated*										
0-19 YRS	5	5.8	17	1	1	7	9	10	10	10
20-34	31	7.4	74	1	1	4	10	13	15	47
35-49	34	5.6	32	2	2	3	9	12	17	26
50-64	55	7.1	37	2	2	4	11	15	18	27
65+	19	10.5	86	2	2	8	12	22	32	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.0	12	1	1	4	8	11	12	12
20-34	65	4.9	23	1	1	3	6	10	13	27
35-49	136	5.3	16	2	2	4	6	9	15	20
50-64	210	6.1	27	2	2	5	7	11	15	27
65+	285	8.8	66	2	3	7	10	16	22	44
B. *Operated*										
0-19 YRS	7	6.0	58	1	1	2	8	19	22	22
20-34	42	7.6	50	2	2	4	12	17	26	99+
35-49	111	9.8	67	2	2	8	14	20	22	45
50-64	174	11.5	135	2	2	10	15	23	31	55
65+	134	13.4	136	2	2	11	19	30	35	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	4.4	7	1	2	3	6	8	10	11
B. *Operated*	144	7.2	50	2	2	4	11	15	19	39
2. MULTIPLE DX										
A. *Not Operated*	712	6.9	42	2	2	5	8	13	18	36
B. *Operated*	468	11.2	113	2	2	9	15	23	32	53
1. SINGLE DX	228	6.2	36	2	2	4	9	12	16	29
2. MULTIPLE DX	1180	8.6	75	2	2	6	11	18	24	46
A. NOT OPERATED	796	6.6	39	2	2	5	8	12	17	34
B. OPERATED	612	10.3	101	2	2	8	14	21	29	51
TOTAL 0-19 YRS	33	5.4	19	1	1	4	8	10	12	22
20-34	155	6.0	40	1	2	4	9	13	16	46
35-49	310	6.8	40	2	2	4	9	16	19	27
50-64	458	8.2	75	2	2	5	11	17	22	48
65+	452	10.2	90	2	3	7	13	20	31	46
GRAND TOTAL	**1408**	**8.2**	**69**	**2**	**2**	**5**	**11**	**18**	**22**	**45**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	3.0	3	1	1	2	4	5	6	11
20-34	281	3.4	4	1	1	3	4	6	7	11
35-49	602	4.0	7	1	2	3	5	7	9	14
50-64	508	4.2	10	1	2	3	5	8	10	15
65+	386	4.6	11	1	2	4	6	8	10	14
B. *Operated*										
0-19 YRS	11	6.7	88	2	2	4	7	19	33	34
20-34	31	3.3	5	1	1	3	4	6	7	12
35-49	46	3.9	8	1	2	3	5	9	11	12
50-64	63	4.0	6	2	2	3	5	8	10	12
65+	34	6.0	22	2	2	4	8	12	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	3.8	8	1	1	3	5	7	8	17
20-34	614	4.4	8	1	2	4	5	8	10	14
35-49	2160	5.1	14	2	2	4	6	9	11	18
50-64	3140	5.6	16	2	2	5	7	10	13	20
65+	3677	6.5	27	2	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	17	5.8	25	2	2	5	7	9	18	23
20-34	100	6.1	27	1	2	4	7	13	15	29
35-49	306	7.5	36	2	2	6	10	14	17	29
50-64	515	8.5	64	2	2	7	11	16	20	38
65+	423	10.2	108	2	3	8	12	18	27	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1846	4.1	8	1	2	3	5	7	9	14
B. *Operated*	185	4.4	15	1	2	3	5	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	9687	5.8	20	2	2	5	7	10	13	23
B. *Operated*	1361	8.6	70	2	2	7	11	16	20	45
1. SINGLE DX	2031	4.1	9	1	2	3	5	7	9	14
2. MULTIPLE DX	11048	6.1	27	2	2	5	8	11	15	25
A. NOT OPERATED	11533	5.5	18	2	2	4	7	10	13	21
B. OPERATED	1546	8.1	65	2	2	6	11	16	19	41
TOTAL 0-19 YRS	193	3.9	13	1	2	3	4	7	9	23
20-34	1026	4.3	9	1	2	4	5	7	10	15
35-49	3114	5.1	15	2	2	4	6	9	12	19
50-64	4226	5.8	22	2	2	5	7	11	14	22
65+	4520	6.7	34	2	2	5	8	12	16	29
GRAND TOTAL	**13079**	**5.8**	**24**	**2**	**2**	**4**	**7**	**11**	**14**	**24**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	13	3.8	3	2	2	3	5	7	7	7
35-49	77	5.1	10	2	2	4	6	9	11	19
50-64	124	5.5	18	2	2	4	7	10	15	23
65+	176	6.5	25	2	3	6	8	11	14	32
B. *Operated*										
0-19 YRS										
20-34	4	6.5	20	3	3	5	9	13	13	13
35-49	6	3.7	5	2	2	3	4	8	8	8
50-64	19	4.7	42	1	2	2	5	8	20	30
65+	12	4.3	13	1	1	3	6	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	7.0	18	2	3	6	9	13	16	17
20-34	59	5.4	12	2	2	4	6	11	13	17
35-49	378	6.4	22	2	2	5	8	11	14	26
50-64	1231	7.2	27	2	3	6	9	13	15	27
65+	3128	8.6	46	2	3	7	10	16	21	37
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	16	6.8	31	2	2	4	8	17	20	21
35-49	67	7.2	21	2	2	6	10	14	15	19
50-64	220	8.4	67	2	2	7	10	16	24	42
65+	336	12.6	120	2	3	9	15	27	37	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	5.8	19	2	2	5	7	10	13	26
B. *Operated*	41	4.6	25	1	2	3	5	9	12	30
2. MULTIPLE DX										
A. *Not Operated*	4808	8.0	39	2	3	6	10	14	19	33
B. *Operated*	640	10.5	94	2	2	8	13	21	30	49
1. SINGLE DX	434	5.7	20	2	2	4	7	10	13	27
2. MULTIPLE DX	5448	8.3	47	2	3	7	10	15	20	38
A. NOT OPERATED	5201	7.9	38	2	3	6	10	14	19	32
B. OPERATED	681	10.1	92	2	2	8	13	21	30	48
TOTAL 0-19 YRS	16	6.1	16	2	2	5	8	11	15	17
20-34	92	5.5	15	2	2	4	7	11	13	20
35-49	528	6.3	20	2	2	5	8	11	14	23
50-64	1594	7.2	33	2	2	6	9	13	16	29
65+	3652	8.9	53	2	3	7	11	17	22	40
GRAND TOTAL	**5882**	**8.1**	**45**	**2**	**3**	**6**	**10**	**15**	**20**	**37**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	21	2	2	3	4	13	14	14
20-34	10	4.2	8	2	2	3	7	8	9	9
35-49	29	5.3	18	2	2	4	6	11	13	20
50-64	23	7.1	27	1	2	6	9	13	19	23
65+	19	6.8	28	1	2	5	9	13	19	23
B. *Operated*										
0-19 YRS	11	5.6	6	2	2	6	8	8	8	8
20-34	13	7.5	48	2	2	6	9	15	26	28
35-49	13	9.8	278	1	1	5	9	22	56	64
50-64	32	9.7	58	2	3	7	12	20	28	34
65+	13	11.9	104	2	3	9	16	24	37	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	8.8	62	2	2	7	11	21	28	30
20-34	41	6.2	23	1	2	5	8	15	17	19
35-49	87	6.7	19	2	3	6	9	13	15	22
50-64	169	9.0	92	2	2	7	10	17	25	71
65+	362	10.7	113	2	3	7	12	21	34	55
B. *Operated*										
0-19 YRS	9	13.9	485	1	1	5	16	50	70	70
20-34	60	12.0	97	2	2	10	18	32	34	93
35-49	111	12.0	177	2	3	8	16	23	37	78
50-64	198	11.1	89	2	2	8	15	24	32	47
65+	224	13.4	123	2	3	11	17	28	37	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	5.9	22	2	2	5	8	12	14	23
B. *Operated*	82	9.2	90	2	2	7	10	18	28	56
2. MULTIPLE DX										
A. *Not Operated*	673	9.4	91	2	3	7	11	18	26	55
B. *Operated*	602	12.2	124	2	3	9	16	26	35	63
1. SINGLE DX	169	7.5	57	2	2	6	9	14	20	39
2. MULTIPLE DX	1275	10.8	109	2	3	8	14	22	32	58
A. NOT OPERATED	760	9.0	84	2	2	6	11	18	25	54
B. OPERATED	684	11.9	121	2	2	9	16	26	34	63
TOTAL 0-19 YRS	40	8.5	136	1	2	6	8	17	25	70
20-34	124	9.0	68	2	2	6	13	20	32	54
35-49	240	9.2	112	2	2	6	11	18	23	64
50-64	422	10.0	85	2	2	7	13	22	29	54
65+	618	11.6	116	2	3	8	14	25	35	55
GRAND TOTAL	**1444**	**10.4**	**104**	**2**	**2**	**7**	**13**	**22**	**31**	**55**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	32	3	3	6	12	14	14	14
20-34	57	9.1	18	<1	2	9	11	14	16	19
35-49	718	10.1	14	3	5	10	12	14	16	19
50-64	1481	10.7	16	3	6	11	13	15	17	22
65+	1286	11.1	23	4	6	11	13	16	18	26
B. *Operated*										
0-19 YRS										
20-34	14	9.6	19	2	3	10	12	15	17	17
35-49	137	10.5	25	1	3	10	13	16	19	27
50-64	289	10.6	32	2	2	11	14	16	19	31
65+	137	12.4	40	2	3	12	16	19	22	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	9.9	42	2	3	10	11	18	25	29
20-34	104	9.2	17	3	3	10	12	14	16	22
35-49	1627	10.6	21	3	5	10	13	16	18	25
50-64	5476	11.7	29	4	6	11	14	17	21	30
65+	9670	12.9	47	5	7	12	15	20	25	39
B. *Operated*										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	62	11.5	41	3	4	11	15	20	24	32
35-49	545	11.5	57	2	2	11	14	19	23	39
50-64	1462	14.2	78	2	4	13	17	24	29	51
65+	1356	17.9	121	5	8	15	22	30	40	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3545	10.7	18	3	6	11	13	15	17	23
B. *Operated*	577	11.0	32	2	2	11	14	17	20	30
2. MULTIPLE DX										
A. *Not Operated*	16895	12.2	39	4	6	11	14	19	23	35
B. *Operated*	3427	15.2	96	2	5	13	18	26	32	53
1. SINGLE DX	4122	10.7	20	3	5	11	13	15	18	24
2. MULTIPLE DX	20322	12.7	50	4	6	12	15	20	25	40
A. NOT OPERATED	20440	12.0	36	4	6	11	14	18	22	33
B. OPERATED	4004	14.6	89	2	4	13	18	25	31	52
TOTAL 0-19 YRS	23	9.3	39	2	3	10	11	17	22	29
20-34	237	9.8	24	2	3	10	12	15	18	26
35-49	3027	10.6	26	2	4	10	13	16	19	27
50-64	8706	11.9	36	3	6	11	14	18	22	32
65+	12449	13.2	55	5	7	12	15	21	26	43
GRAND TOTAL	**24444**	**12.4**	**45**	**4**	**6**	**11**	**15**	**19**	**24**	**38**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	4	3	3	5	6	7	7	7
20-34	36	3.1	4	1	1	3	4	6	7	8
35-49	281	3.9	7	1	1	3	5	7	9	11
50-64	559	3.8	5	1	2	3	5	7	9	12
65+	639	4.2	6	1	2	4	5	7	9	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	2.4	1	2	2	2	3	4	4	4
35-49	75	3.0	4	1	2	2	3	6	7	11
50-64	140	3.8	12	1	2	2	4	7	13	16
65+	55	4.6	15	2	2	3	6	11	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.8	41	2	2	5	7	17	23	23
20-34	117	4.2	8	1	1	4	6	7	8	16
35-49	1620	4.7	11	1	2	4	6	8	10	17
50-64	5010	5.1	11	2	2	4	6	9	11	16
65+	7977	5.9	16	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	4	7.5	36	2	2	6	11	16	16	16
20-34	46	5.2	23	1	2	3	6	11	14	28
35-49	610	5.7	23	2	2	4	8	12	14	24
50-64	1757	6.7	33	2	2	5	10	14	16	26
65+	1163	8.6	53	2	2	7	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1518	4.0	6	1	2	3	5	7	9	12
B. *Operated*	280	3.7	11	1	2	2	4	7	12	16
2. MULTIPLE DX										
A. *Not Operated*	14733	5.5	14	2	2	5	7	10	12	19
B. *Operated*	3580	7.1	39	2	2	5	10	15	18	30
1. SINGLE DX	1798	3.9	7	1	2	3	5	7	9	13
2. MULTIPLE DX	18313	5.8	19	2	2	5	7	11	14	22
A. NOT OPERATED	16251	5.3	14	2	2	4	7	9	12	19
B. OPERATED	3860	6.9	38	2	2	5	10	14	18	29
TOTAL 0-19 YRS	17	6.4	30	2	2	5	7	14	21	23
20-34	208	4.2	11	1	1	3	5	7	9	17
35-49	2586	4.8	14	1	2	4	6	9	11	19
50-64	7466	5.3	17	2	2	4	7	10	13	20
65+	9834	6.1	21	2	2	5	7	11	14	24
GRAND TOTAL	**20111**	**5.6**	**18**	**2**	**2**	**4**	**7**	**11**	**13**	**22**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	12	4.3	2	<1	1	5	5	6	6	6
35-49	164	3.9	6	1	1	4	5	7	8	13
50-64	438	4.7	10	2	2	4	6	8	11	17
65+	492	5.4	13	1	2	5	7	9	13	19
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	39	5.5	17	1	2	4	8	12	14	17
50-64	52	6.1	27	2	2	4	8	13	20	22
65+	33	9.1	57	2	2	7	13	20	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	6.4	20	2	2	5	8	11	17	19
20-34	59	5.4	10	2	2	5	7	10	11	16
35-49	860	5.1	9	2	2	4	6	9	10	15
50-64	3357	5.9	15	2	3	5	7	10	12	19
65+	6247	6.8	21	2	3	6	8	12	15	23
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	14	8.0	30	1	2	7	11	15	19	20
35-49	325	9.1	36	2	2	9	12	15	20	30
50-64	1036	9.4	40	2	2	9	12	17	21	31
65+	876	12.5	98	2	3	10	15	23	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1108	4.9	11	1	2	4	6	9	11	17
B. *Operated*	127	6.8	33	2	2	5	9	15	20	25
2. MULTIPLE DX										
A. *Not Operated*	10539	6.3	18	2	3	5	8	11	14	21
B. *Operated*	2252	10.5	64	2	2	9	13	19	23	39
1. SINGLE DX	1235	5.1	13	1	2	4	6	9	12	20
2. MULTIPLE DX	12791	7.1	29	2	3	6	9	13	16	27
A. NOT OPERATED	11647	6.2	18	2	3	5	8	11	14	21
B. OPERATED	2379	10.3	63	2	2	9	13	19	23	38
TOTAL 0-19 YRS	20	6.9	24	2	2	5	10	14	17	19
20-34	87	5.7	13	2	2	5	8	10	12	19
35-49	1388	5.9	18	2	2	5	8	11	14	21
50-64	4883	6.5	22	2	2	5	8	12	15	23
65+	7648	7.4	33	2	3	6	9	13	17	29
GRAND TOTAL	**14026**	**6.9**	**28**	**2**	**2**	**6**	**9**	**13**	**16**	**26**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	3.1	6	1	1	2	4	7	8	8
35-49	139	3.9	7	1	2	3	5	8	9	14
50-64	321	4.3	14	1	2	3	5	8	11	24
65+	371	5.2	18	2	2	4	6	9	13	24
B. *Operated*										
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4
20-34	37	4.6	14	2	2	2	8	11	12	14
35-49	856	5.1	18	2	2	3	8	11	13	20
50-64	2065	5.9	22	2	2	3	9	12	14	20
65+	949	6.9	31	2	2	4	11	15	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	9.2	93	1	2	6	11	15	32	44
20-34	51	4.6	15	1	1	4	6	8	9	26
35-49	964	5.0	11	1	2	4	6	9	11	18
50-64	3713	6.2	23	2	2	5	8	11	14	24
65+	8190	7.6	35	2	3	6	9	14	18	30
B. *Operated*										
0-19 YRS	9	6.2	19	2	2	6	11	12	12	12
20-34	82	5.5	20	1	2	3	8	13	14	16
35-49	1788	6.6	33	2	2	4	10	14	16	26
50-64	5708	8.1	49	2	2	7	11	16	20	32
65+	3529	10.8	84	2	2	9	14	21	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	839	4.7	15	1	2	4	6	8	11	23
B. *Operated*	3910	5.9	24	2	2	3	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	12936	7.0	30	2	2	6	9	13	16	28
B. *Operated*	11116	8.7	60	2	2	8	12	17	22	38
1. SINGLE DX	4749	5.7	23	2	2	3	9	12	14	21
2. MULTIPLE DX	24052	7.8	45	2	2	6	10	15	19	33
A. NOT OPERATED	13775	6.9	30	2	2	5	9	13	16	27
B. OPERATED	15026	7.9	52	2	2	7	11	16	20	34
TOTAL 0-19 YRS	31	7.5	63	2	2	6	10	14	15	44
20-34	177	5.0	17	1	2	3	7	12	14	17
35-49	3747	5.7	24	2	2	4	8	12	14	22
50-64	11807	7.0	36	2	2	5	10	14	17	28
65+	13039	8.4	50	2	2	7	11	16	21	35
GRAND TOTAL	**28801**	**7.4**	**42**	**2**	**2**	**6**	**10**	**15**	**19**	**31**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	11.3	26	7	7	10	12	20	21	21
20-34	97	9.2	9	4	5	9	11	14	14	17
35-49	107	10.2	12	5	6	10	12	15	17	19
50-64	143	10.1	20	5	6	10	12	14	19	25
65+	156	11.5	27	4	6	11	14	17	20	29
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	11	11.0	15	7	7	10	13	17	20	20
35-49	20	11.4	33	3	5	10	14	17	23	29
50-64	21	11.2	20	5	6	11	13	18	21	21
65+	15	13.6	45	4	5	13	17	22	28	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	8.6	7	5	5	9	10	12	12	12
20-34	146	10.4	26	2	4	10	13	17	18	27
35-49	299	11.2	33	4	6	10	13	18	20	30
50-64	615	11.6	27	4	6	11	14	17	21	31
65+	1180	13.5	50	5	7	12	16	22	27	38
B. *Operated*										
0-19 YRS	2	13.5	221	3	3	13	24	24	24	24
20-34	26	13.6	31	6	7	13	18	22	23	25
35-49	56	14.4	72	6	7	12	17	24	30	51
50-64	156	16.1	118	7	8	13	19	27	34	57
65+	261	18.3	105	7	9	15	23	32	39	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	509	10.4	19	5	6	10	12	15	17	27
B. *Operated*	68	11.9	28	5	6	11	14	19	21	30
2. MULTIPLE DX										
A. *Not Operated*	2245	12.5	41	5	6	11	15	19	24	36
B. *Operated*	501	16.9	104	7	8	14	21	29	36	53
1. SINGLE DX	577	10.6	20	5	6	10	13	16	19	28
2. MULTIPLE DX	2746	13.3	55	5	7	12	16	22	27	40
A. NOT OPERATED	2754	12.1	38	5	6	11	14	19	23	35
B. OPERATED	569	16.3	97	6	8	13	20	29	34	52
TOTAL 0-19 YRS	14	11.1	35	3	5	10	12	21	23	24
20-34	280	10.3	22	3	5	10	12	16	19	25
35-49	482	11.4	34	4	6	10	13	17	20	32
50-64	935	12.1	45	5	6	11	14	19	22	37
65+	1612	14.1	60	5	7	12	17	23	29	43
GRAND TOTAL	**3323**	**12.8**	**50**	**5**	**6**	**11**	**15**	**21**	**26**	**38**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	20.7	52	16	16	17	26	29	29	29
20-34	4	13.3	125	7	7	8	19	30	30	30
35-49	10	23.9	121	4	6	29	32	34	36	36
50-64	5	14.4	91	4	4	11	24	25	25	25
65+	8	19.5	86	9	10	18	25	34	36	36
B. *Operated*										
0-19 YRS	1	29.0		29	29	29	29	29	29	29
20-34	1	59.0		59	59	59	59	59	59	59
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	2	39.5	61	34	34	39	45	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	21.5	103	2	4	22	30	31	33	34
20-34	41	25.6	124	9	11	28	34	38	44	53
35-49	31	19.4	165	2	3	17	29	40	41	44
50-64	46	24.8	168	6	8	24	31	42	47	58
65+	85	27.9	191	6	8	29	35	46	53	60
B. *Operated*										
0-19 YRS	5	33.2	133	14	14	34	41	44	44	44
20-34	20	33.9	152	11	18	32	44	50	54	58
35-49	10	35.9	153	12	20	34	46	51	53	53
50-64	21	36.5	302	8	18	36	47	60	70	75
65+	15	32.7	102	15	20	34	39	45	49	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	19.4	104	4	7	13	29	32	36	36
B. *Operated*	5	34.6	388	6	6	34	48	59	59	59
2. MULTIPLE DX										
A. *Not Operated*	217	25.2	170	4	8	27	32	42	47	57
B. *Operated*	71	34.6	177	13	18	34	44	50	56	73
1. SINGLE DX	35	21.6	164	5	7	21	30	36	43	59
2. MULTIPLE DX	288	27.5	188	5	9	29	36	46	50	61
A. NOT OPERATED	247	24.5	165	4	8	26	32	41	46	57
B. OPERATED	76	34.6	186	12	15	34	44	50	57	73
TOTAL 0-19 YRS	23	24.3	116	3	12	28	31	35	41	44
20-34	66	27.9	169	8	9	29	34	45	51	59
35-49	52	23.2	192	3	4	26	32	42	46	53
50-64	72	27.5	237	4	8	25	38	47	55	73
65+	110	28.1	177	6	10	29	37	45	50	59
GRAND TOTAL	**323**	**26.9**	**188**	**5**	**8**	**28**	**34**	**45**	**50**	**60**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.0	5	<1	1	2	4	7	7	9
20-34	78	2.6	3	<1	1	2	3	4	7	10
35-49	95	2.9	5	<1	1	2	4	6	8	12
50-64	103	2.6	2	1	1	2	3	5	6	7
65+	93	3.2	4	<1	1	3	4	5	7	12
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	2	3.0		3	3	3	3	3	3	3
50-64	6	2.7	3	2	2	2	2	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	2.5	3	1	1	2	3	6	7	8
20-34	94	3.6	7	1	1	3	4	7	10	14
35-49	185	3.4	6	1	1	3	4	6	7	12
50-64	382	4.3	10	1	1	3	6	8	10	16
65+	624	5.6	18	2	2	4	7	11	13	20
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	8.2	22	4	4	7	9	16	17	17
35-49	15	5.0	8	1	1	4	7	9	10	10
50-64	36	8.2	39	2	3	6	9	17	22	28
65+	49	9.4	41	3	3	8	11	16	23	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	2.8	4	<1	1	2	4	5	7	10
B. *Operated*	11	2.8	2	2	2	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	1323	4.7	14	1	2	4	6	9	12	18
B. *Operated*	107	8.2	36	2	3	7	10	16	21	31
1. SINGLE DX	414	2.8	4	<1	1	2	4	5	6	10
2. MULTIPLE DX	1430	5.0	16	1	2	4	6	10	12	20
A. NOT OPERATED	1726	4.3	12	1	1	3	5	8	11	17
B. OPERATED	118	7.7	35	2	2	7	9	15	20	31
TOTAL 0-19 YRS	73	2.8	4	1	1	2	3	7	7	9
20-34	180	3.3	7	<1	1	3	4	7	9	15
35-49	297	3.3	6	1	1	3	4	6	7	12
50-64	527	4.2	12	1	1	3	5	8	10	17
65+	767	5.6	19	1	2	4	7	11	14	23
GRAND TOTAL	**1844**	**4.5**	**14**	**1**	**1**	**3**	**6**	**9**	**12**	**19**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	1	1	1	2	3	4	4	4
20-34	88	2.6	3	<1	1	2	4	4	6	10
35-49	145	2.7	4	1	1	2	3	5	6	12
50-64	295	3.2	5	1	1	3	4	6	8	13
65+	450	4.0	11	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	10.0		10	10	10	10	10	10	10
35-49	4	4.0	6	2	2	4	6	7	7	7
50-64	9	5.3	16	2	2	4	9	11	12	12
65+	15	5.2	10	2	2	4	7	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.2	5	1	1	4	5	8	8	8
20-34	102	3.4	6	1	1	3	4	6	8	13
35-49	368	4.1	10	1	1	3	5	8	10	18
50-64	1489	5.1	15	1	2	4	7	9	12	19
65+	4778	6.7	27	2	2	5	8	13	16	28
B. *Operated*										
0-19 YRS	3	7.0	27	4	4	4	11	13	13	13
20-34	4	8.3	36	3	3	7	13	16	16	16
35-49	33	8.9	46	2	3	8	11	17	26	30
50-64	160	10.3	70	2	3	8	13	20	24	47
65+	483	12.9	96	3	4	10	15	25	32	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	985	3.5	8	1	1	3	4	7	9	13
B. *Operated*	30	5.5	13	2	2	4	8	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	6757	6.1	24	1	2	5	8	12	15	25
B. *Operated*	683	12.0	88	3	4	10	15	23	30	53
1. SINGLE DX	1015	3.5	8	1	1	3	4	7	9	13
2. MULTIPLE DX	7440	6.7	33	1	2	5	8	13	17	30
A. NOT OPERATED	7742	5.8	23	1	2	5	7	11	15	24
B. OPERATED	713	11.8	87	2	4	10	14	23	30	53
TOTAL 0-19 YRS	31	4.2	10	1	1	4	5	8	13	13
20-34	195	3.2	6	<1	1	2	4	6	8	14
35-49	550	4.0	12	1	1	3	5	8	10	19
50-64	1953	5.2	21	1	1	4	7	10	13	21
65+	5726	7.0	35	2	2	5	9	14	17	31
GRAND TOTAL	**8455**	**6.3**	**31**	**1**	**2**	**5**	**8**	**12**	**16**	**29**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	4.1	11	1	1	3	5	10	11	16
20-34	147	3.0	4	1	1	3	4	5	7	10
35-49	314	3.3	4	1	1	3	4	6	7	11
50-64	355	3.8	8	1	1	3	5	7	10	15
65+	425	4.7	13	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	11	7.0	14	2	2	8	10	12	13	13
20-34	7	4.1	5	2	2	4	6	8	8	8
35-49	44	4.4	8	1	2	3	6	8	9	14
50-64	118	5.6	10	2	2	5	7	11	12	15
65+	399	7.6	23	3	3	6	9	14	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	4.7	28	1	1	3	5	8	14	30
20-34	414	4.1	10	1	1	3	5	8	10	17
35-49	1005	4.8	13	1	2	4	6	9	11	18
50-64	2524	5.8	24	2	2	5	7	10	14	24
65+	5897	7.0	32	2	2	6	8	12	17	28
B. *Operated*										
0-19 YRS	32	11.2	211	1	2	8	13	20	32	80
20-34	35	6.7	14	2	2	6	9	12	13	16
35-49	159	7.2	30	2	2	6	10	14	18	27
50-64	663	8.6	57	2	2	7	11	15	20	37
65+	2889	11.0	64	3	4	9	13	20	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1312	3.9	9	1	1	3	5	7	9	15
B. *Operated*	579	6.9	20	2	3	6	9	13	15	24
2. MULTIPLE DX										
A. *Not Operated*	9966	6.3	28	2	2	5	8	11	15	26
B. *Operated*	3778	10.4	64	3	4	9	13	18	25	43
1. SINGLE DX	1891	4.8	14	1	1	4	6	9	12	19
2. MULTIPLE DX	13744	7.4	41	2	2	6	9	14	18	32
A. NOT OPERATED	11278	6.0	26	1	2	5	7	11	14	25
B. OPERATED	4357	9.9	59	2	3	8	12	18	24	40
TOTAL 0-19 YRS	240	5.5	51	1	1	3	7	11	15	34
20-34	603	4.0	9	1	1	3	5	8	10	16
35-49	1522	4.7	14	1	2	4	6	9	12	18
50-64	3660	6.1	29	2	2	5	7	11	15	27
65+	9610	8.1	45	2	3	7	10	15	20	35
GRAND TOTAL	**15635**	**7.1**	**39**	**2**	**2**	**6**	**9**	**13**	**18**	**31**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	5.9	23	1	2	5	7	10	17	23
20-34	11	5.4	11	2	2	5	8	10	12	12
35-49	57	5.1	12	2	2	4	7	10	11	20
50-64	255	5.8	23	2	2	4	7	11	14	29
65+	1140	6.8	27	2	2	5	8	12	17	29
B. *Operated*										
0-19 YRS	4	5.5	15	2	2	4	8	11	11	11
20-34	3	4.7	12	1	1	5	7	8	8	8
35-49	8	8.0	67	1	1	3	16	20	21	21
50-64	13	9.2	43	2	2	10	11	20	23	24
65+	19	10.9	136	2	2	8	14	19	38	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	6.3	32	1	2	5	8	11	19	29
20-34	138	6.9	23	1	2	6	9	11	14	28
35-49	815	7.3	34	2	2	6	9	13	17	27
50-64	4494	8.1	36	2	3	7	10	15	19	31
65+	19908	9.2	49	3	3	7	11	17	22	36
B. *Operated*										
0-19 YRS	31	17.9	296	2	3	12	25	45	49	73
20-34	41	8.3	73	1	1	5	12	20	29	36
35-49	109	10.3	100	1	2	8	14	20	23	54
50-64	507	14.3	155	2	4	11	18	27	38	67
65+	1647	16.8	145	4	6	14	21	33	42	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1483	6.5	26	2	2	5	8	12	16	29
B. *Operated*	47	9.1	80	2	2	6	11	19	21	53
2. MULTIPLE DX										
A. *Not Operated*	25496	8.9	46	2	3	7	11	17	21	35
B. *Operated*	2335	15.8	149	3	4	13	20	31	40	62
1. SINGLE DX	1530	6.6	28	2	2	5	8	12	17	29
2. MULTIPLE DX	27831	9.5	59	2	3	7	12	18	24	40
A. NOT OPERATED	26979	8.8	45	2	3	7	11	16	21	35
B. OPERATED	2382	15.7	149	3	4	12	20	31	39	62
TOTAL 0-19 YRS	196	8.1	89	1	2	5	9	17	27	49
20-34	193	7.1	33	1	2	6	9	13	16	33
35-49	989	7.5	42	2	2	6	9	14	19	28
50-64	5269	8.6	51	2	3	7	10	16	21	37
65+	22714	9.7	59	3	3	8	12	18	24	40
GRAND TOTAL	**29361**	**9.4**	**57**	**2**	**3**	**7**	**11**	**18**	**23**	**39**

150: Miscellaneous diseases of heart
(415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	4.0	10	1	1	3	5	8	10	16
20-34	208	4.0	6	1	2	3	5	7	9	13
35-49	247	4.8	16	1	2	4	6	9	12	23
50-64	181	4.6	9	1	2	4	6	9	11	16
65+	145	6.2	22	2	2	5	7	10	14	24
B. *Operated*										
0-19 YRS	94	3.7	14	1	1	2	7	9	10	19
20-34	69	6.0	23	2	2	4	9	12	14	22
35-49	176	5.3	20	2	2	3	8	12	14	19
50-64	253	5.2	21	2	2	3	8	12	14	20
65+	123	8.0	49	2	2	5	12	18	23	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	5.7	74	1	2	4	6	9	13	45
20-34	437	5.4	36	1	2	4	6	10	14	24
35-49	909	6.2	26	2	2	5	8	11	15	25
50-64	1610	7.3	33	2	3	6	9	14	18	31
65+	2602	8.9	51	2	3	7	11	17	22	40
B. *Operated*										
0-19 YRS	91	10.6	203	1	2	5	15	30	61	99+
20-34	126	9.3	60	2	2	7	13	19	28	34
35-49	389	8.2	84	2	2	6	11	15	21	47
50-64	923	9.2	83	2	2	7	13	19	25	41
65+	859	13.0	127	2	2	10	17	28	35	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	857	4.8	13	1	2	4	6	9	11	19
B. *Operated*	715	5.6	26	1	2	3	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	5684	7.7	43	2	2	6	9	15	19	34
B. *Operated*	2388	10.5	106	2	2	8	14	22	30	53
1. SINGLE DX	1572	5.1	19	1	2	3	7	11	14	22
2. MULTIPLE DX	8072	8.5	63	2	2	6	11	17	23	41
A. NOT OPERATED	6541	7.3	40	2	2	6	9	14	18	33
B. OPERATED	3103	9.3	92	2	2	7	13	20	28	47
TOTAL 0-19 YRS	387	6.0	83	1	1	3	7	12	21	65
20-34	840	5.7	34	1	2	4	7	12	15	28
35-49	1721	6.3	38	2	2	5	8	12	16	29
50-64	2967	7.6	48	2	2	6	10	15	19	34
65+	3729	9.7	70	2	3	7	12	19	27	44
GRAND TOTAL	**9644**	**8.0**	**57**	**2**	**2**	**6**	**10**	**16**	**21**	**39**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	4.4	11	1	1	4	6	10	11	11
50-64	24	5.1	6	2	2	5	7	8	10	11
65+	46	6.0	20	2	2	4	8	10	18	20
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.3		2	2	2	3	3	3	3
50-64	32	4.3	13	2	2	3	6	9	10	18
65+	7	7.0	58	2	2	3	9	20	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.6	9	5	5	7	10	12	12	12
20-34	5	6.2	22	2	2	4	10	13	13	13
35-49	135	6.0	18	1	2	5	8	13	14	18
50-64	522	6.5	20	2	2	5	9	12	15	22
65+	1954	8.5	53	2	3	7	10	16	22	39
B. *Operated*										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	4	4.0	22	1	1	2	7	11	11	11
35-49	84	6.5	58	2	2	3	8	15	19	44
50-64	254	6.7	29	2	2	5	10	14	17	23
65+	318	11.5	103	2	2	9	15	25	32	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	5.6	15	1	2	4	8	10	12	20
B. *Operated*	43	4.5	19	2	2	3	6	9	13	23
2. MULTIPLE DX										
A. *Not Operated*	2621	8.0	46	2	3	6	10	15	19	37
B. *Operated*	662	8.9	74	2	2	7	12	19	25	43
1. SINGLE DX	121	5.2	17	1	2	4	7	10	12	21
2. MULTIPLE DX	3283	8.2	51	2	2	6	10	16	21	37
A. NOT OPERATED	2699	7.9	45	2	3	6	10	15	19	36
B. OPERATED	705	8.7	72	2	2	6	11	18	25	42
TOTAL 0-19 YRS	7	7.4	7	5	5	7	9	11	12	12
20-34	10	4.9	19	1	1	3	9	12	13	13
35-49	230	6.1	32	1	2	4	8	13	16	25
50-64	832	6.4	22	2	2	5	9	12	16	23
65+	2325	8.9	61	2	3	7	11	17	24	40
GRAND TOTAL	**3404**	**8.1**	**50**	**2**	**2**	**6**	**10**	**16**	**21**	**37**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	113	2	2	9	17	17	17	17
20-34	5	3.4	14	<1	<1	2	5	10	10	10
35-49	10	7.6	57	<1	<1	4	14	18	20	20
50-64	7	10.3	169	<1	<1	6	14	33	37	37
65+	7	6.4	59	1	1	3	9	19	22	22
B. *Operated*										
0-19 YRS	1	34.0		34	24	34	34	34	34	34
20-34	27	18.9	104	5	7	18	26	29	42	45
35-49	39	13.5	54	2	3	13	17	23	26	36
50-64	34	19.6	242	3	4	17	24	35	48	82
65+	14	28.9	555	4	11	23	42	84	96	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	10	8.3	58	2	2	5	12	19	26	26
50-64	16	14.4	127	<1	1	14	21	39	79	99+
65+	47	18.3	273	1	2	16	26	41	55	70
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	26	24.7	182	7	10	21	38	46	61	99+
35-49	53	24.7	244	6	9	23	33	50	81	99+
50-64	57	29.9	349	6	12	27	45	92	99+	99+
65+	54	31.2	421	7	11	25	46	61	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	7.4	73	<1	<1	3	13	18	22	37
B. *Operated*	115	18.7	199	3	4	16	24	34	44	89
2. MULTIPLE DX										
A. *Not Operated*	78	15.2	219	<1	1	13	20	35	50	91
B. *Operated*	192	27.9	323	6	10	24	40	59	99	99+
1. SINGLE DX	146	16.3	193	1	2	14	21	33	42	84
2. MULTIPLE DX	270	24.2	325	2	4	21	34	56	88	99+
A. NOT OPERATED	109	13.0	189	<1	1	10	18	33	43	82
B. OPERATED	307	24.4	296	4	8	21	33	53	85	99+
TOTAL 0-19 YRS	7	9.9	144	<1	<1	5	15	31	34	34
20-34	61	19.2	172	1	2	18	28	41	46	94
35-49	112	17.8	189	1	3	16	25	36	49	99+
50-64	114	23.4	317	2	4	20	36	59	99+	99+
65+	122	24.6	407	2	3	20	32	57	72	99+
GRAND TOTAL	**416**	**21.4**	**293**	**1**	**3**	**18**	**29**	**49**	**72**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	23.0		23	23	23	23	23	23	23
35-49	3	10.7	69	4	4	8	17	20	20	20
50-64	3	21.0	31	15	15	22	25	26	26	26
65+	2	15.0	392	1	1	15	29	29	29	29
B. *Operated*										
0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34										
35-49	5	31.0	94	17	17	31	38	43	43	43
50-64	13	42.8	320	15	17	45	53	85	97	99+
65+	3	26.7	256	11	11	26	39	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	9	16.4	100	1	2	20	24	28	29	29
B. *Operated*	22	37.4	271	14	16	38	49	60	89	99+
1. SINGLE DX										
2. MULTIPLE DX	31	31.3	310	4	10	30	44	53	80	99+
A. NOT OPERATED	9	16.4	100	1	2	20	24	28	29	29
B. OPERATED	22	37.4	271	14	16	38	49	60	89	99+
TOTAL 0-19 YRS	1	31.0		31	31	31	31	31	31	31
20-34	1	23.0		23	23	23	23	23	23	23
35-49	8	23.4	184	4	5	24	33	41	43	43
50-64	16	38.7	337	15	16	43	52	77	94	99+
65+	5	22.0	267	1	1	26	32	43	43	43
GRAND TOTAL	**31**	**31.3**	**310**	**4**	**10**	**30**	**44**	**53**	**80**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	7.0	28	1	1	6	9	15	16	16
20-34	6	9.2	99	1	1	5	12	26	28	28
35-49	7	11.9	75	<1	<1	13	20	22	22	22
50-64	14	10.4	147	<1	<1	9	13	18	41	48
65+	51	12.7	191	<1	2	9	14	25	35	76
B. *Operated*										
0-19 YRS	11	15.9	427	2	2	11	16	43	72	75
20-34	11	14.8	70	3	4	16	23	50	93	99+
35-49	20	19.7	368	6	7	15	18	39	72	88
50-64	38	16.8	177	5	5	10	27	38	47	51
65+	45	14.2	75	4	6	13	17	26	29	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	11.9	58	2	2	10	18	23	24	24
20-34	10	12.3	96	1	2	11	16	27	32	32
35-49	37	13.8	273	1	2	9	18	25	31	98
50-64	95	16.3	248	1	3	12	21	35	46	96
65+	285	19.1	238	3	4	15	24	41	57	73
B. *Operated*										
0-19 YRS	21	23.9	533	4	7	17	31	79	98	99+
20-34	24	24.5	402	5	6	16	34	60	68	76
35-49	33	22.2	302	5	6	17	29	49	54	75
50-64	88	21.9	324	5	8	17	27	65	88	99+
65+	156	20.1	195	6	7	16	26	39	54	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	11.6	154	<1	1	9	14	22	34	70
B. *Operated*	125	16.1	180	4	5	12	19	29	49	91
2. MULTIPLE DX										
A. *Not Operated*	439	17.7	238	2	3	14	23	36	54	76
B. *Operated*	322	21.4	276	6	7	16	27	46	65	99+
1. SINGLE DX	209	14.3	174	1	3	11	17	28	43	81
2. MULTIPLE DX	761	19.3	257	3	5	15	25	41	60	99
A. NOT OPERATED	523	16.7	229	1	3	13	22	34	50	75
B. OPERATED	447	19.9	254	5	7	15	26	43	60	99+
TOTAL 0-19 YRS	50	17.2	360	2	2	14	19	41	75	99+
20-34	51	18.2	264	2	3	14	25	43	64	99+
35-49	97	17.7	297	2	3	13	21	35	54	93
50-64	235	18.1	267	2	3	13	25	42	66	99+
65+	537	18.4	212	3	5	14	24	37	54	73
GRAND TOTAL	**970**	**18.2**	**243**	**2**	**4**	**14**	**23**	**39**	**57**	**97**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	24.0		24	24	24	24	24	24	24
35-49	13	23.5	510	4	6	15	37	86	97	99+
50-64	31	21.9	209	6	8	19	30	40	54	66
65+	96	22.6	304	4	6	18	29	47	61	90
B. *Operated*										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	2	27.0	392	13	13	27	41	41	41	41
35-49	4	19.5	170	6	6	28	50	99+	99+	99+
50-64	12	27.6	163	14	15	28	55	99+	99+	99+
65+	24	22.8	217	5	7	19	29	41	56	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	142	22.5	295	5	7	18	29	49	63	96
B. *Operated*	43	24.1	190	6	8	22	35	64	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	185	22.8	269	5	7	19	30	50	66	99+
A. NOT OPERATED	142	22.5	295	5	7	18	29	49	63	96
B. OPERATED	43	24.1	190	6	8	22	35	64	99+	99+
TOTAL 0-19 YRS	2	17.0	128	9	9	17	25	25	25	25
20-34	3	26.0	199	13	13	24	37	41	41	41
35-49	17	22.5	418	5	6	16	36	94	99+	99+
50-64	43	23.5	199	7	9	21	32	59	99+	99+
65+	120	22.7	285	4	7	18	29	46	60	86
GRAND TOTAL	**185**	**22.8**	**259**	**5**	**7**	**19**	**30**	**50**	**66**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	4	3.3	7	1	1	2	5	7	7	7
50-64	25	5.2	31	1	1	3	5	14	17	22
65+	41	4.1	7	1	1	4	6	8	9	12
B. *Operated*										
0-19 YRS	3	6.7	17	2	2	8	9	10	10	10
20-34	4	16.3	348	4	4	8	27	44	44	44
35-49	52	8.2	45	1	2	6	10	16	21	39
50-64	428	6.5	21	2	2	6	8	12	14	19
65+	707	7.3	22	2	3	6	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	21.0		21	21	21	21	21	21	21
35-49	16	6.1	42	1	1	5	7	8	23	29
50-64	93	7.2	54	1	2	5	9	14	17	44
65+	333	7.9	51	2	2	6	9	16	21	40
B. *Operated*										
0-19 YRS	4	18.5	436	4	4	10	32	49	49	49
20-34	2	11.5	13	9	9	11	14	14	14	14
35-49	107	9.4	65	2	2	7	12	17	22	48
50-64	1061	8.6	40	2	3	7	11	16	19	31
65+	2104	9.8	53	2	3	8	12	18	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	4.5	15	1	1	3	6	9	14	20
B. *Operated*	1194	7.1	24	2	2	6	9	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	444	7.7	52	2	2	6	9	15	21	40
B. *Operated*	3278	9.4	50	2	3	8	12	17	22	35
1. SINGLE DX	1266	6.9	24	2	2	6	9	13	15	23
2. MULTIPLE DX	3722	9.2	50	2	3	7	11	17	22	35
A. NOT OPERATED	516	7.2	48	1	2	5	9	15	20	36
B. OPERATED	4472	8.8	44	2	3	7	11	16	20	33
TOTAL 0-19 YRS	8	12.6	231	2	3	7	12	39	49	49
20-34	9	13.6	158	4	4	9	16	35	44	44
35-49	179	8.6	57	2	2	6	10	16	21	41
50-64	1607	7.9	36	2	2	6	10	14	17	29
65+	3185	9.0	47	2	3	7	11	17	22	34
GRAND TOTAL	**4988**	**8.6**	**45**	**2**	**3**	**7**	**11**	**16**	**20**	**33**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49	1	31.0		31	31	31	31	31	31	31
50-64	5	22.2	466	2	2	11	44	48	48	48
65+	18	10.1	42	4	4	8	13	17	25	30
B. Operated										
0-19 YRS										
20-34										
35-49	3	20.0	156	10	10	16	29	34	34	34
50-64	44	13.2	234	2	2	9	16	20	39	95
65+	90	18.4	241	4	5	13	23	40	50	80
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	24	13.5	151	3	4	9	15	32	44	48
B. Operated	137	16.8	240	2	5	13	20	36	47	95
1. SINGLE DX										
2. MULTIPLE DX	161	16.3	227	2	4	12	19	35	47	91
A. NOT OPERATED	24	13.5	151	3	4	9	15	32	44	48
B. OPERATED	137	16.8	240	2	5	13	20	36	47	95
TOTAL 0-19 YRS										
20-34										
35-49	4	22.8	134	10	10	23	32	34	34	34
50-64	49	14.1	256	2	2	10	16	29	47	95
65+	108	17.0	217	4	5	13	21	37	47	73
GRAND TOTAL	**161**	**16.3**	**227**	**2**	**4**	**12**	**19**	**35**	**47**	**91**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	4	5.3	36	1	1	3	9	14	14	14
20-34	8	6.4	17	2	2	5	9	13	14	14
35-49	27	8.2	59	2	2	7	10	17	24	38
50-64	65	11.6	115	3	3	8	13	26	38	49
65+	260	10.5	93	2	3	7	14	22	28	55
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	5.2	14	2	2	5	6	11	14	14
35-49	12	9.6	216	2	2	5	9	26	51	55
50-64	39	9.2	99	2	2	6	9	21	31	51
65+	47	10.1	87	2	3	7	13	20	32	49
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	19	7.2	33	2	3	6	9	11	21	28
35-49	92	11.3	137	3	3	8	12	22	30	64
50-64	591	11.5	104	2	3	8	14	25	32	52
65+	2294	13.0	123	3	4	10	16	25	34	64
B. Operated										
0-19 YRS	2	23.5	5	22	22	23	25	25	25	25
20-34	17	9.2	48	2	3	8	12	18	25	29
35-49	52	15.6	287	3	4	10	18	31	63	83
50-64	220	12.1	116	2	3	9	15	25	35	66
65+	391	16.0	234	2	4	10	21	36	45	92
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	364	10.4	93	2	3	7	13	22	29	49
B. Operated	108	9.3	98	2	2	6	11	19	32	53
2. MULTIPLE DX										
A. Not Operated	2999	12.6	119	3	4	9	15	25	34	61
B. Operated	682	14.6	198	2	3	10	18	32	42	90
1. SINGLE DX	472	10.1	94	2	2	7	13	22	30	51
2. MULTIPLE DX	3681	12.9	135	3	4	9	16	26	36	66
A. NOT OPERATED	3363	12.3	117	3	4	9	15	25	33	60
B. OPERATED	790	13.9	188	2	3	9	17	31	41	88
TOTAL 0-19 YRS	10	7.9	83	1	1	4	14	23	25	25
20-34	53	7.4	33	2	3	6	9	14	18	29
35-49	183	11.9	177	2	3	8	13	24	37	70
50-64	915	11.6	107	2	3	8	14	25	34	52
65+	2992	13.1	136	3	4	10	16	27	36	66
GRAND TOTAL	**4153**	**12.6**	**131**	**3**	**3**	**9**	**16**	**26**	**35**	**64**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	12	3	3	7	9	10	10	10
20-34	6	9.5	25	4	4	8	15	16	16	16
35-49	35	13.1	101	2	3	10	18	23	35	44
50-64	224	15.6	182	4	5	12	19	29	49	83
65+	992	17.3	169	4	6	14	22	34	43	75
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	13	22.2	592	2	4	13	31	88	97	99+
50-64	45	17.5	141	4	6	16	24	36	50	99+
65+	122	28.0	451	6	9	22	37	67	79	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1260	16.8	170	4	5	13	21	33	43	76
B. *Operated*	181	24.9	400	5	7	18	33	59	78	99+
1. SINGLE DX										
2. MULTIPLE DX	1441	17.8	206	4	5	14	22	36	48	87
A. NOT OPERATED	1260	16.8	170	4	5	13	21	33	43	76
B. OPERATED	181	24.9	400	5	7	18	33	59	78	99+
TOTAL 0-19 YRS	3	6.7	12	3	3	7	9	10	10	10
20-34	7	9.0	23	4	4	8	13	16	16	16
35-49	48	15.5	240	2	3	12	19	35	58	99+
50-64	269	15.9	175	4	5	13	20	30	50	92
65+	1114	18.5	211	4	6	14	23	36	47	87
GRAND TOTAL	**1441**	**17.8**	**206**	**4**	**5**	**14**	**22**	**36**	**48**	**87**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	2	<1	<1	2	3	4	4	4
20-34	11	3.3	4	1	1	3	5	6	7	7
35-49	75	3.6	7	1	1	3	5	6	7	17
50-64	274	4.3	9	1	2	4	6	7	10	15
65+	780	4.2	9	1	2	4	5	8	10	15
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	4.0	3	2	2	4	5	6	6	6
35-49	45	5.0	9	1	2	5	7	9	11	14
50-64	166	4.6	12	2	2	4	6	9	11	18
65+	223	5.6	40	2	2	4	7	9	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	6.4	22	2	2	5	10	12	15	18
20-34	34	3.7	3	1	1	4	5	6	6	7
35-49	218	4.6	9	1	2	4	6	8	11	17
50-64	1386	5.2	13	2	2	4	7	9	12	19
65+	6862	6.5	25	2	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	3	5.3	6	3	3	5	7	8	8	8
20-34	9	4.2	6	2	2	4	6	8	8	8
35-49	126	7.6	45	2	2	6	9	13	17	38
50-64	568	7.2	30	2	2	6	9	14	17	31
65+	1370	9.2	53	2	3	7	12	18	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1144	4.2	8	1	2	3	5	7	9	15
B. *Operated*	439	5.1	26	2	2	4	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	8519	6.2	23	2	2	5	8	11	15	24
B. *Operated*	2076	8.5	47	2	2	7	11	16	21	34
1. SINGLE DX	1583	4.4	13	1	2	4	6	8	10	16
2. MULTIPLE DX	10595	6.7	28	2	2	5	8	13	16	27
A. NOT OPERATED	9663	6.0	22	2	2	5	7	11	14	24
B. OPERATED	2515	7.9	45	2	2	6	10	15	20	33
TOTAL 0-19 YRS	27	5.8	18	1	2	4	9	12	13	18
20-34	58	3.7	3	1	1	4	5	6	7	8
35-49	464	5.3	21	1	2	4	6	10	13	18
50-64	2394	5.6	17	2	2	4	7	10	14	23
65+	9235	6.7	30	2	2	5	8	13	16	27
GRAND TOTAL	**12178**	**6.4**	**27**	**2**	**2**	**5**	**8**	**12**	**16**	**26**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	11	2	2	2	8	9	9	9
20-34	15	5.3	28	<1	<1	4	6	12	18	20
35-49	54	6.7	20	1	3	6	8	13	16	24
50-64	231	8.5	72	2	2	7	10	15	25	36
65+	902	11.1	97	2	3	8	14	21	29	48
B. *Operated*										
0-19 YRS										
20-34	8	9.4	75	2	2	6	12	24	28	28
35-49	19	9.5	35	2	3	10	11	17	23	26
50-64	48	8.7	56	2	2	7	11	15	27	38
65+	77	10.9	135	2	2	8	13	19	26	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	12.4	179	2	4	7	16	24	39	65
20-34	29	11.0	176	2	2	6	9	31	39	60
35-49	201	10.2	106	2	3	7	12	22	34	86
50-64	1280	11.2	99	2	3	8	14	23	31	54
65+	6366	13.4	127	3	4	10	17	26	35	61
B. *Operated*										
0-19 YRS	3	7.0	19	4	4	5	10	12	12	12
20-34	14	14.6	182	3	3	9	21	35	46	49
35-49	68	15.9	212	2	3	11	21	44	64	99+
50-64	305	17.3	275	3	4	12	21	44	61	99+
65+	802	18.6	249	4	5	14	24	41	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1208	10.3	89	2	3	8	13	20	27	45
B. *Operated*	152	10.0	94	2	2	8	12	17	26	60
2. MULTIPLE DX										
A. *Not Operated*	7899	13.0	123	3	4	10	16	26	35	60
B. *Operated*	1192	18.0	253	3	4	13	23	42	58	99+
1. SINGLE DX	1360	10.3	90	2	3	8	13	20	27	46
2. MULTIPLE DX	9091	13.6	143	3	4	10	17	28	38	69
A. NOT OPERATED	9107	12.6	119	3	3	10	16	25	34	60
B. OPERATED	1344	17.1	241	3	4	12	22	40	55	99+
TOTAL 0-19 YRS	32	10.3	142	2	2	7	13	22	25	65
20-34	66	10.3	136	1	2	6	11	27	35	58
35-49	342	10.7	117	2	3	7	13	25	35	99+
50-64	1864	11.8	130	2	3	8	14	25	36	67
65+	8147	13.7	139	3	4	10	17	27	37	65
GRAND TOTAL	**10451**	**13.2**	**137**	**3**	**4**	**10**	**16**	**27**	**37**	**66**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	11.7	10	8	8	13	14	14	14	14
20-34	15	22.6	731	1	2	13	29	74	89	94
35-49	87	15.0	145	2	3	11	22	30	43	84
50-64	519	15.9	200	3	4	11	20	33	47	81
65+	2242	17.1	170	4	5	13	22	35	44	69
B. *Operated*										
0-19 YRS										
20-34	8	15.0	75	5	6	12	21	28	30	30
35-49	19	26.0	703	3	5	15	39	91	98	99+
50-64	97	22.0	429	4	5	15	30	55	84	99+
65+	273	23.7	334	5	7	19	33	54	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2866	16.8	178	4	5	13	22	34	45	71
B. *Operated*	397	23.2	369	5	6	17	32	54	78	99+
1. SINGLE DX										
2. MULTIPLE DX	3263	17.6	205	4	5	13	23	37	49	83
A. NOT OPERATED	2866	16.8	178	4	5	13	22	34	45	71
B. OPERATED	397	23.2	369	5	6	17	32	54	78	99+
TOTAL 0-19 YRS	3	11.7	10	8	8	13	14	14	14	14
20-34	23	20.0	503	2	3	13	24	40	81	94
35-49	106	16.9	258	2	3	12	23	40	54	99+
50-64	616	16.8	241	3	4	12	22	37	54	93
65+	2515	17.8	192	4	5	14	23	37	47	78
GRAND TOTAL	**3263**	**17.6**	**205**	**4**	**5**	**13**	**23**	**37**	**49**	**83**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	19	3.5	3	<1	1	3	5	6	7	7
35-49	44	5.1	47	1	2	3	6	8	12	46
50-64	95	5.0	22	1	1	4	6	10	13	27
65+	249	5.9	35	1	2	4	7	11	16	24
B. *Operated*										
0-19 YRS	4	8.3	24	2	2	9	12	13	13	13
20-34	9	11.8	221	2	2	9	14	36	49	49
35-49	31	12.2	133	2	2	9	14	25	39	51
50-64	65	8.2	52	2	2	6	11	18	24	32
65+	88	8.4	59	2	2	6	11	17	21	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	8.2	54	1	2	6	10	18	27	29
20-34	42	6.5	26	1	2	5	9	12	15	28
35-49	235	6.3	22	1	2	5	8	11	14	28
50-64	660	7.7	69	2	2	6	9	14	21	46
65+	3104	9.2	72	2	3	7	11	18	25	45
B. *Operated*										
0-19 YRS	7	9.9	46	2	2	9	15	19	20	20
20-34	20	17.2	319	3	3	12	21	44	65	67
35-49	68	13.5	254	2	3	8	17	30	37	86
50-64	261	11.4	193	2	2	8	13	23	44	99+
65+	532	12.3	141	2	3	9	16	24	35	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	409	5.5	32	1	2	4	6	10	14	27
B. *Operated*	197	9.1	75	2	2	7	12	19	25	48
2. MULTIPLE DX										
A. *Not Operated*	4054	8.8	69	2	3	6	11	17	24	44
B. *Operated*	888	12.3	168	2	3	9	15	24	38	88
1. SINGLE DX	606	6.7	49	1	2	4	8	14	19	37
2. MULTIPLE DX	4942	9.4	89	2	3	7	11	19	26	55
A. NOT OPERATED	4463	8.5	67	2	2	6	10	17	23	44
B. OPERATED	1085	11.7	153	2	2	8	14	23	35	85
TOTAL 0-19 YRS	26	8.2	44	1	2	7	11	15	22	29
20-34	90	8.7	126	1	2	5	11	18	25	65
35-49	378	7.9	84	1	2	5	9	15	24	45
50-64	1081	8.4	97	2	2	6	10	16	24	75
65+	3973	9.4	81	2	3	7	12	19	26	49
GRAND TOTAL	**5548**	**9.1**	**85**	**2**	**2**	**6**	**11**	**18**	**25**	**53**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	3.0	4	1	1	2	5	5	5	5
50-64	23	3.7	8	<1	1	3	5	8	10	11
65+	34	5.6	16	1	1	5	8	10	11	21
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	5.0	10	2	2	4	7	9	9	9
35-49	19	7.9	17	2	2	9	11	13	15	15
50-64	107	7.2	33	2	2	6	11	16	19	25
65+	141	7.8	48	2	2	4	12	17	23	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.5	13	1	1	6	9	9	9	9
20-34										
35-49	34	5.3	18	<1	1	4	8	11	14	18
50-64	167	6.3	43	1	2	5	8	11	18	42
65+	724	8.9	78	2	3	6	11	18	24	53
B. *Operated*										
0-19 YRS	4	10.0	43	2	2	10	14	18	18	18
20-34	9	7.9	71	1	2	5	9	21	29	29
35-49	101	11.9	103	2	2	10	16	21	27	58
50-64	699	12.6	129	2	2	10	16	23	33	61
65+	1413	15.6	188	2	3	12	20	31	45	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	4.7	13	1	1	4	7	9	10	20
B. *Operated*	272	7.5	39	2	2	5	12	16	21	27
2. MULTIPLE DX										
A. *Not Operated*	931	8.3	71	2	2	6	10	16	22	48
B. *Operated*	2226	14.5	167	2	3	11	18	29	42	67
1. SINGLE DX	335	7.0	35	1	2	5	10	15	19	26
2. MULTIPLE DX	3157	12.6	146	2	2	9	16	26	37	65
A. NOT OPERATED	994	8.1	68	2	2	6	10	16	21	46
B. OPERATED	2498	13.7	158	2	2	11	17	28	39	67
TOTAL 0-19 YRS	11	6.8	27	1	1	8	9	14	18	18
20-34	14	5.6	51	1	1	4	9	12	25	29
35-49	159	9.7	80	1	2	9	13	18	22	47
50-64	996	10.8	109	2	2	8	13	21	29	57
65+	2312	12.9	154	2	2	10	16	27	38	66
GRAND TOTAL	**3492**	**12.1**	**139**	**2**	**2**	**9**	**15**	**25**	**34**	**64**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	11	2.5	7	<1	<1	2	3	6	10	10
65+	36	3.7	10	1	1	3	4	8	13	13
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	10	7.0	28	1	1	6	12	13	14	14
50-64	123	10.5	22	2	2	11	13	16	19	25
65+	247	11.5	26	2	4	11	14	18	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	5.3	20	1	1	4	7	13	14	14
50-64	49	5.9	30	1	1	4	7	13	17	29
65+	309	6.8	45	1	2	5	9	13	17	29
B. *Operated*										
0-19 YRS	7	20.1	278	3	5	15	25	49	54	54
20-34	7	13.0	15	8	8	13	17	18	18	13
35-49	29	10.4	40	1	2	10	13	19	23	28
50-64	421	15.0	161	2	5	12	17	26	39	94
65+	1115	15.9	119	3	6	13	19	29	36	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	3.3	9	<1	1	2	4	7	12	13
B. *Operated*	384	11.0	25	2	2	11	14	17	20	25
2. MULTIPLE DX										
A. *Not Operated*	366	6.7	42	1	2	5	9	13	17	29
B. *Operated*	1579	15.6	129	3	5	13	18	28	37	76
1. SINGLE DX	433	10.1	29	2	2	10	13	16	19	25
2. MULTIPLE DX	1945	13.9	125	2	3	12	17	26	34	67
A. NOT OPERATED	415	6.3	39	1	1	5	8	13	15	28
B. OPERATED	1963	14.7	112	3	5	12	17	25	34	62
TOTAL 0-19 YRS	9	16.8	255	2	2	14	19	44	54	54
20-34	11	9.2	37	2	2	10	13	18	18	18
35-49	47	8.7	38	1	1	9	12	15	21	28
50-64	604	13.1	129	2	3	11	15	22	33	71
65+	1707	13.4	104	2	3	12	16	24	32	56
GRAND TOTAL	**2378**	**13.2**	**110**	**2**	**3**	**11**	**16**	**24**	**32**	**58**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	4	4.0	1	3	3	4	5	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	6	3.2	3	1	1	3	4	6	6	6
20-34	10	4.5	54	<1	<1	2	3	15	25	25
35-49	29	12.7	333	2	2	7	11	36	67	75
50-64	47	8.1	46	2	2	7	10	14	19	40
65+	68	8.5	38	1	2	8	11	15	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	2.0		2	2	2	2	2	2	2
50-64	14	4.6	18	1	1	4	5	8	16	18
65+	21	5.3	16	1	2	4	6	11	14	17
B. *Operated*										
0-19 YRS	3	9.3	6	7	7	9	11	12	12	12
20-34	8	12.8	90	4	4	9	18	28	32	32
35-49	26	9.4	61	2	2	7	13	20	27	32
50-64	88	13.0	124	2	3	11	16	22	31	66
65+	169	15.8	169	3	5	12	20	32	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.7	3	1	1	3	5	6	7	7
B. *Operated*	160	8.7	96	1	2	7	10	15	24	64
2. MULTIPLE DX										
A. *Not Operated*	39	4.9	15	1	2	4	6	10	15	18
B. *Operated*	294	14.3	145	2	3	11	17	29	38	66
1. SINGLE DX	169	8.4	93	1	2	7	10	15	23	62
2. MULTIPLE DX	333	13.2	139	2	3	10	16	27	34	65
A. NOT OPERATED	48	4.7	13	1	2	4	6	9	12	18
B. OPERATED	454	12.3	135	2	2	9	15	26	34	67
TOTAL 0-19 YRS	11	4.9	11	1	1	4	7	10	12	12
20-34	20	7.9	77	<1	1	4	10	22	28	32
35-49	59	10.6	193	2	2	7	11	24	36	74
50-64	153	10.5	96	2	2	9	13	19	29	61
65+	259	13.0	137	2	3	10	15	27	36	63
GRAND TOTAL	**502**	**11.6**	**128**	**2**	**2**	**9**	**14**	**24**	**32**	**65**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	2	7.5	13	5	5	7	10	10	10	10
20-34	7	7.4	24	2	2	7	10	15	16	16
35-49	13	4.8	23	1	2	3	5	10	18	20
50-64	22	5.0	23	<1	1	3	8	10	16	21
65+	37	6.1	23	1	1	4	10	14	14	15
B. *Operated*										
0-19 YRS.	7	5.4	30	1	1	4	6	15	17	17
20-34	21	6.4	27	1	1	5	9	13	17	21
35-49	92	7.7	29	2	2	8	10	12	13	32
50-64	338	8.1	24	2	2	8	11	14	17	22
65+	366	8.7	40	2	2	8	12	15	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	2	5.5	1	5	5	5	6	6	6	6
20-34	11	10.1	35	4	4	9	16	19	19	19
35-49	29	7.1	28	1	2	6	10	14	18	22
50-64	90	7.5	36	1	2	6	10	15	17	31
65+	173	8.1	46	2	2	6	10	14	20	35
B. *Operated*										
0-19 YRS.	6	5.8	12	2	2	5	9	11	11	11
20-34	34	9.6	46	1	2	9	12	21	23	27
35-49	238	11.9	114	2	2	10	15	21	28	65
50-64	1017	12.3	108	2	3	11	15	22	28	66
65+	1864	13.4	106	2	3	11	17	25	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	5.8	23	1	1	4	8	14	15	21
B. *Operated*	824	8.3	32	2	2	8	11	15	17	24
2. MULTIPLE DX										
A. *Not Operated*	305	7.9	40	1	2	6	10	15	19	34
B. *Operated*	3159	12.9	107	2	3	11	16	24	31	58
1. SINGLE DX	905	8.0	31	1	2	8	11	14	17	23
2. MULTIPLE DX	3464	12.4	103	2	3	10	16	23	30	57
A. NOT OPERATED	386	7.4	37	1	2	6	10	14	18	33
B. OPERATED	3983	11.9	95	2	2	10	15	22	29	54
TOTAL 0-19 YRS.	17	5.8	16	1	2	5	7	11	15	17
20-34	73	8.6	38	1	2	8	11	18	21	26
35-49	372	10.2	87	2	2	9	12	18	23	43
50-64	1467	10.9	67	2	2	9	13	19	24	55
65+	2440	12.2	95	2	3	10	15	23	30	52
GRAND TOTAL	**4369**	**11.5**	**91**	**2**	**2**	**10**	**14**	**21**	**28**	**52**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	116	5.6	20	2	2	5	7	10	12	24
20-34	21	5.6	47	1	1	4	5	11	23	32
35-49	29	7.4	264	2	2	4	5	10	22	90
50-64	60	4.4	17	1	1	3	6	9	12	22
65+	103	6.0	54	1	2	4	7	10	13	46
B. *Operated*										
0-19 YRS.	14	7.5	32	2	2	6	11	15	18	19
20-34	42	7.5	46	2	2	5	9	18	22	32
35-49	90	6.2	41	1	2	4	8	11	16	40
50-64	233	6.8	39	2	2	5	10	14	17	26
65+	305	8.4	[illegible]	1	2	6	11	17	23	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	78	7.1	23	1	2	7	9	14	15	25
20-34	68	6.6	53	1	1	4	9	12	26	40
35-49	109	6.6	86	1	2	4	7	11	17	55
50-64	280	6.9	55	2	2	5	8	13	16	36
65+	673	8.3	61	2	2	6	10	16	21	39
B. *Operated*										
0-19 YRS.	14	7.7	61	1	2	8	12	29	82	99+
20-34	63	10.9	88	2	2	8	14	23	31	48
35-49	206	11.1	161	2	2	8	12	23	38	73
50-64	877	11.5	103	2	2	9	15	23	33	50
65+	1418	14.2	175	2	3	11	18	31	42	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	5.7	53	1	2	4	7	10	12	35
B. *Operated*	684	7.5	55	2	2	5	10	15	19	40
2. MULTIPLE DX										
A. *Not Operated*	1208	7.6	59	1	2	6	9	14	20	36
B. *Operated*	2578	12.9	149	2	2	10	16	27	38	70
1. SINGLE DX	1013	6.9	58	1	2	5	9	14	18	38
2. MULTIPLE DX	3786	11.2	126	2	2	8	14	23	33	63
A. NOT OPERATED	1537	7.2	58	1	2	5	9	14	19	36
B. OPERATED	3262	11.8	135	2	2	9	15	25	35	65
TOTAL 0-19 YRS.	222	6.4	24	2	2	5	9	12	15	32
20-34	194	8.1	65	1	2	5	10	18	27	60
35-49	434	8.7	129	2	2	6	10	17	30	71
50-64	1450	9.6	85	2	2	7	12	20	26	49
65+	2499	11.5	138	2	2	8	14	24	34	65
GRAND TOTAL	**4799**	**10.3**	**115**	**2**	**2**	**7**	**13**	**22**	**31**	**58**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	6.9	13	2	2	7	9	12	13	17
20-34	375	7.0	15	2	3	7	9	11	14	21
35-49	517	7.5	15	2	3	7	10	12	14	22
50-64	486	8.0	16	3	4	8	10	13	15	20
65+	505	8.4	20	3	4	8	10	13	15	21
B. *Operated*										
0-19 YRS	21	7.3	24	2	2	6	10	14	17	20
20-34	135	7.3	18	1	3	7	10	13	15	20
35-49	159	8.2	37	2	3	7	10	14	18	31
50-64	125	8.2	27	2	2	7	11	16	18	24
65+	124	9.9	25	3	4	10	12	16	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	7.4	24	1	2	7	11	14	18	20
20-34	348	8.3	20	2	3	8	10	14	17	23
35-49	694	8.7	28	2	3	8	11	15	17	28
50-64	1263	9.2	27	3	4	8	11	15	18	27
65+	1943	9.8	29	4	5	9	12	16	19	28
B. *Operated*										
0-19 YRS	11	10.7	22	5	5	10	14	18	20	20
20-34	159	10.0	47	2	4	8	12	18	27	35
35-49	268	9.6	42	2	3	9	12	17	20	37
50-64	472	10.6	40	3	4	10	13	18	23	33
65+	659	12.0	60	3	4	11	15	21	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1911	7.8	16	2	3	7	10	12	15	21
B. *Operated*	564	8.3	28	2	3	8	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	4284	9.3	28	3	4	8	11	15	18	27
B. *Operated*	1569	11.0	50	3	4	10	14	19	24	36
1. SINGLE DX	2475	7.9	19	2	3	7	10	13	16	22
2. MULTIPLE DX	5853	9.8	34	3	4	9	12	16	20	30
A. NOT OPERATED	6195	8.8	25	3	4	8	11	14	17	26
B. OPERATED	2133	10.3	46	2	3	9	13	18	23	34
TOTAL 0-19 YRS	96	7.6	21	2	2	7	11	14	17	20
20-34	1017	8.0	23	2	3	7	10	13	17	24
35-49	1638	8.4	27	2	3	8	11	14	17	27
50-64	2346	9.2	28	3	4	8	11	15	18	27
65+	3231	10.1	35	3	4	9	12	16	21	31
GRAND TOTAL	**8328**	**9.2**	**31**	**3**	**4**	**8**	**11**	**15**	**19**	**28**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.2	23	<1	<1	5	5	13	14	14
35-49	21	10.4	81	1	3	9	11	21	31	42
50-64	42	9.2	138	1	2	5	11	18	36	59
65+	92	11.7	59	2	4	10	14	22	28	38
B. *Operated*										
0-19 YRS	15	3.2	3	1	2	3	4	5	7	8
20-34	408	3.8	4	2	2	4	5	6	6	13
35-49	677	4.6	15	2	2	4	5	7	10	21
50-64	486	5.6	33	2	2	4	6	10	13	37
65+	246	10.6	95	3	3	7	14	22	28	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	16	8.6	115	1	1	7	9	11	36	47
35-49	70	9.9	54	2	3	8	14	19	26	36
50-64	142	9.6	61	1	2	8	12	21	24	36
65+	480	12.0	83	3	4	10	15	22	28	59
B. *Operated*										
0-19 YRS	4	7.5	18	3	3	7	11	12	12	12
20-34	122	5.8	39	1	2	4	6	10	21	35
35-49	344	6.9	45	2	3	5	8	12	20	41
50-64	418	8.5	79	2	3	5	10	17	27	50
65+	418	16.6	199	3	4	13	23	35	45	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	10.7	82	1	2	9	13	20	28	48
B. *Operated*	1832	5.5	32	2	2	4	6	10	15	29
2. MULTIPLE DX										
A. *Not Operated*	708	11.2	77	2	3	9	14	21	27	51
B. *Operated*	1306	10.4	123	2	3	6	12	24	33	58
1. SINGLE DX	1993	5.9	38	2	2	4	6	11	18	31
2. MULTIPLE DX	2014	10.7	107	2	3	7	13	23	31	57
A. NOT OPERATED	869	11.1	78	2	3	9	14	21	28	50
B. OPERATED	3138	7.6	76	2	2	5	8	16	25	47
TOTAL 0-19 YRS	19	4.1	8	1	2	3	5	9	11	12
20-34	552	4.4	16	2	2	4	5	6	9	22
35-49	1112	5.8	30	2	2	4	6	11	15	31
50-64	1088	7.4	61	2	2	5	8	14	21	48
65+	1236	13.2	129	3	3	10	17	27	35	60
GRAND TOTAL	**4007**	**8.3**	**78**	**2**	**2**	**5**	**10**	**18**	**25**	**48**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.9	1	<1	<1	2	2	4	5	5
20-34	118	2.6	3	<1	1	2	3	5	6	9
35-49	159	3.1	11	1	1	2	4	5	7	12
50-64	97	2.9	3	1	1	2	4	5	6	9
65+	65	3.3	8	<1	1	3	4	6	8	16
B. *Operated*										
0-19 YRS	27	3.6	7	<1	1	3	5	6	8	14
20-34	475	4.5	4	2	2	4	5	7	8	10
35-49	642	5.0	5	2	3	5	6	8	9	12
50-64	372	4.9	5	2	2	5	6	7	9	13
65+	170	5.4	7	2	3	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.3	3	1	2	3	4	6	7	7
20-34	188	3.6	14	1	1	3	4	6	8	14
35-49	328	3.5	7	1	1	3	4	6	8	15
50-64	347	3.9	14	1	1	3	5	7	9	14
65+	412	5.0	22	1	2	4	6	9	12	24
B. *Operated*										
0-19 YRS	53	4.5	7	2	2	4	5	7	10	17
20-34	1596	5.1	6	3	3	5	6	8	9	13
35-49	2788	5.5	6	3	3	5	7	9	10	14
50-64	2088	6.0	8	3	3	5	7	9	11	17
65+	971	7.0	18	3	3	6	8	11	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	457	2.9	6	1	1	2	4	5	6	12
B. *Operated*	1686	4.8	5	2	2	5	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	1293	4.1	15	1	1	3	5	7	10	18
B. *Operated*	7496	5.7	8	3	3	5	7	9	11	16
1. SINGLE DX	2143	4.4	6	1	2	4	5	7	9	12
2. MULTIPLE DX	8789	5.5	10	2	3	5	7	9	11	16
A. NOT OPERATED	1750	3.8	13	1	1	3	4	7	9	16
B. OPERATED	9182	5.6	8	3	3	5	7	9	11	15
TOTAL 0-19 YRS	116	3.7	6	1	1	4	5	6	8	15
20-34	2377	4.8	6	2	2	4	6	7	9	13
35-49	3917	5.2	7	2	3	5	6	8	10	14
50-64	2904	5.5	9	2	2	5	7	9	11	16
65+	1618	6.1	18	2	2	5	7	11	13	21
GRAND TOTAL	**10932**	**5.3**	**9**	**2**	**2**	**5**	**6**	**9**	**10**	**15**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	5.6	28	1	1	3	7	13	14	25
20-34	115	6.9	19	1	2	7	10.	12	15	21
35-49	123	6.6	19	1	2	6	9	12	14	22
50-64	126	7.1	22	1	2	6	10	12	15	25
65+	212	7.5	27	1	2	7	10	14	18	25
B. *Operated*										
0-19 YRS	116	3.4	11	1	1	2	4	5	10	19
20-34	284	3.8	14	<1	1	2	4	10	12	19
35-49	144	5.9	28	<1	1	3	9	12	18	24
50-64	125	7.4	50	1	2	5	10	16	20	41
65+	151	9.4	50	2	2	9	13	16	20	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	5.5	26	1	1	4	7	12	16	25
20-34	183	6.4	57	1	1	4	8	12	16	36
35-49	363	7.2	27	1	2	6	10	14	17	24
50-64	742	7.0	29	1	2	6	9	12	16	27
65+	1827	7.8	33	2	3	6	10	14	18	32
B. *Operated*										
0-19 YRS	70	5.9	35	1	1	3	7	15	20	26
20-34	299	5.4	45	<1	1	3	6	12	20	43
35-49	231	8.6	82	<1	1	6	11	18	24	47
50-64	442	11.4	101	2	2	9	14	20	27	53
65+	754	13.3	119	2	3	11	17	25	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	613	7.0	23	1	2	6	10	13	16	23
B. *Operated*	820	5.7	33	1	1	3	8	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	3168	7.4	33	2	2	6	10	14	17	30
B. *Operated*	1796	10.6	103	1	2	8	14	21	28	53
1. SINGLE DX	1433	6.3	29	1	1	4	9	13	16	24
2. MULTIPLE DX	4964	8.6	61	1	2	7	11	17	22	41
A. NOT OPERATED	3781	7.4	31	2	2	6	10	13	17	28
B. OPERATED	2616	9.1	86	1	2	7	12	19	25	48
TOTAL 0-19 YRS	276	4.8	23	1	1	3	5	12	15	25
20-34	881	5.3	35	1	1	3	7	11	14	30
35-49	861	7.3	41	1	1	6	10	14	19	32
50-64	1435	8.4	56	1	2	7	11	16	20	41
65+	2944	9.3	61	2	3	7	12	18	23	39
GRAND TOTAL	**6397**	**8.1**	**55**	**1**	**2**	**6**	**11**	**16**	**21**	**38**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3749	2.6	2	<1	1	2	3	5	5	8
20-34	611	2.9	2	<1	<1	3	4	5	6	8
35-49	252	3.2	4	<1	<1	3	4	5	6	9
50-64	132	4.2	10	1	1	4	5	7	9	20
65+	110	5.0	12	<1	2	4	6	10	12	18
B. *Operated*										
0-19 YRS	752	2.1	3	<1	1	2	2	3	3	9
20-34	302	2.3	1	1	1	2	2	3	4	8
35-49	58	3.7	16	1	1	2	4	8	13	22
50-64	32	4.1	25	1	1	2	5	8	10	28
65+	18	4.2	21	1	2	3	4	7	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5517	3.3	5	1	1	3	4	6	7	11
20-34	1120	3.8	4	1	2	3	5	6	8	11
35-49	777	4.7	8	2	2	4	6	8	9	15
50-64	875	5.6	13	2	2	5	7	10	12	20
65+	1320	7.2	31	2	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	604	3.0	11	1	1	2	3	5	8	16
20-34	161	4.2	17	1	1	3	5	9	11	21
35-49	94	5.8	20	1	2	4	8	12	14	24
50-64	130	8.3	66	2	2	6	10	15	19	43
65+	112	11.8	112	2	3	9	15	27	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4854	2.7	3	<1	1	2	3	5	6	9
B. *Operated*	1162	2.3	4	<1	1	2	2	3	5	11
2. MULTIPLE DX										
A. *Not Operated*	9609	4.2	11	1	2	3	5	8	10	16
B. *Operated*	1101	4.9	37	1	1	3	5	11	15	32
1. SINGLE DX	6016	2.7	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	10710	4.3	14	1	2	3	5	8	10	18
A. NOT OPERATED	14463	3.7	9	1	1	3	5	7	9	15
B. OPERATED	2263	3.6	22	1	1	2	3	7	11	27
TOTAL 0-19 YRS	10622	2.9	4	1	1	2	4	5	6	10
20-34	2194	3.4	5	<1	1	3	4	6	7	10
35-49	1181	4.4	9	1	2	4	5	8	9	16
50-64	1169	5.7	20	2	2	5	7	10	13	24
65+	1560	7.3	38	2	3	6	9	13	17	30
GRAND TOTAL	**16726**	**3.7**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3468	3.4	4	1	1	3	4	6	7	10
20-34	310	3.8	3	1	2	3	5	6	7	9
35-49	359	4.8	8	2	2	4	6	8	10	16
50-64	366	5.2	7	2	3	5	6	9	10	15
65+	409	5.9	11	2	3	5	7	10	12	18
B. *Operated*										
0-19 YRS	12	5.5	12	1	2	4	8	10	13	13
20-34	13	5.1	11	1	2	5	7	9	12	13
35-49	18	6.1	32	1	2	4	7	17	20	20
50-64	20	5.5	15	1	1	4	9	10	12	14
65+	14	5.9	26	2	2	5	6	10	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3794	4.2	6	1	2	4	5	7	9	13
20-34	652	4.8	7	2	2	4	6	8	10	15
35-49	1244	6.0	17	2	2	5	7	10	13	25
50-64	3102	6.8	20	2	3	6	8	12	15	24
65+	6120	7.9	29	3	3	7	10	14	17	29
B. *Operated*										
0-19 YRS	44	8.8	53	3	3	7	10	18	22	42
20-34	57	7.2	25	2	2	6	10	15	18	20
35-49	135	8.3	45	2	2	7	11	15	18	37
50-64	284	10.3	78	2	3	8	12	18	28	44
65+	458	12.3	82	3	4	10	15	23	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4912	3.9	6	1	2	3	5	7	8	12
B. *Operated*	77	5.6	19	1	2	4	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	14912	6.4	22	2	2	5	8	11	15	24
B. *Operated*	978	10.7	74	2	3	9	13	20	27	43
1. SINGLE DX	4989	3.9	6	1	2	3	5	7	8	13
2. MULTIPLE DX	15890	6.7	26	2	2	5	8	12	15	27
A. NOT OPERATED	19824	5.8	19	2	2	5	7	10	13	22
B. OPERATED	1055	10.4	72	2	3	8	13	20	26	42
TOTAL 0-19 YRS	7318	3.8	6	1	2	3	5	7	8	11
20-34	1032	4.6	7	2	2	4	6	8	10	15
35-49	1756	5.9	18	2	2	5	7	10	13	24
50-64	3772	6.9	24	2	3	6	8	12	15	27
65+	7001	8.1	33	3	3	7	10	14	18	31
GRAND TOTAL	**20879**	**6.0**	**23**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	321	2.2	1	1	1	2	3	3	4	5
20-34	802	2.2	1	1	1	2	3	3	4	5
35-49	487	2.3	1	1	1	2	3	3	4	5
50-64	207	2.3	1	1	1	2	3	3	4	5
65+	41	2.2	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.2		<1	<1	1	1	2	2	2
20-34	18	2.2	4	<1	<1	2	3	4	7	9
35-49	22	2.6	6	<1	<1	2	3	8	9	9
50-64	8	1.8	2	<1	<1	1	2	4	5	5
65+	4	2.8	4	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	677	2.4	1	1	1	2	3	4	4	6
20-34	1889	2.5	1	1	1	2	3	4	4	7
35-49	1202	2.6	2	1	1	2	3	4	5	7
50-64	666	2.9	4	1	1	3	3	4	6	10
65+	189	3.5	6	1	2	3	4	6	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.4	2	1	1	3	3	4	4	4
B. *Operated*	1858	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	63	2.1	4	<1	<1	1	2	4	8	9
B. *Operated*	4623	2.6	2	1	1	2	3	4	5	8
1. SINGLE DX	1863	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	4686	2.6	2	1	1	2	3	4	5	8
A. NOT OPERATED	68	2.2	4	<1	<1	1	3	4	8	9
B. OPERATED	6481	2.5	2	1	1	2	3	4	4	7
TOTAL 0-19 YRS	1009	2.3	1	1	1	2	3	3	4	6
20-34	2712	2.4	1	1	1	2	3	4	4	6
35-49	1713	2.5	2	1	1	2	3	4	5	7
50-64	881	2.8	3	1	1	2	3	4	5	9
65+	234	3.2	5	1	1	3	4	6	8	13
GRAND TOTAL	**6549**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	42	2.3	1	<1	1	2	3	4	5	7
20-34	52	2.1	1	1	1	2	3	3	4	4
35-49	72	2.3	1	1	1	2	3	4	5	6
50-64	61	2.5	3	1	1	2	3	4	4	12
65+	51	2.2	1	1	1	2	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	2.8	5	1	1	2	4	6	6	6
35-49	1	4.0		4	4	4	4	4	4	4
50-64	4	3.0	3	<1	<1	3	4	5	5	5
65+	5	3.4	2	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	53	2.8	2	1	1	2	4	5	5	6
20-34	96	2.5	1	1	1	2	3	4	4	7
35-49	135	3.7	37	1	1	3	4	5	7	35
50-64	152	3.0	4	1	1	3	4	4	6	14
65+	118	3.1	2	1	2	3	4	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*	278	2.3	2	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	15	3.2	3	<1	1	3	5	5	6	6
B. *Operated*	554	3.1	11	1	1	3	3	5	6	13
1. SINGLE DX	282	2.3	2	1	1	2	3	4	4	7
2. MULTIPLE DX	569	3.1	11	1	1	3	4	5	6	13
A. NOT OPERATED	19	2.9	3	<1	<1	2	4	5	6	6
B. OPERATED	832	2.8	8	1	1	2	3	4	5	11
TOTAL 0-19 YRS	98	2.6	2	1	1	2	3	4	5	7
20-34	152	2.4	1	1	1	2	3	4	4	6
35-49	209	3.2	24	1	1	2	3	5	6	21
50-64	218	2.9	3	1	1	2	3	4	6	13
65+	174	2.9	2	1	1	2	3	5	5	8
GRAND TOTAL	**851**	**2.8**	**8**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	2.0	2	<1	<1	2	2	3	4	9
20-34	19	2.4	1	<1	1	2	3	4	5	5
35-49	5	1.6	1	1	1	1	2	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	11564	1.8		1	1	2	2	2	3	3
20-34	3239	2.0	1	1	1	2	2	3	3	4
35-49	378	2.2	2	1	1	2	2	3	4	8
50-64	58	2.3	1	1	1	2	3	4	5	7
65+	24	2.6	2	1	2	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	1.8	2	<1	<1	1	2	4	5	7
20-34	28	1.9	1	<1	<1	2	2	4	5	5
35-49	13	2.3	2	<1	<1	2	4	4	5	5
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	5	4.6	5	<1	<1	5	6	7	7	7
B. *Operated*										
0-19 YRS	8263	1.8	2	<1	1	2	2	2	3	4
20-34	739	2.5	2	1	1	2	3	4	5	8
35-49	176	2.7	2	1	1	2	3	5	5	9
50-64	46	3.5	20	1	1	2	3	7	9	30
65+	18	3.7	13	1	1	3	4	6	13	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	2.1	2	<1	1	2	3	3	5	8
B. *Operated*	15263	1.9		1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	233	1.9	2	<1	<1	1	2	4	5	7
B. *Operated*	9242	1.9	2	<1	1	2	2	3	3	6
1. SINGLE DX	15355	1.9		1	1	2	2	2	3	4
2. MULTIPLE DX	9475	1.9	2	<1	1	2	2	3	3	6
A. NOT OPERATED	325	2.0	2	<1	<1	1	2	4	5	7
B. OPERATED	24505	1.9	1	1	1	2	2	2	3	4
TOTAL 0-19 YRS	20076	1.8	1	1	1	2	2	2	3	4
20-34	4025	2.1	1	1	1	2	2	3	4	5
35-49	572	2.4	2	1	1	2	3	4	4	9
50-64	108	2.9	9	1	1	2	3	5	7	18
65+	49	3.2	7	1	1	2	4	6	7	17
GRAND TOTAL	**24830**	**1.9**	**1**	**1**	**1**	**2**	**2**	**2**	**3**	**5**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	480	3.0	4	<1	1	3	4	5	6	11
20-34	321	3.1	3	<1	1	3	4	5	7	9
35-49	160	3.3	4	<1	1	3	4	5	8	11
50-64	94	3.1	5	<1	1	2	4	6	7	14
65+	61	3.3	9	<1	1	2	4	7	10	15
B. *Operated*										
0-19 YRS	547	2.6	4	<1	1	2	3	4	6	9
20-34	865	2.7	5	1	1	2	3	4	6	12
35-49	758	2.4	3	1	1	2	3	4	5	8
50-64	680	2.5	5	1	1	2	3	4	5	10
65+	384	2.8	9	1	1	2	3	4	7	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	627	3.8	6	1	2	3	5	7	8	14
20-34	366	4.2	7	1	2	4	5	7	9	14
35-49	363	4.7	9	1	2	4	6	8	10	21
50-64	368	5.1	12	2	2	4	7	9	11	16
65+	312	6.2	19	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	579	3.3	22	1	1	2	3	6	9	36
20-34	907	3.2	7	1	1	3	4	5	7	13
35-49	869	3.5	11	1	1	2	4	6	9	20
50-64	805	3.7	15	1	1	3	4	7	10	18
65+	524	5.4	69	1	1	3	5	11	16	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1116	3.1	4	<1	1	3	4	5	7	11
B. *Operated*	3234	2.6	5	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	2036	4.6	11	1	2	4	6	8	10	16
B. *Operated*	3684	3.7	22	1	1	2	4	7	10	21
1. SINGLE DX	4350	2.7	5	1	1	2	3	5	6	11
2. MULTIPLE DX	5720	4.0	18	1	1	3	5	8	10	19
A. NOT OPERATED	3152	4.1	9	1	1	3	5	7	9	15
B. OPERATED	6918	3.2	14	1	1	2	3	5	8	18
TOTAL 0-19 YRS	2233	3.2	10	1	1	2	4	6	7	14
20-34	2459	3.2	6	1	1	3	4	6	7	13
35-49	2150	3.3	8	1	1	2	4	6	8	16
50-64	1947	3.5	11	1	1	2	4	7	9	16
65+	1281	4.7	38	1	1	3	5	10	13	29
GRAND TOTAL	**10070**	**3.5**	**13**	**1**	**1**	**3**	**4**	**6**	**9**	**16**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7553	4.1	6	2	2	4	5	7	8	12
20-34	1436	5.1	10	2	2	5	6	8	10	14
35-49	1172	5.6	8	2	3	5	7	9	11	16
50-64	1173	6.5	11	3	3	6	8	10	13	18
65+	1779	7.8	17	3	3	7	10	13	15	21
B. *Operated*										
0-19 YRS	51	6.9	29	1	1	6	10	13	17	26
20-34	28	8.2	34	1	1	7	12	16	20	22
35-49	76	8.5	28	2	3	8	12	16	18	25
50-64	113	8.8	43	2	2	7	12	17	22	34
65+	136	11.1	64	2	2	10	15	22	25	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9007	4.9	11	2	2	4	6	8	11	17
20-34	1776	6.2	18	2	3	5	8	10	13	21
35-49	2310	7.2	22	2	3	6	9	12	15	25
50-64	4771	8.2	29	3	3	7	10	14	18	29
65+	14253	10.5	51	3	4	9	13	19	24	38
B. *Operated*										
0-19 YRS	265	11.5	84	3	4	9	15	21	27	52
20-34	186	13.1	119	3	4	10	16	25	36	76
35-49	349	13.2	109	3	4	11	16	25	31	63
50-64	795	14.5	117	4	5	12	18	27	37	67
65+	1680	17.6	150	5	7	14	22	33	43	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13113	5.1	11	2	2	4	6	9	11	16
B. *Operated*	404	9.2	46	2	2	8	12	17	23	33
2. MULTIPLE DX										
A. *Not Operated*	32117	8.1	39	2	3	7	10	15	19	32
B. *Operated*	3275	15.6	135	4	5	13	19	30	39	66
1. SINGLE DX	13517	5.2	12	2	2	4	6	9	11	17
2. MULTIPLE DX	35392	8.8	52	2	3	7	11	16	22	38
A. NOT OPERATED	45230	7.2	32	2	3	6	9	13	17	29
B. OPERATED	3679	14.9	129	3	5	12	19	29	38	65
TOTAL 0-19 YRS	16876	4.6	11	2	2	4	6	8	10	16
20-34	3426	6.1	23	2	3	5	7	10	14	24
35-49	3907	7.3	30	2	3	6	9	12	16	29
50-64	6852	8.7	41	3	3	7	10	15	20	35
65+	17848	10.9	63	3	4	9	13	20	25	43
GRAND TOTAL	**48909**	**7.8**	**44**	**2**	**3**	**6**	**10**	**15**	**19**	**34**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	248	3.2	4	1	1	3	4	5	6	11
20-34	231	3.4	4	1	2	3	4	6	6	11
35-49	154	4.0	4	2	2	4	5	6	8	11
50-64	142	4.1	5	1	2	4	5	6	7	14
65+	172	5.2	8	2	2	5	7	9	11	14
B. *Operated*										
0-19 YRS	4	5.0	10	2	2	4	7	9	9	9
20-34										
35-49										
50-64	2	15.5	25	12	12	15	19	19	19	19
65+	3	5.0	3	3	3	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	421	3.4	4	1	2	3	4	6	7	12
20-34	412	3.9	5	2	2	3	5	7	8	12
35-49	427	5.0	12	2	2	4	6	9	10	21
50-64	654	5.8	13	2	3	5	7	10	12	19
65+	1158	7.2	21	2	3	6	9	13	15	25
B. *Operated*										
0-19 YRS	6	25.5	1220	3	3	12	24	88	95	95
20-34	13	6.2	11	2	3	6	9	11	12	12
35-49	8	10.6	94	3	3	7	14	27	31	31
50-64	23	10.0	20	3	4	10	12	15	19	22
65+	58	11.5	44	3	4	10	16	22	25	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	947	3.9	5	1	2	3	5	7	8	13
B. *Operated*	9	7.3	29	2	2	6	10	16	19	19
2. MULTIPLE DX										
A. *Not Operated*	3072	5.6	16	2	2	5	7	10	13	22
B. *Operated*	108	11.3	107	3	3	9	14	20	24	58
1. SINGLE DX	956	3.9	5	1	2	3	5	7	8	13
2. MULTIPLE DX	3180	5.8	20	2	2	5	7	11	14	23
A. NOT OPERATED	4019	5.2	14	2	2	4	6	9	12	19
B. OPERATED	117	10.9	102	3	3	9	14	20	24	52
TOTAL 0-19 YRS	679	3.5	17	1	1	3	4	6	7	13
20-34	656	3.8	5	1	2	3	5	6	8	12
35-49	589	4.8	11	2	2	4	6	8	10	20
50-64	821	5.7	13	2	2	5	7	10	12	19
65+	1391	7.1	22	2	3	6	9	13	16	25
GRAND TOTAL	**4136**	**5.4**	**17**	**2**	**2**	**4**	**7**	**10**	**13**	**21**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1095	3.2	4	1	1	3	4	5	7	9
20-34	170	3.8	5	<1	<1	3	5	7	8	11
35-49	209	4.8	8	1	2	4	6	8	9	14
50-64	385	5.9	16	2	2	5	7	10	13	21
65+	424	6.5	16	2	3	6	8	11	14	24
B. Operated										
0-19 YRS	17	4.1	7	1	1	3	6	9	10	10
20-34	15	3.7	7	2	2	2	5	7	10	11
35-49	40	4.4	11	1	1	4	6	8	10	18
50-64	67	4.8	22	1	1	3	6	10	12	27
65+	65	4.9	19	1	2	3	6	11	15	21
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1203	3.9	6	1	2	3	5	7	8	13
20-34	402	4.9	18	1	2	4	6	8	10	17
35-49	785	5.8	14	2	2	5	7	10	14	20
50-64	1770	7.3	30	2	3	6	9	13	17	25
65+	3205	8.0	29	3	3	7	10	14	18	30
B. Operated										
0-19 YRS	45	7.6	68	1	2	5	10	13	22	47
20-34	59	6.7	32	1	2	5	11	15	18	24
35-49	169	7.6	38	2	2	6	9	14	17	37
50-64	352	8.3	50	2	2	6	11	16	20	38
65+	452	12.3	140	2	3	9	15	25	36	63
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2283	4.5	10	1	1	4	6	8	10	16
B. Operated	204	4.6	17	1	1	3	6	9	12	20
2. MULTIPLE DX										
A. Not Operated	7365	6.8	26	2	2	5	8	13	16	25
B. Operated	1077	9.8	91	2	2	7	12	19	27	50
1. SINGLE DX	2487	4.5	11	1	1	4	6	8	10	17
2. MULTIPLE DX	8442	7.2	35	2	2	6	9	13	17	30
A. NOT OPERATED	9648	6.2	23	2	2	5	8	12	15	25
B. OPERATED	1281	8.9	82	2	2	7	11	17	24	47
TOTAL 0-19 YRS	2360	3.7	6	1	1	3	4	6	8	12
20-34	646	4.7	16	1	2	4	6	8	11	17
35-49	1203	5.8	17	2	2	5	7	10	14	21
50-64	2574	7.2	31	2	3	6	9	13	17	26
65+	4146	8.3	42	2	3	7	10	15	19	34
GRAND TOTAL	**10929**	**6.5**	**31**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	19	5.8	17	1	2	5	8	10	15	19
50-64	94	5.8	11	2	2	5	8	10	11	18
65+	129	7.3	31	2	2	6	9	14	18	28
B. Operated										
0-19 YRS	4	4.0	9	1	1	4	6	7	7	7
20-34	3	10.0	39	3	3	12	14	15	15	15
35-49	8	6.8	25	3	3	4	10	14	16	18
50-64	6	9.7	46	2	2	7	14	20	21	21
65+	6	7.8	17	2	2	8	10	14	14	16
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	5.5	18	1	1	5	8	11	11	11
20-34	5	4.2	16	1	1	3	6	11	11	11
35-49	75	7.6	66	2	3	5	8	14	22	53
50-64	571	7.8	35	2	3	6	10	15	19	30
65+	1128	9.2	58	2	3	7	11	16	22	41
B. Operated										
0-19 YRS	4	12.5	51	5	5	11	17	22	22	22
20-34	10	10.0	25	5	5	9	11	17	23	23
35-49	26	14.0	198	2	3	11	15	35	45	66
50-64	77	12.9	72	3	4	11	17	22	33	40
65+	124	16.4	202	3	4	12	21	35	44	86
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	246	6.6	22	2	2	5	8	12	15	21
B. Operated	27	7.6	27	2	2	7	11	15	17	21
2. MULTIPLE DX										
A. Not Operated	1783	8.7	51	2	3	7	11	16	21	34
B. Operated	241	14.7	152	3	4	12	18	31	39	79
1. SINGLE DX	273	6.7	23	2	2	5	9	13	16	21
2. MULTIPLE DX	2024	9.4	67	2	3	7	12	18	23	43
A. NOT OPERATED	2029	8.4	48	2	3	7	10	16	20	33
B. OPERATED	268	13.9	144	3	4	11	17	29	38	77
TOTAL 0-19 YRS	14	6.8	33	1	1	5	10	14	20	22
20-34	20	8.2	26	1	2	8	11	13	19	23
35-49	128	8.6	90	2	3	6	10	17	23	62
50-64	748	8.1	39	2	3	7	10	16	20	33
65+	1387	9.7	72	2	3	7	12	18	25	46
GRAND TOTAL	**2297**	**9.0**	**62**	**2**	**3**	**7**	**11**	**17**	**22**	**42**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5423	3.3	3	1	2	3	4	5	6	9
20-34	1260	3.9	6	1	2	3	5	7	8	11
35-49	1175	4.7	7	1	2	4	6	8	10	14
50-64	1108	5.7	14	2	2	5	7	10	13	20
65+	854	6.2	18	2	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	22	4.0	9	<1	<1	4	5	7	10	13
20-34	15	5.4	26	1	1	4	8	15	16	17
35-49	17	6.1	23	1	2	3	10	14	16	17
50-64	32	7.3	20	2	2	6	9	12	15	23
65+	16	7.2	23	1	1	7	9	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3534	4.0	6	1	2	3	5	7	8	13
20-34	1208	4.8	9	2	2	4	6	8	10	17
35-49	1818	6.2	17	2	2	5	7	11	14	21
50-64	3203	7.0	21	2	3	6	9	12	16	24
65+	3841	8.0	31	2	3	7	10	14	18	28
B. *Operated*										
0-19 YRS	56	10.4	167	2	2	7	11	17	34	83
20-34	60	8.9	63	2	2	7	11	18	29	36
35-49	118	10.7	52	3	4	9	14	22	25	38
50-64	207	11.7	100	3	4	9	14	21	31	57
65+	216	14.0	122	3	4	11	17	27	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9820	4.0	7	1	2	3	5	7	9	14
B. *Operated*	102	6.1	20	1	1	5	8	12	16	20
2. MULTIPLE DX										
A. *Not Operated*	13604	6.2	21	2	2	5	8	11	15	23
B. *Operated*	657	11.9	103	2	3	9	14	23	32	58
1. SINGLE DX	9922	4.1	8	1	2	3	5	7	9	14
2. MULTIPLE DX	14261	6.5	26	2	2	5	8	12	16	26
A. NOT OPERATED	23424	5.3	16	1	2	4	7	10	13	21
B. OPERATED	759	11.1	96	2	3	9	14	22	30	55
TOTAL 0-19 YRS	9035	3.6	5	1	2	3	4	6	7	11
20-34	2543	4.5	9	1	2	4	5	8	9	16
35-49	3128	5.8	16	2	2	5	7	10	13	21
50-64	4550	6.9	24	2	3	6	9	12	15	26
65+	4927	8.0	35	2	3	7	10	14	18	30
GRAND TOTAL	**24183**	**5.5**	**20**	**1**	**2**	**4**	**7**	**10**	**13**	**23**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	4.9	11	1	2	4	6	10	13	15
20-34	27	4.2	11	1	1	3	5	10	11	14
35-49	171	6.0	29	1	2	5	7	11	14	21
50-64	834	6.8	25	2	3	5	8	13	17	27
65+	1011	7.2	27	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	14	4.5	12	1	2	3	8	9	11	12
20-34	5	5.2	13	2	2	4	8	10	10	10
35-49	22	4.9	8	2	2	4	7	10	10	10
50-64	46	7.2	47	1	2	5	8	15	18	39
65+	54	10.6	93	3	3	7	13	21	36	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	9.2	61	2	2	8	11	18	29	35
20-34	79	6.8	29	1	1	5	10	13	16	29
35-49	695	6.9	30	2	2	6	8	13	17	28
50-64	4285	8.3	41	2	3	7	10	15	20	33
65+	7884	9.0	50	2	3	7	11	17	22	36
B. *Operated*										
0-19 YRS	19	8.7	101	1	2	7	10	17	33	45
20-34	15	11.7	95	2	3	9	17	24	34	37
35-49	117	12.4	172	2	3	9	14	28	46	66
50-64	522	12.0	113	2	3	9	15	24	34	63
65+	857	13.6	145	3	4	10	17	28	37	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2070	6.9	26	2	2	6	8	13	17	27
B. *Operated*	141	7.8	59	2	2	5	9	16	21	42
2. MULTIPLE DX										
A. *Not Operated*	13014	8.7	46	2	3	7	11	16	21	35
B. *Operated*	1530	12.9	135	2	3	10	16	27	3[illegible]	65
1. SINGLE DX	2211	7.0	29	2	2	6	8	13	17	28
2. MULTIPLE DX	14544	9.1	57	2	3	7	11	17	23	40
A. NOT OPERATED	15084	8.4	44	2	3	7	10	16	21	34
B. OPERATED	1671	12.4	131	2	3	9	16	26	36	64
TOTAL 0-19 YRS	131	7.8	54	2	2	5	10	14	25	38
20-34	126	6.8	36	1	2	5	9	14	17	32
35-49	1005	7.4	49	2	2	6	9	13	17	40
50-64	5687	8.4	47	2	3	7	10	16	21	36
65+	9806	9.2	59	2	3	7	11	17	23	40
GRAND TOTAL	**16755**	**8.8**	**54**	**2**	**3**	**7**	**11**	**17**	**22**	**38**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	3.1	9	1	1	2	4	5	10	17
20-34	176	3.8	6	1	1	3	5	8	9	11
35-49	44	3.9	5	1	2	3	5	7	9	11
50-64	19	4.1	8	1	1	3	5	9	11	11
65+	18	6.4	19	<1	1	7	8	12	16	18
B. *Operated*										
0-19 YRS	125	6.1	24	2	3	5	7	10	11	26
20-34	474	6.3	17	2	3	5	8	12	14	20
35-49	151	7.1	26	2	3	5	8	13	15	27
50-64	79	6.4	29	3	3	5	7	11	14	35
65+	53	10.6	51	3	4	9	13	20	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.1	27	1	1	3	5	11	17	23
20-34	41	5.3	29	1	1	4	7	10	15	30
35-49	31	5.1	6	2	3	4	6	9	10	11
50-64	60	7.4	37	1	1	6	10	14	17	35
65+	83	9.1	54	1	2	7	13	18	26	33
B. *Operated*										
0-19 YRS	25	10.2	42	2	3	9	13	20	22	26
20-34	137	8.7	28	3	3	7	11	16	19	29
35-49	122	10.1	42	3	4	9	14	20	22	32
50-64	192	12.8	132	3	4	10	16	24	32	67
65+	245	13.0	113	4	5	10	17	22	31	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	3.8	8	1	1	3	5	8	10	13
B. *Operated*	882	6.7	23	2	3	5	8	12	15	27
2. MULTIPLE DX										
A. *Not Operated*	235	7.1	39	1	2	5	9	15	13	31
B. *Operated*	721	11.5	90	3	4	9	15	21	27	58
1. SINGLE DX	1204	5.9	21	1	2	5	7	11	14	22
2. MULTIPLE DX	956	10.5	81	2	3	8	14	20	26	47
A. NOT OPERATED	557	5.2	23	1	1	4	7	11	15	27
B. OPERATED	1603	8.9	59	3	3	7	11	17	21	41
TOTAL 0-19 YRS	235	5.6	25	1	2	4	7	11	15	23
20-34	828	6.1	19	1	2	5	8	12	15	21
35-49	348	7.6	31	2	3	6	10	15	19	27
50-64	350	9.9	95	2	3	7	11	20	26	62
65+	399	11.6	91	3	4	9	15	21	29	53
GRAND TOTAL	**2160**	**7.9**	**52**	**2**	**2**	**6**	**10**	**16**	**20**	**36**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	626	3.1	4	1	1	3	4	5	6	10
20-34	181	3.6	6	<1	1	3	4	6	8	12
35-49	209	3.9	8	1	1	3	5	8	9	14
50-64	267	4.5	9	1	1	4	6	9	10	16
65+	341	6.1	23	1	2	5	8	12	16	25
B. *Operated*										
0-19 YRS	100	5.6	29	1	1	3	8	13	17	24
20-34	117	7.9	82	1	2	6	10	15	19	53
35-49	192	8.0	58	1	2	6	11	16	24	40
50-64	276	8.4	49	1	2	7	11	19	23	34
65+	273	7.6	46	1	2	6	10	15	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	859	4.5	14	1	2	4	5	9	12	19
20-34	431	5.0	14	1	1	4	6	9	12	18
35-49	765	6.2	26	1	2	5	8	13	16	27
50-64	1957	7.5	43	2	2	6	9	14	18	30
65+	4274	9.1	56	2	3	7	11	17	22	40
B. *Operated*										
0-19 YRS	190	8.9	126	1	1	4	10	23	35	48
20-34	217	10.0	112	1	2	8	14	20	27	73
35-49	426	11.9	135	1	2	9	15	27	38	68
50-64	1014	11.4	129	2	2	8	15	24	32	59
65+	1483	12.8	148	2	3	9	16	26	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1624	4.1	11	1	1	3	5	8	10	17
B. *Operated*	958	7.7	52	1	2	6	10	15	22	35
2. MULTIPLE DX										
A. *Not Operated*	8286	7.8	46	2	2	6	10	15	19	34
B. *Operated*	3330	11.8	138	2	2	9	15	25	35	63
1. SINGLE DX	2582	5.5	29	1	1	4	7	11	15	27
2. MULTIPLE DX	11616	8.9	76	2	2	7	11	18	24	46
A. NOT OPERATED	9910	7.2	42	1	2	5	9	14	18	33
B. OPERATED	4288	10.9	122	2	2	8	14	23	32	59
TOTAL 0-19 YRS	1775	4.5	26	1	1	3	5	9	13	29
20-34	946	6.2	49	1	1	4	8	13	16	36
35-49	1592	7.6	64	1	2	5	9	16	24	43
50-64	3514	8.5	70	2	2	6	10	17	23	45
65+	6371	9.8	78	2	3	7	12	19	25	47
GRAND TOTAL	**14198**	**8.3**	**69**	**1**	**2**	**6**	**10**	**17**	**23**	**44**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.8	4	<1	<1	3	4	5	7	10
20-34	70	2.6	5	<1	<1	1	4	5	8	10
35-49	29	3.7	8	<1	<1	3	5	8	9	11
50-64	15	2.3	2	<1	<1	2	4	4	5	5
65+	7	4.7	5	2	2	4	6	8	9	9
B. *Operated*										
0-19 YRS	1535	2.0	1	<1	1	2	2	4	4	6
20-34	1402	2.7	3	1	1	2	3	4	5	7
35-49	618	3.0	3	1	1	3	4	5	6	8
50-64	338	2.9	3	1	2	2	3	5	6	9
65+	130	3.1	3	1	1	3	4	5	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	3.0	3	<1	1	3	4	5	7	8
20-34	117	3.3	5	<1	<1	3	4	6	8	11
35-49	88	4.0	9	<1	<1	3	6	9	9	14
50-64	64	6.2	57	1	1	4	8	12	14	50
65+	72	6.8	95	1	2	4	7	10	19	66
B. *Operated*										
0-19 YRS	1104	2.5	3	<1	1	2	3	4	5	8
20-34	1129	3.3	10	1	1	3	4	6	7	13
35-49	763	3.3	6	1	2	2	4	6	8	15
50-64	687	3.9	25	1	2	3	4	7	10	25
65+	474	4.1	14	2	2	3	4	7	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	2.9	5	<1	<1	2	4	6	8	10
B. *Operated*	4023	2.5	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	494	4.2	27	<1	1	3	5	8	9	22
B. *Operated*	4157	3.3	11	1	1	2	4	6	8	16
1. SINGLE DX	4195	2.5	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	4651	3.4	12	1	1	2	4	6	8	16
A. NOT OPERATED	666	3.9	22	<1	<1	3	5	7	9	15
B. OPERATED	8180	2.9	7	1	1	2	3	5	6	12
TOTAL 0-19 YRS	2843	2.3	2	<1	1	2	3	4	5	7
20-34	2718	3.0	6	1	1	2	4	5	6	10
35-49	1498	3.2	5	1	1	3	4	6	7	12
50-64	1104	3.7	21	1	2	3	4	6	10	23
65+	683	4.2	21	2	2	3	5	8	10	23
GRAND TOTAL	**8846**	**3.0**	**8**	**1**	**1**	**2**	**4**	**5**	**7**	**13**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	3.5	4	1	1	3	4	6	7	10
20-34	41	4.0	9	<1	1	4	5	7	10	16
35-49	35	4.1	7	1	1	3	5	8	10	14
50-64	21	4.4	9	1	1	4	6	9	10	11
65+	31	3.7	5	<1	<1	4	5	7	7	10
B. *Operated*										
0-19 YRS	147	2.6	3	<1	1	2	3	5	6	9
20-34	129	3.1	11	<1	1	2	3	6	7	15
35-49	142	3.8	17	1	1	3	4	6	7	21
50-64	128	3.2	4	1	2	3	4	5	7	13
65+	145	3.2	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	185	3.9	6	1	1	3	5	7	8	13
20-34	58	4.5	9	1	2	4	6	8	12	14
35-49	53	5.5	9	2	2	5	7	9	12	16
50-64	62	5.2	12	1	2	5	7	9	12	18
65+	149	7.3	30	2	3	6	9	13	16	34
B. *Operated*										
0-19 YRS	83	3.5	6	1	1	3	4	7	9	14
20-34	116	4.1	12	1	2	3	5	7	9	22
35-49	138	4.5	19	1	2	3	5	9	15	25
50-64	166	4.4	11	2	2	3	5	9	11	22
65+	227	5.9	38	1	2	4	7	13	18	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	3.8	6	1	1	3	5	7	9	13
B. *Operated*	691	3.2	8	<1	1	3	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	507	5.3	16	1	2	4	7	10	12	19
B. *Operated*	730	4.7	21	1	2	3	5	10	14	27
1. SINGLE DX	923	3.3	7	<1	1	3	4	6	7	13
2. MULTIPLE DX	1237	5.0	19	1	2	4	6	10	13	24
A. NOT OPERATED	739	4.8	14	1	2	4	6	9	12	18
B. OPERATED	1421	4.0	15	1	1	3	4	7	10	22
TOTAL 0-19 YRS	519	3.4	5	1	1	3	4	6	8	11
20-34	344	3.8	11	1	1	3	4	7	9	16
35-49	368	4.3	16	1	2	3	5	8	10	20
50-64	377	4.1	9	1	2	3	5	8	10	18
65+	552	5.4	28	1	2	4	6	11	14	33
GRAND TOTAL	**2160**	**4.3**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	286	3.6	10	1	1	3	4	7	9	16
20-34	248	3.4	7	<1	1	3	4	6	7	15
35-49	402	3.4	6	1	1	3	4	6	8	12
50-64	305	3.9	6	1	1	3	5	7	9	13
65+	230	3.9	8	1	1	3	5	7	8	18
B. *Operated*										
0-19 YRS	108	5.1	31	<1	<1	3	6	13	17	27
20-34	109	5.4	13	1	1	5	8	11	12	16
35-49	159	5.3	14	1	1	5	8	10	12	17
50-64	153	5.3	14	1	1	5	8	10	11	15
65+	166	6.2	41	1	1	4	8	13	20	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	328	4.6	27	1	1	4	5	8	12	20
20-34	704	4.2	9	1	2	4	5	8	10	15
35-49	1299	4.7	12	1	2	4	6	8	10	16
50-64	1617	4.9	11	1	2	4	6	9	10	18
65+	1967	5.7	18	2	2	5	7	10	12	21
B. *Operated*										
0-19 YRS	177	9.3	83	1	1	6	12	24	30	36
20-34	290	7.8	39	2	2	7	10	14	22	35
35-49	591	7.5	37	2	2	6	9	14	19	34
50-64	946	7.8	65	2	2	6	9	14	20	39
65+	1384	9.2	99	2	2	7	11	19	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1471	3.6	7	1	1	3	5	7	8	13
B. *Operated*	695	5.5	23	1	1	4	8	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	5915	5.0	14	1	2	4	6	9	11	19
B. *Operated*	3388	8.4	73	2	2	6	10	16	23	44
1. SINGLE DX	2166	4.2	13	1	1	3	5	8	10	19
2. MULTIPLE DX	9303	6.3	38	1	2	5	8	11	16	32
A. NOT OPERATED	7386	4.8	13	1	2	4	6	9	11	18
B. OPERATED	4083	7.9	66	1	2	6	10	15	22	41
TOTAL 0-19 YRS	899	5.3	37	1	1	3	6	11	16	34
20-34	1351	4.9	18	1	2	4	6	10	12	24
35-49	2451	5.2	19	1	2	4	6	10	13	22
50-64	3021	5.7	29	1	2	4	7	10	13	26
65+	3747	6.9	52	1	2	5	8	13	18	39
GRAND TOTAL	**11469**	**5.9**	**34**	**1**	**2**	**4**	**7**	**11**	**15**	**30**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	4.5	6	1	2	4	6	8	9	11
20-34	130	3.9	5	1	2	3	5	8	8	11
35-49	194	4.7	8	2	2	4	6	9	10	13
50-64	162	4.1	6	1	1	4	5	8	9	14
65+	130	6.2	28	1	2	5	7	11	13	30
B. *Operated*										
0-19 YRS	13	6.1	11	2	2	6	7	11	13	13
20-34	51	6.1	17	1	2	5	8	12	14	23
35-49	117	7.8	19	1	3	7	11	14	16	20
50-64	156	7.8	39	1	2	6	10	14	16	23
65+	101	7.8	31	1	2	6	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.1	6	<1	1	3	6	7	10	10
20-34	184	5.4	11	1	2	5	7	10	12	19
35-49	454	5.7	10	2	2	5	7	10	12	16
50-64	667	5.9	12	2	2	5	8	10	12	17
65+	944	7.2	22	2	3	6	9	13	16	28
B. *Operated*										
0-19 YRS	12	7.4	25	2	3	6	10	14	19	20
20-34	109	7.8	31	2	3	7	10	14	17	32
35-49	336	8.7	37	2	3	7	11	17	20	31
50-64	548	8.5	42	2	3	7	10	15	19	32
65+	755	9.8	50	2	3	8	12	18	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	642	4.7	12	1	2	4	6	9	10	15
B. *Operated*	438	7.5	29	1	2	7	10	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	2278	6.3	16	2	2	5	8	11	14	21
B. *Operated*	1760	9.0	44	2	3	8	11	17	21	33
1. SINGLE DX	1080	5.8	21	1	2	5	8	11	14	22
2. MULTIPLE DX	4038	7.5	30	2	3	6	9	14	18	29
A. NOT OPERATED	2920	6.0	16	2	2	5	8	11	13	21
B. OPERATED	2198	8.7	41	2	3	7	11	16	20	32
TOTAL 0-19 YRS	80	5.0	11	1	2	4	6	10	11	18
20-34	474	5.6	17	1	2	5	7	10	13	20
35-49	1101	6.7	21	2	2	6	8	12	16	22
50-64	1533	6.8	27	2	2	6	9	12	16	25
65+	1930	8.2	36	2	3	7	10	16	19	30
GRAND TOTAL	**5118**	**7.2**	**29**	**2**	**2**	**6**	**9**	**13**	**17**	**28**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.6	14	2	2	5	7	10	15	16
20-34	32	4.5	7	1	2	4	6	7	10	14
35-49	64	5.1	9	1	2	5	6	9	10	18
50-64	98	5.0	4	2	3	5	6	8	9	11
65+	110	6.9	17	3	3	6	8	11	13	25
B. *Operated*										
0-19 YRS	5	7.6	6	5	5	8	10	10	10	10
20-34	36	8.6	14	4	4	8	11	15	16	17
35-49	62	7.9	18	2	3	7	11	12	15	22
50-64	73	9.3	40	3	4	8	12	14	17	43
65+	88	9.9	42	3	3	8	13	18	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.1	19	1	2	3	6	13	15	15
20-34	56	6.0	16	2	2	5	8	12	13	22
35-49	168	5.8	14	2	3	5	7	10	14	23
50-64	310	6.5	15	2	3	6	8	11	14	24
65+	696	8.6	32	3	4	7	11	16	19	30
B. *Operated*										
0-19 YRS	6	6.2	14	2	2	5	10	11	11	11
20-34	27	8.8	30	2	3	8	10	16	22	24
35-49	117	10.2	40	4	4	8	14	20	23	30
50-64	302	11.3	88	3	4	8	13	22	29	54
65+	682	13.0	94	4	5	10	16	26	33	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	5.7	11	2	3	5	7	9	11	20
B. *Operated*	264	9.0	32	3	4	8	11	15	18	33
2. MULTIPLE DX										
A. *Not Operated*	1242	7.6	26	3	3	6	9	14	17	26
B. *Operated*	1134	12.1	86	4	4	10	15	23	31	49
1. SINGLE DX	580	7.2	23	2	3	6	9	13	16	26
2. MULTIPLE DX	2376	9.8	60	3	4	7	12	19	24	40
A. NOT OPERATED	1558	7.2	24	2	3	6	9	13	17	25
B. OPERATED	1398	11.5	77	3	4	9	14	22	29	47
TOTAL 0-19 YRS	35	5.8	14	2	2	4	8	11	14	16
20-34	151	6.8	19	2	2	6	9	13	15	23
35-49	411	7.3	25	2	3	6	9	14	19	25
50-64	783	8.4	50	3	3	7	10	15	21	42
65+	1576	10.5	63	3	4	8	13	19	26	41
GRAND TOTAL	**2956**	**9.3**	**54**	**3**	**3**	**7**	**11**	**17**	**23**	**38**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	3.5	14	1	1	3	4	6	7	13
20-34	765	3.6	5	1	2	3	4	6	7	12
35-49	733	4.0	6	1	2	4	5	7	9	13
50-64	494	4.2	6	1	2	4	5	8	9	13
65+	259	4.8	7	2	2	4	6	8	10	13
B. *Operated*										
0-19 YRS	10	7.1	31	1	1	6	8	16	20	20
20-34	81	9.3	33	3	4	8	11	17	22	28
35-49	121	9.1	24	3	4	8	11	14	17	29
50-64	82	10.5	63	2	3	9	11	22	25	46
65+	40	9.4	44	3	3	8	11	22	24	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	4.6	9	2	2	4	5	9	11	15
20-34	909	4.7	12	1	2	4	6	8	11	15
35-49	1463	4.9	9	2	2	4	6	9	11	15
50-64	1661	5.5	13	2	2	5	7	10	12	18
65+	1833	6.7	20	2	3	6	8	12	15	25
B. *Operated*										
0-19 YRS	16	7.1	20	2	2	6	9	15	17	17
20-34	156	9.4	43	2	3	8	12	18	20	31
35-49	364	9.5	38	2	3	8	12	17	20	32
50-64	434	9.7	51	2	3	8	12	17	21	37
65+	399	10.9	70	3	4	9	14	20	25	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2425	4.0	6	1	2	3	5	7	9	13
B. *Operated*	334	9.4	38	3	4	8	11	17	23	30
2. MULTIPLE DX										
A. *Not Operated*	6017	5.6	15	2	2	5	7	10	13	19
B. *Operated*	1369	9.9	52	2	3	8	13	18	22	37
1. SINGLE DX	2759	4.6	13	1	2	4	6	9	11	19
2. MULTIPLE DX	7386	6.4	24	2	2	5	8	12	15	25
A. NOT OPERATED	8442	5.1	13	2	2	4	6	9	12	18
B. OPERATED	1703	9.8	50	2	3	8	12	17	22	36
TOTAL 0-19 YRS	351	4.2	13	1	1	3	5	8	10	17
20-34	1911	4.9	15	1	2	4	6	9	12	19
35-49	2681	5.5	16	2	2	4	7	10	13	20
50-64	2671	6.1	23	2	2	5	8	11	15	25
65+	2531	7.2	30	2	3	6	9	13	17	28
GRAND TOTAL	**10145**	**5.9**	**22**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

193: Nongastric peptic ulcer with hemorrhage or perforation
(for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	4.3	4	1	2	4	5	7	8	8
20-34	275	4.2	4	1	2	4	5	7	8	10
35-49	267	4.9	9	2	2	4	6	8	10	15
50-64	286	5.5	7	2	3	5	7	9	10	14
65+	231	6.1	11	2	3	5	8	10	12	20
B. *Operated*										
0-19 YRS	21	6.8	5	3	4	7	8	9	10	11
20-34	99	8.3	30	3	5	7	9	12	14	37
35-49	126	8.1	9	4	5	8	10	12	13	16
50-64	112	9.4	16	5	6	8	11	14	16	25
65+	122	12.0	43	5	6	11	14	18	24	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	4.6	6	2	3	4	7	8	9	12
20-34	233	4.6	6	2	2	4	6	8	9	12
35-49	402	5.5	10	2	3	5	7	9	11	15
50-64	650	6.5	16	2	3	6	8	11	13	24
65+	1206	8.3	29	3	3	7	10	14	17	29
B. *Operated*										
0-19 YRS	13	8.5	19	2	2	8	12	13	17	18
20-34	78	12.8	132	4	5	10	13	25	31	76
35-49	147	13.1	84	5	6	11	16	24	29	41
50-64	266	13.4	82	5	5	10	17	26	30	49
65+	547	16.8	159	4	6	14	21	33	41	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1097	5.1	8	2	2	5	6	9	10	15
B. *Operated*	480	9.3	26	4	5	8	11	14	17	30
2. MULTIPLE DX										
A. *Not Operated*	2530	7.0	22	2	3	6	8	12	15	25
B. *Operated*	1051	15.0	129	4	5	12	18	28	38	66
1. SINGLE DX	1577	6.4	17	2	3	5	8	11	13	22
2. MULTIPLE DX	3581	9.3	66	3	3	7	11	18	24	42
A. NOT OPERATED	3627	6.4	18	2	3	5	8	11	14	23
B. OPERATED	1531	13.2	103	4	5	10	16	25	33	57
TOTAL 0-19 YRS	111	5.4	9	2	2	5	8	8	11	15
20-34	685	5.9	31	2	2	5	7	10	12	28
35-49	942	6.9	29	2	3	6	8	12	15	28
50-64	1314	7.9	36	2	3	6	9	14	20	31
65+	2106	10.5	77	3	4	8	12	20	26	50
GRAND TOTAL	**5158**	**8.4**	**53**	**2**	**3**	**7**	**10**	**15**	**22**	**39**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	16	6.7	28	1	2	5	9	16	18	19
35-49	22	7.0	14	3	3	6	8	13	16	18
50-64	20	5.5	6	2	3	5	8	9	10	10
65+	21	7.2	12	2	3	7	10	11	13	15
B. *Operated*										
0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	9	14.1	62	6	7	12	17	27	32	32
35-49	38	12.2	34	6	6	11	15	21	24	28
50-64	42	12.6	62	3	4	11	16	20	31	38
65+	36	13.2	63	3	4	11	17	21	31	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.0	4	5	5	7	8	9	9	9
20-34	16	4.8	9	1	2	4	6	10	11	11
35-49	43	7.3	23	2	3	6	11	15	17	19
50-64	51	6.4	12	2	3	5	9	11	14	17
65+	120	9.2	32	3	3	8	12	16	18	32
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	20	14.9	56	7	7	13	17	27	30	33
35-49	61	16.0	81	4	6	13	21	27	33	46
50-64	127	20.5	244	5	7	16	27	43	52	99
65+	177	19.9	187	5	7	16	25	37	45	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	6.6	14	2	3	6	8	11	14	19
B. *Operated*	127	12.7	52	4	5	11	16	21	27	38
2. MULTIPLE DX										
A. *Not Operated*	233	7.9	26	2	3	7	10	15	17	28
B. *Operated*	386	19.2	184	5	7	16	24	35	46	77
1. SINGLE DX	207	10.3	46	3	3	9	14	19	21	38
2. MULTIPLE DX	619	15.0	154	3	4	12	19	30	39	68
A. NOT OPERATED	313	7.6	23	2	3	7	10	14	17	24
B. OPERATED	513	17.6	159	5	6	15	21	32	41	72
TOTAL 0-19 YRS	7	8.6	19	5	5	7	10	16	17	17
20-34	61	10.0	56	2	3	9	13	19	27	33
35-49	164	11.6	60	3	4	10	15	22	26	39
50-64	240	14.9	183	3	4	11	17	32	44	80
65+	354	14.8	139	3	4	11	19	27	38	67
GRAND TOTAL	**826**	**13.8**	**131**	**3**	**4**	**11**	**17**	**27**	**35**	**64**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	715	2.7	2	1	1	2	3	4	5	8
20-34	1277	3.2	4	1	1	3	4	5	6	10
35-49	975	3.6	6	1	1	3	4	6	8	11
50-64	524	3.6	6	1	1	3	4	6	8	12
65+	352	4.2	7	1	2	4	5	7	9	12
B. *Operated*										
0-19 YRS	21	4.7	11	2	2	4	5	11	12	13
20-34	84	5.8	27	1	2	5	7	10	15	31
35-49	103	5.6	13	<1	2	5	8	11	13	17
50-64	78	5.6	16	1	1	4	8	11	15	19
65+	76	7.0	25	1	2	6	9	13	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1055	3.1	4	1	1	3	4	5	7	11
20-34	2473	4.0	8	1	2	3	5	7	9	14
35-49	2997	4.8	11	2	2	4	6	9	11	17
50-64	3002	5.3	14	2	2	4	7	9	12	18
65+	3341	6.3	20	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	64	5.9	15	1	2	5	8	11	14	19
20-34	349	7.1	34	2	3	6	9	12	16	36
35-49	629	8.0	43	2	3	6	10	15	20	33
50-64	713	8.4	50	2	3	7	10	15	20	34
65+	948	9.3	61	3	3	8	11	17	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3843	3.3	5	1	1	3	4	6	7	11
B. *Operated*	362	5.9	20	1	2	5	8	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	12868	5.0	14	1	2	4	6	9	12	19
B. *Operated*	2703	8.4	50	2	3	7	10	15	20	36
1. SINGLE DX	4205	3.6	6	1	1	3	4	6	8	13
2. MULTIPLE DX	15571	5.6	22	2	2	4	7	10	13	23
A. NOT OPERATED	16711	4.6	12	1	2	4	6	8	11	18
B. OPERATED	3065	8.1	47	2	3	7	10	15	20	35
TOTAL 0-19 YRS	1855	3.1	4	1	1	3	4	5	7	11
20-34	4183	4.0	10	1	2	3	5	7	9	16
35-49	4704	5.0	16	1	2	4	6	9	12	21
50-64	4317	5.6	21	2	2	4	7	10	13	22
65+	4717	6.7	30	2	2	5	8	12	16	26
GRAND TOTAL	**19776**	**5.2**	**19**	**1**	**2**	**4**	**6**	**10**	**12**	**21**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	3.1	3	1	1	3	4	5	7	10
20-34	309	3.2	5	1	1	3	4	5	7	14
35-49	282	3.7	5	1	2	3	4	7	8	11
50-64	143	3.9	6	1	1	3	5	7	9	16
65+	91	4.4	8	1	2	4	6	8	9	15
B. *Operated*										
0-19 YRS	83	4.1	7	2	2	3	5	7	8	17
20-34	37	8.5	42	1	2	7	11	18	20	29
35-49	38	10.7	66	2	3	9	13	18	28	43
50-64	33	10.5	93	2	3	8	13	19	30	50
65+	30	11.9	79	2	2	10	18	24	32	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	3.6	6	1	1	3	4	5	8	16
20-34	610	4.2	12	1	2	3	5	7	9	18
35-49	687	4.9	12	2	2	4	6	9	12	18
50-64	685	5.3	17	2	2	4	6	10	13	21
65+	733	6.5	26	2	2	5	8	13	16	26
B. *Operated*										
0-19 YRS	41	7.2	29	2	3	5	9	14	18	28
20-34	100	7.9	32	2	3	7	11	15	22	64
35-49	169	12.1	94	3	4	10	15	23	30	49
50-64	225	14.8	174	3	4	11	18	31	42	65
65+	302	15.6	128	3	5	13	19	29	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1014	3.5	5	1	1	3	4	6	8	13
B. *Operated*	221	8.0	54	2	2	6	11	17	21	37
2. MULTIPLE DX										
A. *Not Operated*	2937	5.2	17	1	2	4	6	10	13	21
B. *Operated*	837	13.3	125	3	4	10	17	26	36	58
1. SINGLE DX	1235	4.3	17	1	1	3	5	8	11	20
2. MULTIPLE DX	3774	7.0	52	2	2	5	8	14	20	38
A. NOT OPERATED	3951	4.7	14	1	2	4	6	9	12	20
B. OPERATED	1058	12.2	115	2	3	9	16	24	33	57
TOTAL 0-19 YRS	535	3.8	8	1	1	3	4	8	9	16
20-34	1056	4.4	15	1	2	3	5	8	11	20
35-49	1176	5.8	32	2	2	4	7	12	16	29
50-64	1086	7.2	66	2	2	5	8	15	20	44
65+	1156	8.9	69	2	2	6	11	18	25	45
GRAND TOTAL	**5009**	**6.3**	**45**	**1**	**2**	**4**	**7**	**13**	**18**	**35**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	4	<1	1	2	3	5	7	8
20-34	19	2.4	2	<1	<1	2	3	5	6	7
35-49	10	4.1	16	<1	<1	3	5	10	14	14
50-64	6	4.3	6	1	1	4	7	7	7	7
65+	3	6.3	5	5	5	5	8	9	9	9
B. *Operated*										
0-19 YRS	3832	3.4	2	2	2	3	4	5	6	9
20-34	2513	3.7	2	2	2	3	4	5	6	9
35-49	774	4.2	4	2	2	4	5	7	8	10
50-64	322	4.8	5	2	3	4	6	8	9	12
65+	108	5.7	7	3	3	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.3	4	<1	1	2	4	7	8	8
20-34	10	4.4	10	1	1	3	7	9	11	11
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	6	9.7	103	2	2	7	11	27	29	29
65+	3	3.3	6	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	575	4.8	9	2	2	4	6	8	11	17
20-34	494	5.0	9	2	3	4	6	9	11	16
35-49	238	6.0	22	2	3	5	7	10	12	24
50-64	170	7.5	39	3	3	6	9	12	15	32
65+	135	9.5	34	4	4	8	12	15	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.2	7	<1	1	2	5	7	8	14
B. *Operated*	7549	3.7	3	2	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	45	4.5	21	1	1	3	6	8	11	29
B. *Operated*	1612	5.7	18	2	3	5	7	10	13	21
1. SINGLE DX	7602	3.7	3	2	2	3	4	6	7	10
2. MULTIPLE DX	1657	5.7	18	2	3	5	7	10	13	21
A. NOT OPERATED	98	3.8	13	<1	1	3	5	7	9	22
B. OPERATED	9161	4.0	6	2	2	3	5	6	8	13
TOTAL 0-19 YRS	4445	3.6	4	2	2	3	4	5	7	11
20-34	3036	3.9	4	2	2	4	5	6	7	11
35-49	1025	4.6	9	2	2	4	5	7	9	14
50-64	504	5.8	19	2	3	5	7	9	11	23
65+	249	7.7	26	3	3	6	10	13	16	26
GRAND TOTAL	**9259**	**4.0**	**6**	**2**	**2**	**3**	**5**	**6**	**8**	**13**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.6	8	3	3	6	9	10	12	12
20-34	14	5.1	6	1	2	5	7	8	9	9
35-49	5	7.0	6	5	5	6	9	10	10	10
50-64	11	6.7	15	4	4	6	7	12	17	18
65+	11	9.5	14	4	5	8	13	15	15	15
B. *Operated*										
0-19 YRS	824	7.0	17	2	3	7	9	12	14	20
20-34	463	6.4	11	2	3	6	8	11	12	17
35-49	247	7.3	10	3	4	7	9	12	13	17
50-64	209	9.0	16	4	5	8	11	14	16	21
65+	121	10.4	23	5	6	9	12	16	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	9	1	1	5	7	8	8	8
20-34	5	4.6	5	2	2	4	7	7	7	7
35-49	3	6.7	14	4	4	5	9	11	11	11
50-64	5	13.6	36	7	7	14	16	23	23	23
65+	13	7.9	22	2	3	7	10	15	17	18
B. *Operated*										
0-19 YRS	337	10.7	55	4	5	8	13	18	25	43
20-34	252	9.4	40	3	4	8	12	17	22	36
35-49	208	11.3	61	4	6	10	14	18	21	42
50-64	263	12.7	63	5	6	10	15	21	32	40
65+	278	15.2	81	6	7	13	19	27	34	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	6.9	12	3	3	6	8	12	14	18
B. *Operated*	1864	7.4	16	2	3	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	30	7.8	26	2	2	7	10	14	18	23
B. *Operated*	1338	11.9	64	4	5	10	14	21	27	42
1. SINGLE DX	1916	7.3	16	2	3	7	9	12	14	21
2. MULTIPLE DX	1368	11.8	63	4	5	10	14	21	27	42
A. NOT OPERATED	82	7.2	17	2	3	6	9	14	15	21
B. OPERATED	3202	9.2	41	3	4	8	11	16	21	36
TOTAL 0-19 YRS	1176	8.1	31	2	3	7	10	14	17	31
20-34	734	7.4	23	2	3	7	9	12	15	28
35-49	463	9.1	37	3	4	8	11	15	17	29
50-64	488	11.0	45	4	5	9	13	19	23	37
65+	423	13.5	67	5	6	11	16	24	29	47
GRAND TOTAL	**3284**	**9.2**	**41**	**3**	**4**	**8**	**11**	**16**	**21**	**36**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	2.0	2	<1	1	2	2	4	4	7
20-34	54	2.5	3	1	1	2	3	4	5	12
35-49	16	3.5	7	1	1	3	4	9	10	10
50-64	6	1.8	1	1	1	2	2	3	3	3
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	479	3.9	4	2	2	3	5	7	8	11
20-34	340	4.3	5	2	2	4	5	7	8	12
35-49	85	5.0	8	2	2	5	6	9	11	16
50-64	32	5.7	12	2	3	5	7	10	14	18
65+	15	7.7	23	2	4	7	9	10	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	3.0	4	<1	1	2	4	6	7	8
20-34	29	2.8	3	<1	<1	2	3	6	6	7
35-49	18	4.9	11	<1	<1	4	7	11	12	12
50-64	17	4.9	22	2	2	4	6	8	17	21
65+	11	4.6	9	1	1	5	7	9	10	10
B. *Operated*										
0-19 YRS	223	5.1	11	2	3	5	6	8	10	17
20-34	207	5.6	12	2	3	5	6	9	12	20
35-49	78	7.2	13	3	4	6	9	12	16	17
50-64	25	9.6	76	3	4	7	11	17	26	46
65+	35	10.9	50	3	5	8	14	19	28	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	2.3	3	1	1	2	3	4	5	10
B. *Operated*	951	4.3	5	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	111	3.7	9	<1	1	3	5	7	8	16
B. *Operated*	568	6.1	19	2	3	5	7	11	14	23
1. SINGLE DX	1108	4.0	6	1	2	4	5	7	8	12
2. MULTIPLE DX	679	5.7	18	2	2	5	7	10	13	21
A. NOT OPERATED	268	2.9	6	<1	1	2	4	6	7	12
B. OPERATED	1519	5.0	11	2	2	4	6	8	11	18
TOTAL 0-19 YRS	816	4.0	6	1	2	4	5	7	8	12
20-34	630	4.5	8	2	2	4	5	8	10	16
35-49	197	5.8	11	2	2	5	7	11	12	17
50-64	80	6.5	38	2	2	5	7	13	17	38
65+	64	8.7	41	1	3	7	11	16	23	33
GRAND TOTAL	**1787**	**4.7**	**11**	**1**	**2**	**4**	**5**	**8**	**10**	**17**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	1.4		<1	<1	1	2	2	3	3
20-34	27	2.3	3	<1	<1	1	4	5	7	7
35-49	14	2.7	7	<1	<1	2	4	6	9	10
50-64	21	2.6	5	<1	<1	2	3	6	8	9
65+	13	3.2	14	<1	<1	2	4	8	13	14
B. *Operated*										
0-19 YRS	3122	2.0	1	<1	1	2	2	3	4	5
20-34	2741	3.4	2	2	2	3	4	5	6	7
35-49	2871	3.8	3	2	2	4	4	6	6	9
50-64	3612	4.1	3	2	2	4	5	6	7	10
65+	2740	4.6	4	2	3	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	1.5	2	<1	<1	1	1	3	4	8
20-34	34	2.4	3	<1	<1	2	3	5	6	6
35-49	30	3.3	6	<1	<1	3	5	7	8	9
50-64	57	3.2	4	<1	1	3	5	6	7	9
65+	116	5.0	26	<1	1	3	7	10	17	26
B. *Operated*										
0-19 YRS	1816	2.3	4	<1	1	2	2	4	5	10
20-34	899	3.9	3	2	2	4	5	6	7	10
35-49	1421	4.5	7	2	2	4	5	7	8	15
50-64	2728	5.3	11	2	3	5	6	9	11	17
65+	3500	6.4	18	2	3	5	8	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	2.2	4	<1	<1	1	2	4	7	11
B. *Operated*	15086	3.6	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	382	3.0	12	<1	<1	2	4	7	9	20
B. *Operated*	10364	4.9	13	1	2	4	6	9	11	18
1. SINGLE DX	15204	3.5	3	1	1	3	4	6	7	9
2. MULTIPLE DX	10746	4.8	13	1	2	4	6	8	11	18
A. NOT OPERATED	500	2.8	10	<1	<1	2	3	6	9	17
B. OPERATED	25450	4.1	8	1	2	4	5	7	8	15
TOTAL 0-19 YRS	5126	2.1	2	<1	1	2	2	3	4	7
20-34	3701	3.5	2	1	2	3	4	5	6	8
35-49	4336	4.0	4	2	2	4	5	6	7	11
50-64	6418	4.6	7	2	2	4	5	7	9	14
65+	6369	5.6	13	2	3	5	7	9	12	19
GRAND TOTAL	**25950**	**4.1**	**8**	**1**	**2**	**4**	**5**	**7**	**8**	**15**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.3	1	<1	<1	1	1	3	4	4
20-34	4	3.0	16	<1	<1	1	5	9	9	9
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	7	1.6	1	1	1	1	2	3	3	3
B. *Operated*										
0-19 YRS	244	2.2	2	1	1	2	3	4	5	7
20-34	105	3.7	4	1	2	3	4	6	7	12
35-49	68	4.3	3	2	2	4	5	6	9	10
50-64	119	4.6	4	2	2	4	6	7	9	11
65+	193	5.8	9	2	3	6	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.9	1	<1	<1	2	3	4	4	4
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	4	2.3	2	1	1	2	3	4	4	4
65+	15	5.7	17	1	1	5	8	11	15	16
B. *Operated*										
0-19 YRS	144	2.9	6	1	1	2	3	5	8	14
20-34	43	4.2	5	1	2	4	6	7	8	12
35-49	51	5.9	12	2	2	5	8	10	11	21
50-64	125	7.1	19	2	3	6	9	13	15	22
65+	377	10.6	81	3	4	8	12	21	30	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	1.8	3	<1	<1	1	2	4	5	9
B. *Operated*	729	4.0	7	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	32	3.8	12	<1	1	3	5	8	11	16
B. *Operated*	740	7.8	56	1	2	6	9	15	22	37
1. SINGLE DX	755	3.9	7	1	1	3	5	7	9	13
2. MULTIPLE DX	772	7.6	55	1	2	6	9	15	22	37
A. NOT OPERATED	58	2.9	9	<1	<1	2	4	7	9	16
B. OPERATED	1469	5.9	35	1	1	4	7	11	15	33
TOTAL 0-19 YRS	410	2.4	4	1	1	2	3	4	6	11
20-34	153	3.8	4	1	2	3	5	6	7	12
35-49	123	4.9	8	2	2	4	6	9	10	15
50-64	249	5.8	13	2	3	5	7	10	13	19
65+	592	8.8	60	2	3	7	10	16	24	40
GRAND TOTAL	**1527**	**5.8**	**35**	**1**	**1**	**4**	**7**	**11**	**15**	**32**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	5	<1	<1	1	2	6	7	7
20-34	3	2.7	4	<1	<1	2	4	5	5	5
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64										
65+	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*										
0-19 YRS	709	2.2	2	<1	1	2	2	3	4	6
20-34	217	3.1	2	1	2	3	4	5	5	8
35-49	233	3.3	3	1	2	3	4	5	6	10
50-64	139	3.8	4	2	2	3	5	7	8	9
65+	59	4.8	9	2	2	4	6	8	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	1.4	1	<1	<1	1	2	2	3	5
20-34	11	2.4	3	<1	<1	2	4	5	6	6
35-49	8	2.9	4	<1	<1	2	4	6	7	7
50-64	11	3.5	6	<1	1	3	4	7	10	10
65+	8	5.3	5	1	2	5	6	8	9	9
B. *Operated*										
0-19 YRS	195	2.7	3	1	1	2	3	5	6	11
20-34	112	4.4	8	2	2	4	5	7	9	18
35-49	171	5.6	50	2	2	4	7	8	11	19
50-64	206	6.3	42	2	2	5	7	11	13	28
65+	132	8.9	86	3	3	7	10	15	22	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.5	5	<1	<1	1	3	7	8	8
B. *Operated*	1357	2.8	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	67	2.5	4	<1	<1	2	3	5	7	10
B. *Operated*	816	5.4	41	1	2	4	7	9	12	26
1. SINGLE DX	1372	2.8	3	1	1	2	3	5	6	9
2. MULTIPLE DX	883	5.2	38	1	2	4	6	9	12	26
A. NOT OPERATED	82	2.5	5	<1	<1	2	3	6	7	10
B. OPERATED	2173	3.8	19	1	1	3	4	7	9	17
TOTAL 0-19 YRS	940	2.3	2	<1	1	2	3	3	5	7
20-34	343	3.5	4	1	2	3	4	6	7	13
35-49	415	4.2	24	1	2	3	5	7	9	13
50-64	356	5.2	27	2	2	4	6	9	12	17
65+	201	7.5	63	2	3	6	9	13	19	39
GRAND TOTAL	**2255**	**3.7**	**18**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	2.3	4	1	1	2	3	5	5	5
35-49	9	4.0	4	1	2	3	5	7	7	7
50-64	8	3.4	5	<1	<1	3	5	6	7	7
65+	7	3.4	4	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	121	2.8	10	<1	1	2	3	5	6	16
20-34	318	4.2	4	2	2	4	5	7	8	11
35-49	477	5.2	6	2	2	5	7	9	9	12
50-64	568	6.0	10	2	3	5	8	9	11	16
65+	421	6.5	8	3	3	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	15	3.3	7	<1	<1	3	4	8	9	9
35-49	31	4.4	26	1	1	3	5	11	12	26
50-64	51	5.5	27	1	1	4	7	12	13	28
65+	77	5.2	15	1	2	4	6	9	12	22
B. *Operated*										
0-19 YRS	57	4.0	7	1	1	3	5	8	10	93
20-34	195	5.7	9	2	3	5	7	9	11	17
35-49	525	7.1	21	2	3	6	8	12	15	26
50-64	692	8.1	24	3	3	7	10	13	17	27
65+	666	9.8	50	3	4	8	12	16	21	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.3	4	<1	<1	3	5	6	7	7
B. *Operated*	1905	5.4	9	2	2	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	176	4.9	19	1	1	4	6	10	12	25
B. *Operated*	2135	8.0	32	2	3	7	10	14	17	28
1. SINGLE DX	1935	5.4	9	2	2	5	7	9	10	14
2. MULTIPLE DX	2311	7.8	31	2	3	7	9	14	17	28
A. NOT OPERATED	206	4.7	17	1	1	4	6	9	12	24
B. OPERATED	4040	6.8	22	2	3	6	8	12	15	24
TOTAL 0-19 YRS	182	3.1	9	<1	1	2	4	6	8	26
20-34	532	4.7	7	2	2	4	6	8	9	13
35-49	1042	6.1	15	2	3	5	8	10	13	20
50-64	1319	7.1	19	2	3	6	8	12	15	24
65+	1171	8.3	36	3	3	7	10	14	18	29
GRAND TOTAL	**4246**	**6.7**	**22**	**2**	**2**	**6**	**8**	**12**	**15**	**24**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	74	3.3	6	1	1	3	4	5	6	16
35-49	227	3.5	3	1	2	3	4	6	7	10
50-64	270	3.8	4	1	1	3	5	6	8	10
65+	188	4.1	6	1	2	4	5	7	9	13
B. *Operated*										
0-19 YRS	9	10.3	75	2	3	7	12	25	31	31
20-34	14	8.1	6	3	5	8	10	11	12	12
35-49	52	6.0	12	2	2	6	8	10	12	17
50-64	60	7.5	22	2	2	7	10	13	15	24
65+	31	11.0	48	1	3	10	14	19	27	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.9	20	1	1	3	6	9	15	21
20-34	387	4.3	9	1	2	4	5	8	9	14
35-49	1180	4.4	8	1	2	4	5	8	9	14
50-64	1982	4.6	7	2	2	4	6	8	9	15
65+	2551	5.5	15	2	2	5	7	9	12	21
B. *Operated*										
0-19 YRS	19	10.2	47	3	4	8	15	21	25	27
20-34	146	8.1	21	3	3	7	10	14	16	25
35-49	459	8.3	34	2	3	8	10	14	18	29
50-64	583	8.4	36	2	3	8	10	15	20	32
65+	563	10.1	60	3	3	8	12	19	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	761	3.7	4	1	2	3	5	6	7	11
B. *Operated*	166	7.9	28	2	2	7	10	14	17	30
2. MULTIPLE DX										
A. *Not Operated*	6129	4.9	11	2	2	4	6	8	10	18
B. *Operated*	1770	8.9	43	2	3	8	11	16	20	33
1. SINGLE DX	927	4.4	11	1	2	4	5	8	11	17
2. MULTIPLE DX	7899	5.8	21	2	2	5	7	10	14	23
A. NOT OPERATED	6890	4.8	10	2	2	4	6	8	10	17
B. OPERATED	1936	8.8	41	2	3	8	11	16	20	32
TOTAL 0-19 YRS	59	7.4	42	1	2	6	9	15	22	31
20-34	621	5.1	14	1	2	4	7	10	13	18
35-49	1918	5.2	17	1	2	4	7	9	12	20
50-64	2895	5.3	16	2	2	4	7	9	12	21
65+	3333	6.3	26	2	2	5	8	11	16	26
GRAND TOTAL	**8826**	**5.7**	**20**	**2**	**2**	**4**	**7**	**10**	**14**	**23**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	4.3	2	3	3	4	5	6	6	6
35-49	3	6.0	13	3	3	5	9	10	10	10
50-64	6	5.8	30	1	1	4	8	15	16	16
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	14	2.6	7	<1	1	2	3	4	9	11
20-34	62	3.5	2	2	2	3	4	5	7	9
35-49	72	4.5	15	2	2	4	5	7	11	25
50-64	88	4.9	6	2	3	4	6	8	10	14
65+	81	5.1	7	2	2	5	7	8	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	4	4.3	11	2	2	3	6	9	9	9
35-49	9	3.3	3	<1	1	3	4	6	7	7
50-64	14	4.1	5	1	2	4	5	7	9	10
65+	21	6.2	25	2	3	5	6	11	19	25
B. *Operated*										
0-19 YRS	7	2.9	1	2	2	2	4	4	4	4
20-34	26	5.2	9	2	3	4	6	10	13	15
35-49	71	5.9	15	2	2	4	8	11	12	22
50-64	84	7.0	18	2	3	6	9	13	16	21
65+	125	8.2	39	3	3	7	10	18	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.7	15	1	1	4	5	10	14	16
B. *Operated*	317	4.5	8	2	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	51	4.7	11	1	2	4	6	8	10	25
B. *Operated*	313	7.0	26	2	3	5	9	13	18	23
1. SINGLE DX	333	4.5	8	2	2	4	5	7	9	16
2. MULTIPLE DX	364	6.7	25	2	3	5	8	12	18	23
A. NOT OPERATED	67	4.7	14	1	2	4	6	8	11	23
B. OPERATED	630	5.7	18	2	2	4	7	10	14	23
TOTAL 0-19 YRS	26	2.6	4	<1	1	2	3	4	6	11
20-34	96	4.1	5	2	2	4	5	6	9	14
35-49	155	5.1	15	2	2	4	6	10	12	23
50-64	192	5.8	13	2	3	5	7	10	14	19
65+	228	6.9	28	2	3	6	8	12	19	27
GRAND TOTAL	**697**	**5.6**	**18**	**2**	**2**	**4**	**7**	**10**	**14**	**23**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	3	2.3		2	2	2	3	3	3	3
35-49	7	2.3	1	<1	<1	2	3	4	4	4
50-64	9	3.9	3	<1	1	4	5	6	6	6
65+	12	3.7	9	<1	<1	3	5	8	11	11
B. *Operated*										
0-19 YRS	51	2.9	12	<1	1	2	3	4	6	22
20-34	77	3.8	3	1	2	4	5	6	7	10
35-49	149	4.5	6	2	2	4	5	8	9	15
50-64	165	6.0	13	2	3	5	8	10	13	18
65+	190	8.2	41	2	3	7	10	15	19	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	18	4.7	7	1	2	4	7	8	9	10
50-64	22	5.4	13	2	2	5	6	10	13	17
65+	102	6.6	32	2	2	5	8	12	18	34
B. *Operated*										
0-19 YRS	27	5.8	33	1	1	4	6	13	20	26
20-34	56	6.8	19	1	3	6	9	11	13	24
35-49	147	8.3	50	2	3	7	10	14	17	38
50-64	262	9.4	43	3	4	8	11	16	21	33
65+	489	11.9	72	4	4	10	15	21	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.2	5	<1	<1	3	4	6	7	11
B. *Operated*	632	5.8	22	2	2	5	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	143	6.1	26	2	2	5	7	11	14	32
B. *Operated*	981	10.2	60	3	4	8	13	19	24	39
1. SINGLE DX	665	5.6	21	2	2	4	7	10	14	23
2. MULTIPLE DX	1124	9.7	58	2	3	8	12	18	23	37
A. NOT OPERATED	176	5.6	24	1	2	4	7	10	13	29
B. OPERATED	1613	8.5	50	2	3	7	11	16	21	36
TOTAL 0-19 YRS	81	3.8	21	<1	1	2	4	7	14	25
20-34	136	5.0	12	1	2	4	6	10	11	21
35-49	321	6.2	30	2	2	5	8	11	15	29
50-64	458	7.8	33	2	3	7	10	14	17	25
65+	793	10.2	64	2	3	8	13	19	25	40
GRAND TOTAL	**1789**	**8.2**	**48**	**2**	**2**	**6**	**10**	**16**	**21**	**35**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	3.0	5	1	1	2	4	6	8	10
20-34	176	4.4	6	1	1	4	6	8	9	13
35-49	257	4.8	10	1	1	4	6	9	11	16
50-64	363	4.9	10	1	2	4	6	8	11	18
65+	432	5.6	13	2	2	5	7	10	13	19
B. *Operated*										
0-19 YRS	143	7.4	20	3	3	7	9	13	18	23
20-34	167	9.1	20	4	5	8	11	14	17	26
35-49	220	11.0	42	5	6	9	13	18	24	40
50-64	219	11.7	34	5	6	11	13	19	24	32
65+	306	13.4	68	6	7	12	15	21	26	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	3.5	11	1	1	3	4	7	9	20
20-34	222	5.2	18	1	2	4	6	9	11	23
35-49	437	6.1	18	2	2	5	8	11	14	23
50-64	726	6.5	20	2	2	5	8	12	14	24
65+	1675	8.3	44	2	3	7	10	16	20	32
B. *Operated*										
0-19 YRS	155	10.0	68	3	4	8	12	18	31	97
20-34	266	12.5	61	5	6	10	16	22	29	42
35-49	370	13.8	70	5	7	12	17	23	29	58
50-64	640	16.2	117	6	7	13	20	30	39	70
65+	1343	18.7	156	7	8	15	22	34	44	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1368	4.8	10	1	2	4	6	9	11	17
B. *Operated*	1055	11.1	45	4	5	10	13	18	23	37
2. MULTIPLE DX										
A. *Not Operated*	3350	7.3	34	2	2	6	9	14	18	29
B. *Operated*	2774	16.4	129	5	7	13	20	30	39	75
1. SINGLE DX	2423	7.6	35	1	2	6	10	14	18	30
2. MULTIPLE DX	6124	11.4	98	2	3	9	14	22	30	53
A. NOT OPERATED	4718	6.6	28	1	2	5	8	13	16	26
B. OPERATED	3829	14.9	111	5	6	12	18	27	35	67
TOTAL 0-19 YRS	528	6.4	37	1	1	5	8	12	17	35
20-34	831	8.2	41	2	2	7	10	16	22	34
35-49	1284	8.9	50	2	3	7	11	17	22	33
50-64	1948	10.0	74	2	3	8	13	20	27	49
65+	3956	11.9	107	2	3	9	15	23	31	55
GRAND TOTAL	**8547**	**10.3**	**83**	**2**	**3**	**8**	**13**	**21**	**27**	**49**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4652	2.9	3	1	1	3	4	5	6	7
20-34	2197	2.8	3	1	1	2	4	5	6	9
35-49	1196	3.3	5	1	1	3	4	6	7	11
50-64	789	3.7	6	1	1	3	5	7	8	12
65+	743	4.3	14	1	2	3	5	8	9	15
B. *Operated*										
0-19 YRS	118	5.3	77	2	2	4	6	9	10	46
20-34	152	4.8	7	2	2	4	6	8	10	13
35-49	85	5.6	15	1	2	5	8	10	12	22
50-64	55	7.6	104	1	2	5	8	13	25	68
65+	35	7.3	22	1	2	7	9	13	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7283	3.6	6	1	2	3	4	6	8	13
20-34	2800	3.7	7	1	1	3	4	7	8	13
35-49	2260	4.5	12	1	2	4	6	8	10	16
50-64	2662	5.1	12	2	2	4	6	9	11	17
65+	4928	6.2	24	2	2	5	8	11	15	25
B. *Operated*										
0-19 YRS	166	8.0	70	2	3	5	10	14	23	60
20-34	240	7.9	57	2	[illegible]	6	10	15	17	39
35-49	286	8.2	39	2	3	7	10	14	19	31
50-64	340	10.2	90	2	3	7	12	20	29	50
65+	540	11.9	89	3	4	9	15	22	29	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9577	3.1	5	1	1	3	4	5	7	11
B. *Operated*	449	5.6	41	2	2	4	7	10	12	25
2. MULTIPLE DX										
A. *Not Operated*	19933	4.6	13	1	2	4	5	8	11	18
B. *Operated*	1572	9.8	76	2	3	7	12	19	25	48
1. SINGLE DX	10026	3.2	6	1	1	3	4	6	7	11
2. MULTIPLE DX	21505	4.9	20	1	2	4	6	9	12	22
A. NOT OPERATED	29510	4.1	11	1	1	3	5	7	10	16
B. OPERATED	2021	8.9	71	2	3	7	11	17	24	45
TOTAL 0-19 YRS	12219	3.4	7	1	1	3	4	6	7	12
20-34	5389	3.6	9	1	1	3	4	6	8	14
35-49	3827	4.4	13	1	1	4	5	8	11	17
50-64	3846	5.3	22	1	2	4	6	10	12	23
65+	6250	6.5	31	2	2	5	8	12	16	29
GRAND TOTAL	**31531**	**4.4**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	1	6.0		6	6	6	6	6	6	6
20-34	68	4.8	9	1	2	4	6	9	11	16
35-49	410	4.6	7	1	2	4	6	8	9	14
50-64	942	4.7	8	1	2	4	6	8	10	14
65+	1150	4.8	10	1	2	4	6	9	10	16
B. *Operated*										
0-19 YRS.										
20-34	36	8.4	22	2	4	7	11	14	17	26
35-49	95	10.0	13	5	6	10	11	15	16	23
50-64	213	10.7	29	3	5	10	13	16	19	27
65+	187	12.0	40	3	4	12	15	20	23	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	2	4.0	2	3	3	4	5	5	5	5
20-34	63	4.9	10	1	2	4	6	8	10	20
35-49	583	5.2	12	2	2	4	6	9	11	18
50-64	2296	5.3	12	2	2	5	7	9	11	17
65+	6000	6.4	21	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS.	6	9.0	28	1	2	9	11	16	17	17
20-34	43	12.5	76	4	5	9	15	23	29	45
35-49	313	11.8	46	4	5	10	15	20	24	37
50-64	864	12.2	85	3	4	10	15	21	26	55
65+	1640	14.3	121	3	4	12	18	26	35	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2571	4.7	9	1	2	4	6	8	10	15
B. *Operated*	531	10.9	30	3	5	11	13	17	20	27
2. MULTIPLE DX										
A. *Not Operated*	8944	6.0	18	2	2	5	7	11	13	22
B. *Operated*	2866	13.4	102	3	4	11	17	24	32	55
1. SINGLE DX	3102	5.6	18	1	2	5	7	11	13	21
2. MULTIPLE DX	11810	7.8	49	2	2	6	9	15	20	36
A. NOT OPERATED	11515	5.7	17	2	2	5	7	10	13	20
B. OPERATED	3397	13.0	92	3	4	11	16	23	30	53
TOTAL 0-19 YRS.	9	7.6	23	1	2	7	10	15	17	17
20-34	210	7.0	34	2	2	6	8	14	18	30
35-49	1401	6.8	27	2	2	5	9	13	17	25
50-64	4315	6.8	35	2	2	5	8	13	17	29
65+	8977	7.7	49	2	2	6	9	15	20	36
GRAND TOTAL	**14912**	**7.4**	**43**	**2**	**2**	**6**	**9**	**14**	**19**	**33**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	30	2.9	7	<1	<1	2	4	5	6	14
20-34	72	3.0	3	<1	1	3	4	5	6	9
35-49	45	3.5	7	<1	1	3	4	8	9	11
50-64	37	3.5	10	<1	1	2	4	5	11	14
65+	17	3.9	9	<1	1	3	5	9	10	11
B. *Operated*										
0-19 YRS.	167	2.9	3	<1	1	2	4	5	6	10
20-34	1153	3.3	3	1	1	3	4	6	7	10
35-49	996	3.5	4	1	1	3	4	6	7	11
50-64	504	3.8	7	1	2	3	4	6	8	12
65+	187	4.9	14	2	2	4	6	9	11	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	50	3.6	11	1	1	2	4	7	12	16
20-34	74	3.4	11	1	1	3	4	5	6	23
35-49	111	4.0	7	1	1	4	5	8	9	14
50-64	97	4.9	20	1	1	4	6	9	13	26
65+	106	7.8	59	2	2	5	9	15	24	42
B. *Operated*										
0-19 YRS.	102	4.3	17	1	1	3	5	8	10	25
20-34	956	4.4	11	2	2	4	5	7	9	17
35-49	1149	4.6	12	2	2	4	5	8	10	20
50-64	860	5.4	21	2	2	4	6	9	12	24
65+	481	7.4	56	2	3	5	8	14	21	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	3.2	6	<1	1	3	4	6	9	13
B. *Operated*	3014	3.5	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	438	5.0	26	1	1	4	6	9	14	30
B. *Operated*	3548	5.1	21	2	2	4	6	8	12	25
1. SINGLE DX	3215	3.5	5	1	1	3	4	6	7	12
2. MULTIPLE DX	3986	5.1	22	2	2	4	6	8	12	25
A. NOT OPERATED	639	4.4	21	1	1	3	5	8	12	24
B. OPERATED	6562	4.4	14	1	2	4	5	7	9	20
TOTAL 0-19 YRS.	349	3.4	9	1	1	3	4	6	8	16
20-34	2255	3.8	7	1	2	3	5	6	8	13
35-49	2303	4.1	9	1	2	3	5	7	8	17
50-64	1503	4.8	16	1	2	4	6	8	11	21
65+	791	6.8	47	2	2	5	8	13	20	43
GRAND TOTAL	**7201**	**4.4**	**15**	**1**	**2**	**4**	**5**	**7**	**10**	**21**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	838	3.1	5	1	1	3	4	6	7	11
20-34	1434	4.1	10	1	2	3	5	7	9	15
35-49	1167	4.3	10	1	1	3	5	8	10	17
50-64	716	4.4	13	1	2	3	5	8	10	19
65+	693	4.5	13	1	1	3	6	9	12	20
B. *Operated*										
0-19 YRS	279	6.2	46	1	1	4	8	14	18	38
20-34	526	6.9	39	1	2	5	9	14	18	30
35-49	479	7.9	49	1	2	6	10	17	21	34
50-64	348	6.6	29	1	1	5	9	13	17	26
65+	360	8.8	69	2	2	6	12	19	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	818	4.1	15	1	1	3	5	7	9	22
20-34	1990	4.8	12	1	2	4	6	9	11	18
35-49	2465	5.2	18	1	2	4	6	9	12	22
50-64	2590	5.4	16	1	2	4	7	10	13	21
65+	4398	6.4	34	2	2	5	8	12	16	29
B. *Operated*										
0-19 YRS	336	9.5	113	1	2	6	12	21	34	47
20-34	1185	9.1	66	2	3	7	11	17	22	46
35-49	1359	9.6	76	2	3	7	12	20	28	49
50-64	1464	10.9	107	2	3	8	14	23	33	65
65+	1979	13.1	130	2	3	10	17	27	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4848	4.1	10	1	1	3	5	8	10	16
B. *Operated*	1992	7.3	47	1	2	5	9	16	19	33
2. MULTIPLE DX										
A. *Not Operated*	12261	5.5	23	1	2	4	7	10	13	24
B. *Operated*	6323	10.9	103	2	3	8	14	23	31	55
1. SINGLE DX	6840	5.0	23	1	1	4	6	10	14	24
2. MULTIPLE DX	18584	7.4	56	2	2	5	9	15	21	40
A. NOT OPERATED	17109	5.1	20	1	2	4	6	9	12	22
B. OPERATED	8315	10.0	92	2	2	7	13	21	29	50
TOTAL 0-19 YRS	2271	4.8	34	1	1	3	5	9	14	34
20-34	5135	5.8	30	1	2	4	7	11	15	28
35-49	5470	6.3	38	1	2	5	8	12	18	34
50-64	5118	6.9	49	1	2	5	8	14	20	38
65+	7430	8.1	69	2	2	6	10	17	23	44
GRAND TOTAL	**25424**	**6.7**	**48**	**1**	**2**	**5**	**8**	**14**	**19**	**37**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	25	8.4	55	1	3	4	12	20	23	28
35-49	48	7.3	34	1	1	6	9	15	20	27
50-64	52	7.7	33	1	2	6	10	14	16	35
65+	19	9.2	50	1	3	8	12	16	25	32
B. *Operated*										
0-19 YRS										
20-34	5	14.0	255	3	3	6	22	41	41	41
35-49	21	6.8	27	1	2	6	9	15	18	20
50-64	17	6.4	50	1	2	4	7	16	25	29
65+	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	135	10.7	104	1	3	7	12	28	29	47
35-49	459	11.3	111	2	3	8	14	25	28	51
50-64	639	12.0	90	3	3	9	16	24	30	51
65+	278	11.0	73	3	4	8	14	22	26	40
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	40	14.0	119	2	2	11	21	32	36	42
35-49	127	14.8	167	2	3	11	18	31	45	65
50-64	200	14.2	120	2	4	11	19	29	37	60
65+	74	11.1	64	2	3	9	15	22	26	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	7.8	39	1	2	6	9	15	20	32
B. *Operated*	46	7.1	60	1	2	4	9	16	22	41
2. MULTIPLE DX										
A. *Not Operated*	1514	11.5	95	2	3	8	15	24	29	50
B. *Operated*	442	13.8	125	2	3	11	18	29	37	56
1. SINGLE DX	191	7.7	43	1	2	6	9	16	20	34
2. MULTIPLE DX	1956	12.0	102	2	3	9	16	25	31	51
A. NOT OPERATED	1659	11.1	91	2	3	8	14	24	28	46
B. OPERATED	488	13.2	122	2	3	10	17	27	36	56
TOTAL 0-19 YRS	5	5.8	34	2	2	3	8	16	16	16
20-34	205	11.1	106	2	2	7	15	28	32	44
35-49	655	11.5	118	2	3	8	15	25	30	56
50-64	908	12.1	95	2	3	9	16	25	31	51
65+	374	10.9	70	3	4	8	14	22	26	40
GRAND TOTAL	**2147**	**11.6**	**99**	**2**	**3**	**9**	**15**	**25**	**30**	**51**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.0	1	<1	<1	2	3	4	4	4
20-34	19	4.7	15	1	1	4	5	10	14	17
35-49	24	5.4	6	2	3	5	7	8	9	12
50-64	49	6.4	18	1	2	6	9	11	15	22
65+	27	7.7	47	1	2	6	9	18	25	27
B. *Operated*										
0-19 YRS	22	2.9	5	<1	1	2	3	7	8	10
20-34	90	2.7	4	1	1	2	3	5	6	13
35-49	72	3.1	5	1	1	2	4	5	8	11
50-64	82	4.1	16	1	1	2	5	10	13	20
65+	51	5.7	29	1	1	4	9	12	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	8.1	83	1	2	6	9	16	28	44
20-34	53	7.3	34	1	1	6	9	16	19	28
35-49	180	9.3	70	1	2	7	12	19	26	43
50-64	402	9.7	69	2	3	7	12	19	25	42
65+	435	11.0	79	3	3	8	13	27	30	45
B. *Operated*										
0-19 YRS	18	7.4	72	1	2	3	9	23	29	30
20-34	72	6.8	53	2	2	5	9	14	17	46
35-49	147	8.2	55	1	2	6	11	18	23	34
50-64	318	9.9	97	2	2	7	12	21	29	45
65+	289	13.0	155	2	2	9	18	26	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	5.8	22	1	2	5	8	11	15	25
B. *Operated*	317	3.6	12	1	1	2	4	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	1092	10.0	72	2	3	8	12	20	26	44
B. *Operated*	844	10.3	109	2	2	7	13	22	30	48
1. SINGLE DX	449	4.3	16	1	1	3	5	9	12	21
2. MULTIPLE DX	1936	10.1	88	2	2	8	13	21	29	44
A. NOT OPERATED	1224	9.6	69	2	3	7	12	19	25	43
B. OPERATED	1161	8.5	92	1	2	5	11	19	27	44
TOTAL 0-19 YRS	75	5.3	49	1	1	3	7	11	17	40
20-34	234	5.2	31	1	1	3	6	11	15	28
35-49	423	7.6	55	1	2	5	10	15	21	42
50-64	851	9.1	75	2	2	7	11	19	25	42
65+	802	11.3	105	2	3	8	14	23	32	49
GRAND TOTAL	**2385**	**9.0**	**80**	**1**	**2**	**7**	**11**	**19**	**26**	**44**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	4.5	8	1	1	4	6	8	9	16
20-34	201	5.3	12	<1	2	5	7	9	11	19
35-49	75	5.6	13	1	2	5	7	10	13	19
50-64	74	5.7	16	1	2	5	8	9	14	21
65+	60	7.4	27	2	3	6	9	14	18	28
B. *Operated*										
0-19 YRS	13	6.5	69	1	1	3	9	19	26	28
20-34	34	5.3	23	2	2	4	6	11	17	23
35-49	30	6.7	80	1	1	2	8	16	25	42
50-64	37	6.5	32	1	1	4	9	14	15	28
65+	24	8.6	55	1	2	7	12	18	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	5.1	12	1	2	4	7	10	11	17
20-34	176	6.4	20	1	2	5	8	13	17	22
35-49	245	8.9	77	2	2	7	11	17	25	45
50-64	421	8.1	37	2	3	6	10	15	20	34
65+	436	10.0	67	2	3	8	12	19	25	40
B. *Operated*										
0-19 YRS	16	12.6	286	1	2	8	13	26	58	71
20-34	41	9.5	61	1	2	8	14	18	25	38
35-49	93	12.3	136	1	2	9	16	26	35	59
50-64	159	15.0	166	2	3	11	19	31	41	69
65+	156	13.9	116	2	3	11	18	30	36	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	476	5.6	15	1	2	5	7	9	13	19
B. *Operated*	138	6.6	47	1	1	4	9	15	19	33
2. MULTIPLE DX										
A. *Not Operated*	1338	8.5	52	2	3	7	10	16	21	35
B. *Operated*	465	13.5	139	2	2	10	17	29	37	60
1. SINGLE DX	614	5.8	22	1	2	5	8	11	15	26
2. MULTIPLE DX	1803	9.8	80	2	3	7	12	20	27	46
A. NOT OPERATED	1814	7.7	44	2	2	6	9	15	19	34
B. OPERATED	603	11.9	127	2	2	9	15	26	33	54
TOTAL 0-19 YRS	155	5.7	47	1	1	4	7	10	15	28
20-34	452	6.1	22	1	2	5	8	11	16	23
35-49	443	8.9	83	2	2	6	11	18	25	51
50-64	691	9.3	74	2	3	7	12	18	25	42
65+	676	10.6	78	2	3	8	14	21	29	45
GRAND TOTAL	**2417**	**8.8**	**68**	**2**	**2**	**6**	**11**	**18**	**24**	**42**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.4	3	<1	1	2	3	5	6	8
20-34	349	2.7	3	1	1	2	4	5	6	8
35-49	312	3.1	5	1	1	3	4	6	7	11
50-64	293	3.7	7	1	1	3	5	7	8	13
65+	347	4.7	8	1	2	4	6	8	10	15
B. *Operated*										
0-19 YRS	312	6.3	6	4	4	6	7	9	11	14
20-34	3013	6.6	6	4	4	6	8	9	11	14
35-49	2675	7.0	7	4	5	6	8	10	12	15
50-64	2409	7.8	10	4	5	7	9	12	14	18
65+	1529	9.4	16	5	5	8	11	14	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.1	13	1	1	3	5	8	11	19
20-34	308	3.7	6	1	1	3	5	7	8	12
35-49	465	4.4	9	1	2	4	5	8	10	14
50-64	864	4.9	10	1	2	4	6	9	11	16
65+	2119	6.5	25	2	2	5	8	12	16	25
B. *Operated*										
0-19 YRS	212	8.7	18	4	5	8	10	13	16	24
20-34	2057	8.2	15	4	5	7	10	13	15	22
35-49	2807	9.0	22	4	5	8	11	14	17	26
50-64	3948	10.3	33	5	6	9	12	16	20	31
65+	4957	13.4	62	6	7	12	16	22	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1342	3.5	6	1	1	3	5	6	8	12
B. *Operated*	9938	7.4	10	4	5	7	9	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	3818	5.6	19	1	2	4	7	11	14	22
B. *Operated*	13981	10.8	42	5	5	9	13	18	22	36
1. SINGLE DX	11280	7.0	11	2	4	6	8	11	13	18
2. MULTIPLE DX	17799	9.7	42	3	4	8	12	17	21	34
A. NOT OPERATED	5160	5.1	17	1	2	4	6	10	12	20
B. OPERATED	23919	9.4	32	4	5	8	11	15	19	31
TOTAL 0-19 YRS	627	6.6	14	2	3	6	8	11	13	20
20-34	5727	6.8	11	2	4	6	8	11	13	17
35-49	6259	7.5	17	3	4	7	9	12	14	21
50-64	7514	8.6	26	3	4	8	10	14	17	26
65+	8952	10.7	53	3	4	9	13	19	23	38
GRAND TOTAL	**29079**	**8.6**	**32**	**3**	**4**	**7**	**10**	**15**	**18**	**30**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	4.7	29	<1	<1	4	5	7	12	30
20-34	250	3.5	5	1	1	3	5	6	7	9
35-49	191	3.6	4	1	1	3	5	6	7	10
50-64	153	4.2	7	1	1	3	6	7	9	15
65+	159	5.1	13	1	1	5	7	9	10	21
B. *Operated*										
0-19 YRS	37	7.7	12	3	4	7	9	12	15	19
20-34	360	7.5	11	4	4	7	9	12	14	21
35-49	373	7.8	11	4	5	7	9	12	15	19
50-64	221	8.9	16	4	5	8	10	13	16	22
65+	171	10.8	20	5	6	9	13	17	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.8	16	1	2	3	5	9	13	20
20-34	211	4.3	8	1	2	4	5	8	10	16
35-49	274	4.8	8	2	2	4	6	9	10	12
50-64	392	5.7	16	2	2	5	7	10	11	21
65+	758	7.3	21	2	3	6	9	13	16	22
B. *Operated*										
0-19 YRS	32	8.9	19	4	5	7	12	16	17	20
20-34	459	8.6	21	4	5	7	10	15	17	27
35-49	643	10.0	32	4	5	8	12	17	21	32
50-64	630	11.8	64	5	6	10	14	19	24	56
65+	732	14.5	83	6	7	12	17	24	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	783	4.0	8	1	1	3	5	7	9	14
B. *Operated*	1162	8.3	15	4	5	8	10	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	1662	6.1	18	2	2	5	8	11	14	21
B. *Operated*	2496	11.5	58	5	5	9	14	20	24	44
1. SINGLE DX	1945	6.6	16	1	2	6	8	12	14	20
2. MULTIPLE DX	4158	9.3	49	2	3	8	11	17	21	36
A. NOT OPERATED	2445	5.4	15	1	2	5	7	10	12	21
B. OPERATED	3658	10.5	46	4	5	9	12	18	22	36
TOTAL 0-19 YRS	126	6.7	22	1	2	6	8	12	16	23
20-34	1280	6.6	17	2	2	6	8	12	15	22
35-49	1481	7.7	25	2	3	7	9	13	17	26
50-64	1396	8.8	46	2	3	7	11	15	20	36
65+	1820	10.3	58	3	4	9	13	19	23	39
GRAND TOTAL	**6103**	**8.5**	**40**	**2**	**3**	**7**	**10**	**15**	**20**	**33**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	17	2.9	4	1	1	2	4	6	7	8
35-49	17	3.5	7	1	1	3	5	8	9	10
50-64	34	3.4	3	1	2	3	5	6	7	8
65+	49	4.3	5	2	2	4	6	8	9	10
B. *Operated*										
0-19 YRS	24	8.3	6	4	5	8	10	11	12	13
20-34	114	7.3	11	2	4	7	9	11	13	18
35-49	94	8.7	12	4	5	8	10	14	16	20
50-64	117	9.6	27	2	4	9	12	16	18	29
65+	142	11.5	47	3	4	11	14	20	22	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	23	4.0	4	1	2	4	5	7	8	9
35-49	43	4.5	10	<1	1	4	6	9	11	16
50-64	66	6.0	13	1	2	5	8	10	15	17
65+	162	7.0	21	2	3	6	8	13	16	25
B. *Operated*										
0-19 YRS	13	8.0	7	4	5	7	10	12	13	13
20-34	88	10.3	42	4	5	9	12	15	22	39
35-49	101	10.3	44	4	5	9	12	16	23	40
50-64	212	12.5	52	5	5	11	16	20	25	48
65+	558	16.5	105	6	8	14	19	28	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	3.8	5	1	1	3	5	7	8	10
B. *Operated*	491	9.4	28	3	4	8	11	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	298	6.1	17	1	2	5	8	11	15	23
B. *Operated*	972	14.3	87	5	6	12	17	24	31	56
1. SINGLE DX	610	8.3	28	2	2	7	11	14	17	27
2. MULTIPLE DX	1270	12.4	83	3	4	11	16	22	29	51
A. NOT OPERATED	417	5.5	15	1	2	5	7	10	13	20
B. OPERATED	1463	12.7	72	4	5	11	15	22	28	51
TOTAL 0-19 YRS	43	7.4	10	2	3	8	10	11	12	13
20-34	242	7.8	26	2	3	7	10	13	15	33
35-49	255	8.3	30	2	3	7	10	14	16	30
50-64	429	10.0	44	2	3	9	13	18	21	36
65+	911	13.4	94	3	4	12	17	24	31	54
GRAND TOTAL	**1880**	**11.1**	**69**	**2**	**3**	**9**	**14**	**20**	**26**	**45**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	6.5	14	2	2	6	8	12	14	14
20-34	14	3.6	6	1	1	3	6	8	8	8
35-49	23	4.7	10	1	2	4	6	9	12	15
50-64	38	4.7	8	1	2	4	7	7	10	16
65+	61	6.1	20	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	8	13.5	112	1	2	12	16	30	36	36
20-34	18	9.8	42	2	3	8	12	21	24	25
35-49	26	10.2	30	2	3	10	14	17	19	21
50-64	18	9.9	71	1	1	9	13	21	27	31
65+	33	11.4	55	3	3	12	14	22	27	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	11.6	91	1	2	10	14	25	33	42
20-34	37	6.5	29	1	2	5	8	16	19	22
35-49	56	6.9	22	2	3	6	9	14	17	22
50-64	104	6.8	22	2	3	6	8	13	18	22
65+	252	8.0	36	2	3	7	10	14	18	33
B. *Operated*										
0-19 YRS	8	18.8	90	2	5	19	26	30	32	32
20-34	35	11.9	173	2	3	7	16	20	38	71
35-49	64	13.4	84	3	4	11	17	26	34	92
50-64	124	15.8	170	3	4	13	19	27	36	78
65+	240	18.4	152	4	6	16	23	34	42	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	5.3	14	1	2	4	7	10	14	17
B. *Operated*	103	10.7	52	2	2	10	14	21	24	34
2. MULTIPLE DX										
A. *Not Operated*	470	7.7	34	2	3	6	10	14	18	31
B. *Operated*	471	16.6	152	3	5	14	21	30	41	72
1. SINGLE DX	249	7.6	37	2	2	6	10	16	20	31
2. MULTIPLE DX	941	12.1	113	2	3	9	16	24	31	58
A. NOT OPERATED	616	7.1	30	2	2	6	9	13	17	27
B. OPERATED	574	15.5	139	3	4	13	20	28	38	69
TOTAL 0-19 YRS	47	12.1	88	2	2	10	16	26	33	42
20-34	104	8.5	84	1	2	6	11	18	21	56
35-49	169	9.6	56	2	3	8	14	19	24	48
50-64	284	10.6	109	2	3	8	14	21	27	57
65+	586	12.3	110	2	3	9	16	24	32	57
GRAND TOTAL	**1190**	**11.2**	**100**	**2**	**3**	**8**	**15**	**23**	**29**	**55**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	4.4	7	1	1	4	6	8	9	13
20-34	465	5.5	12	2	2	5	7	9	12	17
35-49	490	6.0	14	2	2	5	7	11	13	17
50-64	343	6.5	16	2	3	6	8	11	13	22
65+	217	7.1	24	2	3	6	9	11	14	29
B. *Operated*										
0-19 YRS	8	9.4	64	2	2	7	11	23	27	27
20-34	54	12.0	114	2	2	10	13	24	39	52
35-49	57	11.2	85	1	2	9	16	24	29	45
50-64	52	12.4	95	2	2	9	16	24	32	43
65+	39	9.2	26	2	3	10	12	15	19	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	6.0	26	1	2	5	8	10	16	30
20-34	927	6.7	24	2	3	6	8	12	15	26
35-49	1477	7.3	28	2	3	6	9	13	17	28
50-64	1117	7.8	32	2	3	7	9	14	17	31
65+	1241	9.0	43	3	3	7	11	16	22	33
B. *Operated*										
0-19 YRS	33	13.8	196	2	3	9	16	29	39	75
20-34	169	18.1	194	4	6	14	22	39	51	59
35-49	333	18.0	240	3	5	13	22	38	59	98
50-64	330	17.0	200	3	5	13	21	32	49	86
65+	353	18.6	213	4	6	14	22	38	46	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1592	6.0	15	2	2	5	8	11	13	21
B. *Operated*	210	11.3	83	2	2	9	14	22	28	46
2. MULTIPLE DX										
A. *Not Operated*	4854	7.7	33	2	3	6	9	14	18	29
B. *Operated*	1218	17.8	214	3	5	13	22	37	51	85
1. SINGLE DX	1802	6.6	26	2	2	5	8	12	15	28
2. MULTIPLE DX	6072	9.7	85	2	3	7	11	18	26	51
A. NOT OPERATED	6446	7.3	29	2	3	6	9	13	17	28
B. OPERATED	1428	16.8	200	3	5	13	21	36	46	82
TOTAL 0-19 YRS	210	6.8	56	1	2	5	8	12	17	37
20-34	1615	7.7	55	2	2	6	9	14	20	42
35-49	2357	8.7	71	2	3	6	10	16	23	48
50-64	1842	9.3	74	2	3	7	11	17	24	49
65+	1850	10.6	88	3	3	8	12	20	28	51
GRAND TOTAL	**7874**	**9.0**	**73**	**2**	**3**	**7**	**11**	**17**	**24**	**48**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	3.1	4	<1	1	3	4	5	7	10
20-34	135	3.4	4	1	1	3	4	6	7	9
35-49	146	4.0	7	1	1	3	5	7	8	15
50-64	189	4.4	10	1	1	4	5	8	10	17
65+	318	5.3	13	1	2	4	7	9	13	18
B. *Operated*										
0-19 YRS	12	6.9	32	1	1	4	11	15	18	19
20-34	9	4.9	6	2	2	4	6	9	9	9
35-49	18	6.9	62	1	2	5	7	9	26	37
50-64	31	7.5	50	3	3	5	8	11	21	40
65+	45	10.5	66	3	4	10	13	17	23	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	3.3	4	1	1	3	4	6	7	11
20-34	450	4.2	8	1	2	3	5	8	10	15
35-49	699	5.6	18	2	2	5	7	10	14	21
50-64	1249	6.1	21	2	2	5	7	11	13	25
65+	3431	7.9	38	2	3	6	9	14	19	33
B. *Operated*										
0-19 YRS	35	8.0	98	2	2	5	8	16	34	49
20-34	94	8.1	47	2	3	6	10	15	22	38
35-49	168	9.6	67	3	4	8	12	19	25	66
50-64	381	10.6	83	2	3	8	13	22	26	55
65+	851	12.4	100	3	4	10	15	23	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	891	4.3	10	1	1	4	6	8	10	17
B. *Operated*	115	8.3	55	2	3	6	10	14	22	44
2. MULTIPLE DX										
A. *Not Operated*	6004	6.8	31	2	2	6	8	13	16	29
B. *Operated*	1529	11.3	91	3	4	9	14	22	30	53
1. SINGLE DX	1006	4.8	16	1	1	4	6	9	12	19
2. MULTIPLE DX	7533	7.7	46	2	2	6	9	15	20	36
A. NOT OPERATED	6895	6.5	29	2	2	5	8	12	16	28
B. OPERATED	1644	11.1	89	3	4	8	14	22	29	52
TOTAL 0-19 YRS	325	3.9	17	1	1	3	5	6	9	19
20-34	688	4.6	15	1	2	4	6	9	11	19
35-49	1031	6.1	28	1	2	5	7	11	15	27
50-64	1850	6.9	37	2	2	5	8	13	17	34
65+	4645	8.5	52	2	3	7	10	16	21	39
GRAND TOTAL	**8539**	**7.4**	**44**	**2**	**2**	**6**	**9**	**14**	**19**	**35**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	4.0	10	1	1	3	5	8	10	18
20-34	8	4.1	5	1	1	4	6	7	7	7
35-49	8	5.9	19	3	3	3	9	13	13	13
50-64	15	6.5	13	2	2	7	10	11	12	12
65+	10	6.3	10	2	2	6	8	10	12	12
B. *Operated*										
0-19 YRS	6	4.5	6	1	1	4	6	8	8	8
20-34	7	6.1	7	2	3	6	7	10	11	11
35-49	8	10.3	103	2	2	5	18	26	27	27
50-64	15	13.5	175	2	2	6	22	38	39	40
65+	4	12.8	26	7	7	12	16	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	5.2	17	2	2	4	6	11	16	19
20-34	26	5.7	18	1	1	5	7	14	15	16
35-49	36	8.8	35	3	3	7	13	16	20	27
50-64	50	9.6	69	3	3	8	11	19	29	44
65+	72	9.8	62	3	3	7	11	25	29	37
B. *Operated*										
0-19 YRS	13	21.6	563	3	5	17	33	99+	99+	99+
20-34	21	16.0	299	4	4	12	19	26	53	85
35-49	24	10.6	45	3	4	9	14	19	26	27
50-64	37	14.6	84	3	4	13	20	24	32	44
65+	42	15.6	119	4	6	12	19	34	42	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	4.8	11	1	1	4	7	10	12	16
B. *Operated*	40	10.1	98	2	2	6	13	26	33	40
2. MULTIPLE DX										
A. *Not Operated*	276	7.7	44	2	2	6	10	15	22	32
B. *Operated*	137	15.1	167	3	4	12	20	28	43	99+
1. SINGLE DX	131	6.4	43	1	2	4	7	12	19	38
2. MULTIPLE DX	413	10.2	97	2	3	7	13	22	28	59
A. NOT OPERATED	367	7.0	38	2	2	5	9	14	18	31
B. OPERATED	177	14.0	155	3	3	11	19	28	39	98
TOTAL 0-19 YRS	161	6.1	76	1	2	4	7	14	19	99
20-34	62	9.0	132	1	2	6	11	18	23	78
35-49	76	9.2	43	3	3	7	13	18	26	27
50-64	117	11.3	66	2	3	9	14	24	32	44
65+	128	11.6	84	3	4	9	14	27	31	45
GRAND TOTAL	**544**	**9.3**	**86**	**2**	**2**	**6**	**12**	**20**	**28**	**45**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	5.1	13	1	2	6	7	10	13	16
20-34	21	4.4	12	1	1	3	7	9	12	12
35-49	14	5.4	11	1	2	5	7	10	12	13
50-64	17	4.4	7	1	2	4	6	7	10	12
65+	14	10.5	61	4	4	8	13	24	29	31
B. *Operated*										
0-19 YRS	68	3.3	8	1	2	2	3	7	8	19
20-34	41	4.4	12	2	2	3	5	9	12	17
35-49	11	6.5	24	2	2	4	10	15	15	15
50-64	20	4.0	7	1	1	3	5	8	10	11
65+	6	10.5	44	4	4	10	10	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	5.7	19	1	2	6	7	10	13	23
20-34	50	5.3	12	1	2	5	7	10	12	15
35-49	32	6.7	29	1	2	5	9	13	17	26
50-64	89	9.0	42	3	3	8	12	17	20	35
65+	152	10.5	79	2	3	8	13	21	25	59
B. *Operated*										
0-19 YRS	45	9.6	127	2	2	6	10	32	46	99+
20-34	62	5.4	14	1	2	6	7	10	14	17
35-49	53	8.4	70	2	2	7	10	14	21	57
50-64	85	9.8	101	2	2	7	12	20	26	59
65+	67	14.7	129	2	4	12	20	31	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	5.4	17	1	2	6	7	10	13	21
B. *Operated*	146	4.2	14	1	2	3	5	10	11	21
2. MULTIPLE DX										
A. *Not Operated*	454	8.0	48	2	2	6	10	15	20	39
B. *Operated*	332	10.0	100	2	2	7	12	22	32	59
1. SINGLE DX	350	4.9	16	1	2	4	6	10	13	21
2. MULTIPLE DX	786	8.8	71	2	2	7	11	17	24	48
A. NOT OPERATED	658	7.2	40	1	2	5	9	14	18	34
B. OPERATED	478	8.2	81	2	2	5	10	17	25	48
TOTAL 0-19 YRS	382	5.5	30	1	2	6	7	10	13	41
20-34	174	5.0	13	1	2	6	7	10	12	17
35-49	110	7.3	47	2	2	5	9	14	16	39
50-64	211	8.5	63	2	2	6	11	17	22	40
65+	259	11.9	97	2	3	10	14	26	32	59
GRAND TOTAL	**1136**	**7.6**	**57**	**2**	**2**	**5**	**10**	**15**	**22**	**44**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	5.4	10	2	2	5	6	9	13	15
20-34	5	3.2	4	<1	<1	3	4	6	6	6
35-49	2	5.0		5	5	5	5	5	5	5
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	3	6.7	32	2	2	5	11	13	13	13
35-49	3	5.7	16	1	1	8	8	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	6.2	11	2	3	6	7	10	14	18
20-34	10	6.4	21	1	1	6	8	13	16	16
35-49	6	9.3	77	2	2	5	16	23	24	24
50-64	10	6.6	14	1	2	6	8	12	13	13
65+	19	13.7	232	3	4	8	12	41	53	58
B. *Operated*										
0-19 YRS	14	6.4	58	1	2	3	8	13	26	30
20-34	10	8.3	55	3	3	7	9	19	28	28
35-49	8	9.0	18	3	3	9	12	14	15	15
50-64	9	9.4	50	1	2	9	12	21	24	24
65+	9	10.2	40	2	2	9	14	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	5.2	9	2	2	5	6	8	13	15
B. *Operated*	10	4.3	17	1	1	2	8	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	104	7.8	62	2	3	6	8	13	17	53
B. *Operated*	50	8.4	45	2	2	8	11	16	24	30
1. SINGLE DX	63	5.0	10	1	2	4	6	9	13	15
2. MULTIPLE DX	154	8.0	56	2	2	6	10	15	20	47
A. NOT OPERATED	157	6.9	45	2	2	6	8	12	16	47
B. OPERATED	60	7.8	42	1	2	7	10	15	22	30
TOTAL 0-19 YRS	119	5.8	16	2	2	5	7	10	14	22
20-34	28	6.5	32	1	2	5	8	12	17	28
35-49	19	8.2	33	1	2	8	11	16	20	24
50-64	21	7.7	30	1	2	7	10	14	20	24
65+	30	11.9	164	2	3	8	13	26	48	58
GRAND TOTAL	**217**	**7.1**	**44**	**2**	**2**	**6**	**8**	**13**	**16**	**37**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	6.9	36	<1	<1	5	9	17	20	22
20-34	11	4.9	19	<1	<1	3	7	11	15	15
35-49	15	3.1	6	<1	1	2	5	7	8	8
50-64	19	9.6	119	<1	1	5	10	31	37	37
65+	25	6.9	37	1	1	6	9	13	17	30
B. *Operated*										
0-19 YRS	25	7.8	69	1	2	5	10	21	28	33
20-34	42	10.1	188	1	1	4	10	28	46	59
35-49	59	10.5	294	<1	1	4	8	35	50	85
50-64	74	6.1	47	<1	1	4	7	14	22	37
65+	55	7.1	41	1	2	4	10	16	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	7.3	55	<1	1	4	11	20	25	82
20-34	72	4.4	21	1	1	3	5	9	11	29
35-49	112	5.8	22	1	1	4	7	14	15	20
50-64	279	6.5	39	1	1	5	9	14	18	31
65+	609	8.3	68	1	1	6	10	17	23	45
B. *Operated*										
0-19 YRS	79	17.1	291	2	2	11	24	41	56	96
20-34	287	14.2	279	1	2	8	18	40	54	77
35-49	358	13.1	237	2	2	7	16	34	48	76
50-64	580	12.0	139	2	2	8	15	27	40	57
65+	570	12.7	154	2	3	9	16	30	38	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	6.6	49	<1	1	4	9	13	22	37
B. *Operated*	255	8.1	130	<1	2	4	8	20	33	59
2. MULTIPLE DX										
A. *Not Operated*	1147	7.3	54	1	1	5	9	15	21	41
B. *Operated*	1874	13.0	191	2	2	8	16	32	45	71
1. SINGLE DX	345	7.7	109	<1	1	4	8	19	31	52
2. MULTIPLE DX	3021	10.8	146	1	2	7	14	25	36	62
A. NOT OPERATED	1237	7.2	53	1	1	5	9	15	21	37
B. OPERATED	2129	12.4	186	2	2	8	15	31	43	68
TOTAL 0-19 YRS	199	11.2	170	1	1	6	17	27	38	93
20-34	412	11.8	232	1	2	5	14	34	48	75
35-49	544	11.0	202	1	2	6	13	28	41	74
50-64	952	9.9	109	1	2	6	12	22	33	51
65+	1259	10.2	110	1	2	7	13	22	33	57
GRAND TOTAL	**3366**	**10.5**	**143**	**1**	**2**	**7**	**13**	**24**	**36**	**62**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	60	1	1	5	13	16	16	16
20-34	6	6.2	15	1	1	6	10	11	11	11
35-49	3	2.7	4	<1	<1	2	4	5	5	5
50-64	10	4.3	7	<1	1	4	6	8	10	10
65+	26	9.3	58	1	1	7	14	22	24	26
B. *Operated*										
0-19 YRS	8	10.8	72	3	3	7	19	23	23	23
20-34	5	4.2	31	<1	<1	2	6	14	14	14
35-49	6	6.2	63	<1	<1	3	6	20	22	22
50-64	7	5.3	35	<1	<1	3	6	16	18	18
65+	17	6.2	121	<1	<1	3	5	12	35	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	7.2	40	1	1	7	10	17	21	21
20-34	28	5.7	20	1	1	5	8	11	13	20
35-49	55	8.8	66	1	2	6	11	18	25	43
50-64	147	11.4	102	2	3	8	15	26	29	58
65+	637	12.2	119	2	3	9	16	24	32	62
B. *Operated*										
0-19 YRS	16	16.6	297	2	3	11	28	57	85	99+
20-34	31	11.8	71	1	3	10	19	26	32	99+
35-49	67	16.0	217	3	3	12	21	29	44	89
50-64	123	15.8	176	3	4	12	23	33	41	62
65+	249	18.2	208	3	5	15	24	38	53	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	7.4	42	1	1	5	11	18	23	26
B. *Operated*	43	6.7	78	<1	<1	3	6	19	23	47
2. MULTIPLE DX										
A. *Not Operated*	878	11.6	110	2	3	8	15	23	31	57
B. *Operated*	486	16.8	197	3	4	13	23	35	48	99
1. SINGLE DX	91	7.0	59	<1	1	4	10	18	23	38
2. MULTIPLE DX	1364	13.4	147	2	3	10	18	28	38	67
A. NOT OPERATED	926	11.3	108	2	2	8	15	23	30	56
B. OPERATED	529	16.0	194	2	3	12	22	34	47	97
TOTAL 0-19 YRS	38	11.9	166	1	2	9	16	29	55	99+
20-34	70	8.3	51	1	1	7	11	20	26	86
35-49	131	12.2	156	1	2	8	17	24	35	59
50-64	287	12.9	137	2	3	9	18	28	37	57
65+	929	13.6	149	2	3	10	17	28	38	67
GRAND TOTAL	**1455**	**13.0**	**144**	**2**	**3**	**9**	**17**	**28**	**37**	**66**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	329	4.1	3	2	2	4	5	6	7	9
20-34	429	4.1	3	2	2	4	5	6	7	9
35-49	128	4.4	3	2	3	4	5	7	8	10
50-64	90	5.3	5	2	2	5	7	8	9	12
65+	71	6.4	14	2	3	6	8	12	14	20
B. *Operated*										
0-19 YRS	16	5.0	12	1	1	5	6	7	13	16
20-34	30	5.1	7	2	2	5	6	9	10	13
35-49	16	5.9	6	2	3	6	7	9	10	11
50-64	7	9.1	47	4	4	7	9	21	24	24
65+	3	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	352	4.3	4	2	2	4	5	7	8	11
20-34	605	5.0	7	2	3	5	6	8	9	14
35-49	313	5.8	8	3	3	5	7	9	12	16
50-64	404	6.6	11	3	3	6	8	11	12	17
65+	907	8.7	37	3	4	7	11	15	19	35
B. *Operated*										
0-19 YRS	53	7.7	74	2	3	6	8	11	17	63
20-34	95	7.7	25	3	4	7	9	12	16	32
35-49	53	10.6	31	5	5	9	13	20	23	29
50-64	104	10.0	24	4	5	9	12	16	20	26
65+	138	13.6	79	5	6	11	17	25	36	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1047	4.4	4	2	2	4	5	7	8	12
B. *Operated*	72	5.8	12	2	2	5	7	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	2581	6.6	21	2	3	5	8	11	14	24
B. *Operated*	443	10.4	53	4	4	8	12	19	24	39
1. SINGLE DX	1119	4.5	5	2	2	4	5	7	8	13
2. MULTIPLE DX	3024	7.1	27	2	3	6	8	12	16	28
A. NOT OPERATED	3628	5.9	17	2	3	5	7	10	13	20
B. OPERATED	515	9.8	50	3	4	8	11	18	23	39
TOTAL 0-19 YRS	750	4.5	9	2	2	4	5	7	8	12
20-34	1159	4.9	8	2	2	4	6	8	9	15
35-49	510	5.9	12	3	3	5	7	10	14	20
50-64	605	7.1	15	3	3	6	9	11	14	22
65+	1119	9.2	43	3	4	7	11	16	21	38
GRAND TOTAL	**4143**	**6.4**	**23**	**2**	**3**	**5**	**7**	**11**	**14**	**25**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	384	3.8	4	1	2	4	5	6	7	11
20-34	553	4.1	4	2	2	4	5	6	8	12
35-49	161	4.7	9	2	2	4	6	8	9	18
50-64	103	4.8	7	2	2	4	6	8	9	15
65+	96	6.0	13	2	3	5	7	10	13	22
B. *Operated*										
0-19 YRS	42	4.7	10	1	1	5	6	9	11	15
20-34	59	6.2	10	2	3	5	8	10	12	18
35-49	32	7.0	13	2	3	6	9	11	13	18
50-64	27	9.8	43	2	3	8	14	17	24	27
65+	18	9.5	37	3	4	8	12	21	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	413	4.7	17	2	2	4	5	7	9	12
20-34	684	4.8	5	2	2	4	6	8	10	14
35-49	336	5.6	10	2	3	5	7	10	12	18
50-64	383	6.7	14	3	3	6	9	12	14	20
65+	809	8.5	38	3	3	7	10	14	18	36
B. *Operated*										
0-19 YRS	96	6.0	33	1	2	5	7	11	14	38
20-34	174	8.1	34	2	3	7	10	15	17	37
35-49	152	10.8	68	3	3	9	12	22	30	42
50-64	174	11.4	71	2	3	10	15	21	24	39
65+	246	12.5	75	3	4	10	16	24	32	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1297	4.3	6	2	2	4	5	7	8	14
B. *Operated*	178	6.9	21	2	2	6	9	13	17	23
2. MULTIPLE DX										
A. *Not Operated*	2625	6.3	22	2	3	5	7	11	14	24
B. *Operated*	842	10.3	64	2	3	8	13	20	25	42
1. SINGLE DX	1475	4.6	8	2	2	4	6	8	10	16
2. MULTIPLE DX	3467	7.3	35	2	3	6	9	13	18	33
A. NOT OPERATED	3922	5.6	17	2	2	5	7	10	13	20
B. OPERATED	1020	9.7	58	2	3	8	12	19	24	39
TOTAL 0-19 YRS	935	4.5	13	2	2	4	5	7	9	14
20-34	1470	5.0	10	2	2	4	6	8	10	16
35-49	681	6.6	28	2	2	5	8	12	16	31
50-64	687	7.7	34	2	3	6	10	15	18	27
65+	1169	9.1	47	3	3	7	11	16	22	37
GRAND TOTAL	**4942**	**6.5**	**28**	**2**	**2**	**5**	**8**	**12**	**15**	**28**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	2.5	3	1	1	2	3	5	6	9
20-34	528	2.1	2	1	1	2	3	4	5	7
35-49	581	2.1	2	<1	1	2	3	4	5	9
50-64	324	2.3	2	1	1	2	3	4	6	9
65+	100	3.4	8	1	1	3	4	6	8	16
B. *Operated*										
0-19 YRS	39	7.2	28	2	3	6	9	11	13	34
20-34	329	7.1	17	2	2	7	9	11	13	21
35-49	429	7.5	15	2	3	8	9	11	13	24
50-64	389	8.3	16	2	3	8	10	12	15	22
65+	169	8.5	30	2	2	8	10	14	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	2.9	2	1	1	2	4	5	6	7
20-34	333	2.9	4	1	1	2	4	6	7	10
35-49	498	3.1	5	1	1	3	4	6	8	11
50-64	441	3.7	10	1	1	3	4	7	9	15
65+	380	4.8	11	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	35	7.7	21	1	2	8	10	15	17	18
20-34	251	9.1	38	2	3	8	11	15	20	31
35-49	432	8.7	29	2	2	8	11	16	19	24
50-64	601	9.7	46	2	3	8	12	17	22	36
65+	506	10.2	52	2	3	9	12	19	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1613	2.3	3	<1	1	2	3	4	5	9
B. *Operated*	1355	7.7	18	2	3	8	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	1701	3.6	8	1	1	3	4	7	9	15
B. *Operated*	1825	9.5	43	2	3	8	12	17	21	35
1. SINGLE DX	2968	4.8	17	1	1	3	7	10	12	19
2. MULTIPLE DX	3526	6.6	34	1	2	5	9	14	17	30
A. NOT OPERATED	3314	2.9	6	1	1	2	4	6	7	12
B. OPERATED	3180	8.7	33	2	3	8	11	15	19	31
TOTAL 0-19 YRS	203	4.4	16	1	1	3	6	10	11	18
20-34	1441	4.7	20	1	1	3	7	9	12	20
35-49	1940	5.0	19	1	1	3	8	10	13	21
50-64	1755	6.5	32	1	1	5	9	12	16	29
65+	1155	7.6	38	1	2	6	10	15	19	35
GRAND TOTAL	**6494**	**5.8**	**27**	**1**	**1**	**4**	**8**	**12**	**15**	**26**

229: Calculus of ureter (592.1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	284	2.2	1	1	1	2	3	4	4	6
20-34	2333	1.9	1	1	1	2	2	3	4	6
35-49	2645	2.0	2	<1	1	2	2	4	4	6
50-64	1387	2.2	2	1	1	2	3	4	5	7
65+	434	2.5	2	1	1	2	3	5	5	8
B. *Operated*										
0-19 YRS	186	4.8	8	1	2	4	6	9	10	13
20-34	1613	5.1	9	2	2	4	7	9	11	15
35-49	2049	5.3	10	2	2	5	7	10	11	15
50-64	1287	5.9	14	2	2	5	8	10	13	18
65+	531	6.9	19	2	2	7	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	2.4	1	1	1	2	3	4	5	6
20-34	698	2.5	2	1	1	2	3	4	5	8
35-49	1028	2.7	4	1	1	2	3	5	6	10
50-64	903	3.0	4	1	1	2	4	6	7	10
65+	568	3.8	9	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	86	5.7	18	1	2	5	7	12	15	20
20-34	632	6.6	24	2	2	6	8	12	14	23
35-49	1010	6.9	21	2	2	6	9	12	16	23
50-64	1166	7.8	26	2	3	7	10	14	17	25
65+	835	9.5	45	2	3	8	12	17	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7083	2.0	2	1	1	2	3	4	4	7
B. *Operated*	5666	5.5	12	2	2	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	3279	2.9	5	1	1	2	4	5	7	11
B. *Operated*	3729	7.7	29	2	2	7	10	14	17	26
1. SINGLE DX	12749	3.6	9	1	1	3	5	8	10	14
2. MULTIPLE DX	7008	5.4	23	1	1	4	7	11	14	23
A. NOT OPERATED	10362	2.3	3	1	1	2	3	4	5	8
B. OPERATED	9395	6.4	20	2	2	5	8	12	14	22
TOTAL 0-19 YRS	638	3.4	8	1	1	3	4	7	9	14
20-34	5276	3.5	10	1	1	2	5	7	9	14
35-49	6732	3.9	11	1	1	3	5	8	10	16
50-64	4743	4.7	17	1	1	3	6	10	12	19
65+	2368	6.3	31	1	2	5	9	13	16	26
GRAND TOTAL	**19757**	**4.2**	**15**	**1**	**1**	**3**	**6**	**9**	**11**	**18**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	2.7	7	<1	1	2	3	5	8	14
20-34	41	2.7	5	1	1	2	3	5	6	13
35-49	38	3.1	6	<1	1	2	4	6	7	13
50-64	45	3.0	4	1	1	2	4	5	7	11
65+	32	4.1	9	<1	2	3	5	8	11	15
B. *Operated*										
0-19 YRS	345	6.5	18	1	1	7	9	12	13	19
20-34	190	7.0	25	1	2	7	9	14	16	24
35-49	142	6.5	27	1	2	6	9	12	17	23
50-64	173	6.3	36	1	1	4	9	13	17	31
65+	109	6.3	27	1	1	4	10	13	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	4.1	10	1	1	3	5	9	11	14
20-34	108	4.0	7	1	1	3	5	7	10	14
35-49	134	5.2	19	1	2	4	6	11	13	22
50-64	208	5.4	13	1	2	5	7	10	12	19
65+	463	8.2	44	2	2	7	10	16	21	37
B. *Operated*										
0-19 YRS	459	6.8	29	1	1	6	10	13	17	23
20-34	285	8.5	51	1	2	8	10	15	19	44
35-49	369	8.6	36	2	2	8	12	17	21	27
50-64	486	9.5	62	2	2	8	12	20	24	40
65+	651	11.4	104	2	2	9	15	24	30	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	3.0	6	<1	1	2	4	6	8	14
B. *Operated*	959	6.6	25	1	1	6	9	13	15	23
2. MULTIPLE DX										
A. *Not Operated*	1001	6.4	30	1	2	5	8	13	17	29
B. *Operated*	2250	9.2	64	1	2	8	12	18	24	43
1. SINGLE DX	1174	5.9	23	1	1	5	9	12	14	21
2. MULTIPLE DX	3251	8.3	56	1	2	7	11	17	22	39
A. NOT OPERATED	1216	5.8	28	1	1	4	7	12	15	27
B. OPERATED	3209	8.4	54	1	2	7	11	17	22	38
TOTAL 0-19 YRS	951	6.2	23	1	1	6	9	12	15	21
20-34	624	6.9	36	1	1	6	9	13	16	27
35-49	683	7.2	32	1	2	6	10	14	19	26
50-64	912	7.7	47	1	2	6	10	16	22	33
65+	1255	9.6	77	2	2	7	12	19	26	47
GRAND TOTAL	**4425**	**7.7**	**48**	**1**	**2**	**6**	**10**	**15**	**20**	**34**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.5	2	<1	1	2	3	4	6	7
20-34	136	2.2	2	<1	1	2	3	4	5	6
35-49	124	2.3	4	<1	1	2	3	4	6	11
50-64	69	2.5	4	1	1	2	3	5	5	13
65+	27	2.6	2	1	1	2	3	5	6	7
B. *Operated*										
0-19 YRS	5	2.6	1	<1	<1	3	3	4	4	4
20-34	72	5.5	16	1	1	4	8	11	13	19
35-49	94	5.1	14	1	2	4	6	10	12	20
50-64	90	5.3	13	1	2	5	7	9	12	20
65+	64	6.0	21	2	2	5	8	11	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.6	6	1	1	3	5	7	8	8
20-34	62	2.9	7	1	1	2	3	5	7	17
35-49	70	2.9	5	1	1	2	4	6	6	12
50-64	74	3.4	8	1	1	3	4	5	8	19
65+	63	4.8	17	1	2	4	6	9	15	21
B. *Operated*										
0-19 YRS	9	6.1	26	2	2	4	9	14	17	17
20-34	62	7.3	74	1	2	5	8	11	23	52
35-49	82	7.8	95	2	2	4	9	16	24	55
50-64	146	6.8	26	2	2	6	9	12	15	28
65+	312	8.3	44	2	2	7	11	16	20	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	2.3	3	<1	1	2	3	4	5	9
B. *Operated*	325	5.4	15	1	2	4	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	276	3.5	10	1	1	3	4	6	9	18
B. *Operated*	611	7.7	49	2	2	6	10	15	20	39
1. SINGLE DX	703	3.7	11	1	1	3	5	8	10	18
2. MULTIPLE DX	887	6.4	41	1	2	4	8	13	17	30
A. NOT OPERATED	654	2.8	6	1	1	2	3	5	7	14
B. OPERATED	936	6.9	39	2	2	5	9	13	17	29
TOTAL 0-19 YRS	43	3.5	9	<1	1	3	4	7	9	17
20-34	332	4.0	23	1	1	3	5	8	11	22
35-49	370	4.3	31	1	1	3	5	9	12	26
50-64	379	5.0	18	1	1	4	7	10	12	22
65+	466	7.2	38	2	2	6	9	15	18	28
GRAND TOTAL	**1590**	**5.2**	**29**	**1**	**1**	**4**	**7**	**11**	**15**	**26**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	2.6	4	<1	1	2	3	4	5	12
20-34	97	2.6	3	<1	<1	2	3	5	6	8
35-49	42	3.8	10	<1	1	3	4	7	8	19
50-64	33	2.9	4	1	1	2	3	5	7	10
65+	49	4.5	9	1	2	4	5	7	8	21
B. *Operated*										
0-19 YRS	139	2.2	2	1	1	2	2	4	5	7
20-34	227	2.7	4	<1	1	2	3	5	7	10
35-49	226	3.0	9	<1	1	2	3	5	7	12
50-64	233	2.7	3	1	1	2	3	4	6	8
65+	256	3.7	10	1	1	3	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	3.2	3	1	1	3	4	5	7	8
20-34	190	3.8	6	1	1	3	5	7	10	13
35-49	138	4.9	11	1	2	4	6	9	12	18
50-64	164	5.2	11	2	2	4	6	10	12	18
65+	460	7.2	33	2	3	6	9	13	16	32
B. *Operated*										
0-19 YRS	213	2.7	3	1	1	2	3	5	7	9
20-34	490	4.2	23	1	1	3	5	8	10	18
35-49	526	4.7	18	1	1	4	6	9	13	21
50-64	605	5.5	38	1	2	4	7	10	15	34
65+	1151	6.7	37	1	2	5	8	13	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	319	3.1	5	<1	<1	3	4	6	7	12
B. *Operated*	1081	2.9	6	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	1055	5.6	21	1	2	4	7	10	13	24
B. *Operated*	2985	5.4	31	1	2	4	7	11	15	27
1. SINGLE DX	1400	3.0	6	<1	1	2	3	5	7	13
2. MULTIPLE DX	4040	5.5	28	1	2	4	7	11	14	26
A. NOT OPERATED	1374	5.0	19	1	2	4	6	10	12	21
B. OPERATED	4066	4.7	25	1	1	3	6	10	13	26
TOTAL 0-19 YRS	553	2.7	3	1	1	2	3	5	6	8
20-34	1004	3.6	14	<1	1	3	4	7	9	15
35-49	932	4.3	15	1	1	3	5	8	11	19
50-64	1035	4.8	26	1	2	3	6	10	12	22
65+	1916	6.3	33	1	2	5	8	13	16	30
GRAND TOTAL	**5440**	**4.8**	**24**	**1**	**1**	**3**	**6**	**10**	**13**	**25**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7	1	<1	<1	1	3	3	3	3
20-34	8	3.0	6	1	1	2	5	7	7	7
35-49	5	3.6	14	<1	<1	2	5	10	10	10
50-64	7	2.9	4	1	1	3	4	6	6	6
65+	8	2.8	7	<1	<1	2	4	7	8	8
B. *Operated*										
0-19 YRS	691	1.8	2	<1	<1	1	2	3	4	7
20-34	270	3.1	5	<1	1	3	4	5	7	11
35-49	225	3.2	7	<1	1	3	4	6	8	14
50-64	210	3.6	8	1	1	3	5	7	9	14
65+	303	4.1	11	1	2	3	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	1.5	1	<1	<1	1	2	3	5	5
20-34	17	3.5	9	<1	1	2	5	7	10	12
35-49	9	3.0	2	<1	1	3	4	5	5	5
50-64	25	5.1	16	<1	<1	4	9	10	12	16
65+	90	6.2	28	1	2	4	8	12	20	26
B. *Operated*										
0-19 YRS	730	2.1	4	<1	1	2	2	4	5	10
20-34	455	3.5	8	1	1	3	4	7	9	14
35-49	458	3.9	9	1	2	3	5	8	10	16
50-64	600	4.6	16	1	2	3	6	10	13	17
65+	1005	6.4	33	2	2	5	8	13	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.7	5	<1	<1	2	4	6	8	10
B. *Operated*	1699	2.8	6	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	160	5.0	22	<1	1	4	6	10	15	25
B. *Operated*	3248	4.4	19	1	1	3	5	9	12	23
1. SINGLE DX	1734	2.8	6	<1	1	2	3	5	7	12
2. MULTIPLE DX	3408	4.4	19	1	1	3	5	9	12	23
A. NOT OPERATED	195	4.6	20	<1	1	3	6	9	13	25
B. OPERATED	4947	3.8	15	1	1	3	5	8	11	19
TOTAL 0-19 YRS	1447	1.9	3	<1	1	2	2	3	4	9
20-34	750	3.3	7	1	1	3	4	6	9	13
35-49	697	3.7	8	1	1	3	4	7	9	15
50-64	842	4.4	14	1	1	3	5	9	11	16
65+	1406	5.9	29	1	2	4	7	11	15	29
GRAND TOTAL	**5142**	**3.9**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	721	3.0	5	1	1	3	4	5	6	10
20-34	501	3.1	4	<1	<1	3	4	6	7	11
35-49	240	3.3	5	<1	1	3	4	6	7	13
50-64	230	4.0	6	<1	1	3	5	7	8	13
65+	454	5.7	15	1	2	5	7	11	13	19
B. *Operated*										
0-19 YRS	688	2.5	6	<1	1	2	3	5	7	12
20-34	484	3.0	5	1	1	2	4	6	7	10
35-49	465	2.9	5	<1	1	2	4	6	7	11
50-64	471	3.4	6	<1	1	3	4	6	8	13
65+	619	4.4	12	1	2	4	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1386	4.0	7	1	1	3	5	7	9	14
20-34	1327	4.4	11	1	2	4	5	8	10	16
35-49	1099	5.5	15	2	2	5	7	10	12	20
50-64	1720	6.4	23	2	2	5	8	11	15	23
65+	7388	8.6	47	2	3	7	10	15	20	36
B. *Operated*										
0-19 YRS	1038	3.3	12	1	1	2	4	7	10	16
20-34	929	5.3	33	1	1	4	7	10	14	28
35-49	1106	5.4	33	1	1	4	7	11	15	27
50-64	1527	6.6	49	1	2	5	8	13	17	40
65+	3278	8.9	77	2	2	7	11	17	23	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2146	3.7	8	<1	1	3	5	7	9	14
B. *Operated*	2727	3.3	7	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	12920	7.1	36	2	2	6	9	13	17	32
B. *Operated*	7878	6.8	56	1	2	5	9	14	19	39
1. SINGLE DX	4873	3.5	8	<1	1	3	4	7	9	14
2. MULTIPLE DX	20798	7.0	44	1	2	5	9	13	18	34
A. NOT OPERATED	15066	6.6	34	1	2	5	8	13	16	30
B. OPERATED	10605	5.9	46	1	1	4	7	12	17	34
TOTAL 0-19 YRS	3833	3.4	8	1	1	3	4	6	8	13
20-34	3241	4.3	16	1	1	3	5	8	10	19
35-49	2910	4.9	21	1	1	4	6	9	12	21
50-64	3948	6.0	31	1	2	5	8	11	15	27
65+	11739	8.3	53	2	3	7	10	15	20	38
GRAND TOTAL	**25671**	**6.3**	**39**	**1**	**2**	**5**	**8**	**12**	**16**	**32**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	22	2.8	3	<1	<1	2	4	5	6	7
65+	48	3.0	4	<1	1	3	4	6	7	8
B. *Operated*										
0-19 YRS	8	5.1	15	2	2	4	6	12	14	14
20-34	9	3.7	26	<1	<1	2	3	12	17	17
35-49	145	4.3	7	1	2	4	6	8	9	13
50-64	1753	5.4	8	1	2	5	7	9	10	14
65+	3376	6.3	11	2	2	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.5	2	2	2	3	4	5	5	5
35-49	14	3.6	6	1	1	4	5	7	8	8
50-64	110	4.0	10	1	1	3	6	8	10	17
65+	520	6.0	37	1	2	4	7	11	14	38
B. *Operated*										
0-19 YRS	6	10.2	57	3	3	7	18	21	21	21
20-34	15	4.4	10	1	1	4	6	10	11	11
35-49	192	5.6	11	2	2	5	7	10	11	18
50-64	3071	6.7	17	2	2	6	8	11	14	22
65+	8636	8.6	32	3	4	7	10	15	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	2.9	3	<1	<1	2	4	5	7	8
B. *Operated*	5291	5.9	10	2	2	6	7	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	648	5.6	32	1	1	4	7	10	14	31
B. *Operated*	11920	8.1	29	2	3	7	10	14	17	28
1. SINGLE DX	5364	5.9	10	2	2	6	7	10	11	16
2. MULTIPLE DX	12568	7.9	29	2	3	7	10	14	17	29
A. NOT OPERATED	721	5.3	30	1	1	4	7	10	13	29
B. OPERATED	17211	7.4	24	2	3	6	9	13	16	26
TOTAL 0-19 YRS	14	7.3	37	2	2	5	8	18	20	21
20-34	30	3.9	13	<1	1	3	4	9	11	17
35-49	352	5.0	10	1	2	4	7	9	11	16
50-64	4956	6.2	14	2	2	6	8	10	13	19
65+	12580	7.8	28	2	3	7	9	14	17	28
GRAND TOTAL	**17932**	**7.3**	**24**	**2**	**3**	**6**	**9**	**13**	**16**	**26**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	1	<1	1	3	3	4	4	4
20-34	104	3.8	4	1	2	3	5	7	8	10
35-49	115	4.0	3	2	2	4	5	7	7	9
50-64	98	4.3	3	2	2	4	5	7	8	9
65+	55	4.9	6	2	2	5	7	8	9	11
B. *Operated*										
0-19 YRS	17	3.4	30	<1	1	2	3	5	19	24
20-34	122	2.6	3	1	1	2	3	5	6	8
35-49	158	2.8	6	<1	<1	2	3	6	8	13
50-64	141	3.1	6	1	1	2	4	6	7	12
65+	65	3.9	9	1	1	3	5	7	9	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.7	8	1	1	3	4	7	8	8
20-34	155	4.4	7	1	2	4	6	9	9	12
35-49	215	4.8	11	1	2	4	6	8	9	16
50-64	297	5.1	7	2	2	5	6	8	11	14
65+	264	5.9	15	2	3	5	7	10	12	20
B. *Operated*										
0-19 YRS	30	2.6	6	1	1	2	3	7	9	10
20-34	196	3.5	7	1	1	2	5	7	9	12
35-49	223	3.9	12	1	1	3	5	8	10	18
50-64	430	5.3	18	1	2	4	7	11	13	21
65+	357	7.0	29	2	2	6	9	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	387	4.1	4	1	2	4	5	7	8	10
B. *Operated*	503	3.0	6	<1	1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	941	5.1	11	2	2	4	6	8	11	17
B. *Operated*	1346	5.1	19	1	1	4	7	10	13	22
1. SINGLE DX	890	3.5	6	1	1	3	5	6	8	11
2. MULTIPLE DX	2287	5.1	16	1	2	4	7	9	12	21
A. NOT OPERATED	1328	4.8	9	2	2	4	6	8	10	14
B. OPERATED	1849	4.5	17	1	1	3	6	9	12	21
TOTAL 0-19 YRS	72	2.9	10	1	1	2	3	5	8	21
20-34	577	3.6	6	1	1	3	5	7	9	11
35-49	821	4.0	9	1	1	3	5	7	9	15
50-64	966	4.8	12	1	2	4	6	9	11	19
65+	741	6.2	21	2	2	5	8	12	14	24
GRAND TOTAL	**3177**	**4.6**	**13**	**1**	**1**	**4**	**6**	**9**	**11**	**20**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	1.1		<1	<1	<1	1	2	2	2
20-34	2	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. Operated										
0-19 YRS	335	2.4	10	<1	1	2	2	4	5	11
20-34	111	2.7	2	1	1	2	3	4	5	9
35-49	117	3.2	2	1	1	3	4	5	6	8
50-64	206	3.2	2	1	2	3	4	5	6	8
65+	134	3.4	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	25	1.4	1	<1	<1	1	1	2	4	5
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	6	4.8	8	1	1	5	7	8	8	8
65+	5	6.0	8	4	4	4	8	10	10	10
B. Operated										
0-19 YRS	304	2.3	1	1	1	2	3	4	4	6
20-34	85	3.6	3	2	2	3	4	6	7	11
35-49	88	4.4	15	2	2	3	5	8	9	25
50-64	183	4.3	6	2	2	4	5	8	9	13
65+	219	5.7	20	2	2	4	7	10	13	28
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	15	1.5	1	<1	<1	1	2	2	4	5
B. Operated	903	2.8	5	1	1	2	3	5	5	9
2. MULTIPLE DX										
A. Not Operated	41	2.6	6	<1	<1	1	4	6	8	10
B. Operated	879	3.9	10	1	1	3	5	7	9	17
1. SINGLE DX	918	2.8	5	1	1	2	3	5	5	9
2. MULTIPLE DX	920	3.8	10	1	1	3	5	7	9	17
A. NOT OPERATED	56	2.3	5	<1	<1	1	3	5	8	10
B. OPERATED	1782	3.4	8	1	1	3	4	6	8	13
TOTAL 0-19 YRS	676	2.3	6	<1	1	2	3	4	4	8
20-34	201	3.1	3	1	2	3	4	5	6	10
35-49	207	3.7	8	1	2	3	4	6	7	17
50-64	395	3.7	4	2	2	3	4	6	8	12
65+	359	4.8	15	2	2	4	5	9	11	20
GRAND TOTAL	**1838**	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	112	3.9	5	1	2	3	5	7	8	11
20-34	223	3.9	5	1	1	3	5	7	8	12
35-49	111	4.7	4	2	2	4	6	7	8	10
50-64	83	5.2	4	2	2	5	7	8	9	11
65+	62	5.0	6	1	2	5	6	8	9	12
B. Operated										
0-19 YRS	45	3.4	6	1	1	3	4	6	8	13
20-34	74	4.2	9	1	2	4	5	7	8	19
35-49	69	4.5	11	1	2	4	6	9	13	17
50-64	61	4.8	15	1	2	4	5	9	13	21
65+	42	5.3	10	1	2	5	6	9	12	17
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	46	3.5	5	1	1	3	4	6	7	13
20-34	125	4.9	8	1	2	4	7	8	11	14
35-49	97	5.3	7	2	2	5	7	8	11	14
50-64	139	5.7	14	2	3	5	7	9	11	18
65+	176	6.6	16	3	3	6	8	10	13	25
B. Operated										
0-19 YRS	27	5.4	17	1	1	4	8	11	13	17
20-34	49	4.2	6	1	1	4	6	7	10	10
35-49	75	5.1	8	2	2	5	7	9	11	14
50-64	104	6.8	22	2	3	5	8	12	14	30
65+	151	7.9	27	2	3	7	10	15	21	24
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	591	4.3	5	1	2	4	6	7	8	11
B. Operated	291	4.4	11	1	2	4	5	8	11	18
2. MULTIPLE DX										
A. Not Operated	583	5.6	12	2	2	5	7	9	11	17
B. Operated	406	6.5	21	2	2	5	8	12	15	23
1. SINGLE DX	882	4.4	7	1	2	4	6	7	9	14
2. MULTIPLE DX	989	5.9	16	2	2	5	7	10	13	21
A. NOT OPERATED	1174	5.0	9	1	2	4	6	8	10	14
B. OPERATED	697	5.6	18	1	2	4	7	11	14	21
TOTAL 0-19 YRS	230	3.9	7	1	1	3	5	7	9	13
20-34	471	4.3	7	1	2	4	5	7	9	14
35-49	352	4.9	7	2	2	4	6	8	10	14
50-64	387	5.7	15	2	2	5	7	10	12	20
65+	431	6.7	19	2	3	6	8	12	15	24
GRAND TOTAL	**1871**	**5.2**	**12**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	429	1.5		<1	<1	1	2	2	3	3
20-34	98	1.9	1	<1	1	2	2	3	3	4
35-49	44	2.2	2	<1	1	2	2	3	4	11
50-64	21	2.0	1	<1	<1	2	3	4	4	5
65+	11	1.9		1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	675	1.5		<1	<1	1	2	2	2	3
20-34	235	1.8	1	<1	<1	2	2	3	3	5
35-49	153	1.8	1	<1	<1	2	2	3	3	5
50-64	57	2.0	1	<1	<1	2	2	3	4	6
65+	43	2.2	1	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	1.7	1	<1	<1	1	2	3	4	6
20-34	57	1.9		1	1	2	2	3	3	4
35-49	38	2.4	1	1	1	2	3	4	5	6
50-64	25	2.8	7	<1	1	2	3	7	10	10
65+	21	2.6	3	1	1	2	3	6	7	7
B. *Operated*										
0-19 YRS	276	1.8	1	<1	<1	2	2	3	3	5
20-34	235	2.5	3	<1	1	2	3	4	5	11
35-49	179	2.7	5	<1	1	2	3	5	7	12
50-64	130	2.9	6	1	1	2	3	5	7	14
65+	141	4.5	23	1	2	3	5	8	11	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	603	1.7	1	<1	1	2	2	2	3	4
B. *Operated*	1163	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	251	2.1	2	<1	1	2	2	3	4	8
B. *Operated*	961	2.6	7	<1	1	2	3	5	7	12
1. SINGLE DX	1766	1.7	1	<1	<1	2	2	2	3	4
2. MULTIPLE DX	1212	2.5	6	<1	1	2	3	4	6	11
A. NOT OPERATED	854	1.8	1	<1	1	2	2	3	3	6
B. OPERATED	2124	2.1	4	<1	<1	2	2	3	5	10
TOTAL 0-19 YRS	1490	1.6		<1	<1	2	2	2	3	4
20-34	625	2.1	2	<1	1	2	2	3	4	9
35-49	414	2.3	3	<1	1	2	2	3	5	10
50-64	233	2.6	4	<1	1	2	3	5	6	11
65+	216	3.7	16	1	1	2	4	7	10	24
GRAND TOTAL	**2978**	**2.0**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	2.1	3	<1	1	2	2	4	5	10
20-34	57	2.8	6	<1	<1	2	3	5	6	14
35-49	40	2.6	5	<1	1	2	3	5	7	11
50-64	33	2.6	2	<1	1	2	3	5	6	7
65+	14	2.5	3	<1	1	2	3	5	7	7
B. *Operated*										
0-19 YRS	620	2.1	2	<1	1	2	3	4	5	8
20-34	486	2.6	3	<1	1	2	3	5	6	9
35-49	299	3.1	5	<1	1	2	4	6	7	12
50-64	319	3.7	5	1	2	3	5	7	8	11
65+	140	3.7	5	1	2	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.4	12	1	1	2	4	6	9	22
20-34	58	3.4	10	1	1	2	4	8	9	18
35-49	63	3.6	6	1	1	3	4	8	9	11
50-64	69	3.8	10	1	1	3	5	8	11	16
65+	65	6.1	25	1	2	5	8	12	15	28
B. *Operated*										
0-19 YRS	309	2.9	6	1	1	2	3	6	7	14
20-34	355	3.6	16	1	1	3	4	7	9	28
35-49	335	4.0	13	1	1	3	5	8	10	18
50-64	432	5.4	45	1	2	4	6	9	12	28
65+	288	6.7	57	2	2	4	8	13	18	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	2.5	4	<1	1	2	3	5	6	11
B. *Operated*	1864	2.8	4	<1	1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	313	4.1	14	1	1	3	5	8	11	19
B. *Operated*	1719	4.5	29	1	1	3	5	9	12	28
1. SINGLE DX	2083	2.8	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	2032	4.5	27	1	1	3	5	9	12	27
A. NOT OPERATED	532	3.4	10	1	1	2	4	7	9	16
B. OPERATED	3583	3.6	17	1	1	3	4	7	9	18
TOTAL 0-19 YRS	1062	2.4	4	<1	1	2	3	4	6	11
20-34	956	3.0	9	<1	1	2	3	5	7	16
35-49	737	3.5	9	<1	1	3	4	7	9	15
50-64	853	4.5	26	1	2	4	5	8	10	20
65+	507	5.6	39	1	2	4	6	11	15	35
GRAND TOTAL	**4115**	**3.6**	**16**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	10	1.9	2	<1	<1	1	3	4	5	5
35-49	24	1.7	1	<1	<1	1	2	3	4	4
50-64	10	2.8	2	<1	1	2	4	5	5	5
65+	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	107	1.7	1	<1	<1	2	2	3	3	4
20-34	936	2.3	2	<1	<1	2	3	4	5	7
35-49	2269	2.3	2	<1	1	2	3	4	5	7
50-64	1086	2.4	2	1	1	2	3	4	5	8
65+	455	2.7	3	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	22	3.0	5	<1	1	2	4	6	8	9
35-49	40	3.7	6	<1	1	3	5	7	9	11
50-64	29	4.1	19	1	1	3	5	7	13	23
65+	15	6.6	99	1	1	4	7	11	33	41
B. *Operated*										
0-19 YRS	27	2.8	6	1	1	2	2	6	9	12
20-34	473	3.0	6	1	1	2	4	5	6	11
35-49	1459	3.4	7	1	2	3	4	6	8	14
50-64	899	3.5	8	1	2	2	4	7	9	15
65+	539	3.9	10	2	2	3	4	7	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	2.0	1	<1	<1	2	3	4	5	5
B. *Operated*	4853	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	107	4.0	23	1	1	3	5	7	10	11
B. *Operated*	3397	3.4	8	1	2	3	4	6	8	15
1. SINGLE DX	4902	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	3504	3.4	8	1	2	3	4	6	8	15
A. NOT OPERATED	156	3.4	17	<1	1	2	4	6	9	22
B. OPERATED	8250	2.8	4	1	1	2	3	5	6	11
TOTAL 0-19 YRS	137	1.9	2	<1	<1	2	2	3	3	9
20-34	1441	2.5	2	<1	1	2	3	4	6	9
35-49	3792	2.7	4	<1	1	2	3	5	6	10
50-64	2024	2.9	5	1	2	2	3	5	7	12
65+	1012	3.4	9	1	2	3	4	6	9	16
GRAND TOTAL	**8406**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.1	5	<1	1	3	4	6	8	10
20-34	55	3.4	19	<1	<1	3	4	5	7	32
35-49	30	2.7	5	<1	<1	2	3	6	8	8
50-64	10	2.4	5	<1	<1	1	4	6	7	7
65+	13	3.9	10	<1	1	3	6	9	11	11
B. *Operated*										
0-19 YRS	403	2.8	2	1	1	2	3	5	6	8
20-34	632	3.2	4	<1	1	3	4	5	7	9
35-49	520	2.9	4	<1	1	2	4	6	7	12
50-64	348	2.9	3	1	1	2	3	5	6	9
65+	191	3.0	7	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.0	8	<1	<1	2	4	6	11	11
20-34	43	3.0	8	<1	<1	2	3	7	10	12
35-49	64	3.8	5	1	1	3	5	7	9	12
50-64	52	3.9	8	<1	1	3	6	7	8	15
65+	51	4.2	11	<1	1	3	6	9	10	17
B. *Operated*										
0-19 YRS	100	3.5	4	1	1	3	4	6	7	12
20-34	378	3.8	5	1	2	3	5	6	7	12
35-49	513	4.0	7	1	2	3	5	7	9	13
50-64	401	4.6	10	1	2	4	6	9	11	16
65+	241	4.7	18	2	2	3	5	10	12	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	3.2	11	<1	<1	2	4	6	8	12
B. *Operated*	2094	3.0	4	<1	1	2	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	233	3.7	8	<1	1	3	5	8	9	13
B. *Operated*	1633	4.2	9	1	2	3	5	7	10	14
1. SINGLE DX	2238	3.0	4	<1	1	2	4	5	6	10
2. MULTIPLE DX	1866	4.1	9	1	2	3	5	8	10	14
A. NOT OPERATED	377	3.5	9	<1	1	3	4	7	9	12
B. OPERATED	3727	3.5	6	1	1	3	4	6	8	13
TOTAL 0-19 YRS	562	2.9	3	1	1	3	4	5	6	11
20-34	1108	3.4	6	<1	1	3	4	6	7	11
35-49	1127	3.5	6	1	1	3	4	7	8	12
50-64	811	3.8	7	1	1	3	5	7	9	14
65+	496	4.0	13	1	2	3	5	8	11	16
GRAND TOTAL	**4104**	**3.5**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	287	2.4	2	1	1	2	3	4	5	6
20-34	523	2.5	2	1	1	2	3	4	5	8
35-49	155	2.7	3	1	1	2	3	5	6	10
50-64	11	2.9	6	<1	<1	2	3	7	9	9
65+	5	2.2	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	379	4.4	4	1	2	4	6	7	8	11
20-34	1347	4.7	6	1	2	5	6	7	9	12
35-49	371	6.1	6	2	3	6	7	9	10	14
50-64	51	6.8	7	3	4	6	8	11	12	13
65+	30	9.0	21	4	6	8	9	12	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	2.9	3	1	1	3	4	5	6	10
20-34	486	3.2	5	1	1	3	4	6	7	12
35-49	160	3.6	4	1	2	3	4	7	8	11
50-64	22	4.1	6	1	1	4	5	8	9	10
65+	15	6.2	31	1	1	3	11	15	16	17
B. *Operated*										
0-19 YRS	353	5.2	8	2	2	5	7	9	10	13
20-34	2645	6.0	11	1	2	6	7	9	11	16
35-49	1385	7.3	13	3	4	7	8	11	13	22
50-64	151	8.3	24	2	4	7	10	12	15	31
65+	83	10.8	29	4	6	9	13	19	22	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	981	2.5	2	1	1	2	3	4	5	8
B. *Operated*	2178	5.0	6	1	2	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	881	3.3	5	1	1	3	4	6	7	12
B. *Operated*	4617	6.5	13	2	3	6	8	10	12	20
1. SINGLE DX	3159	4.2	6	1	1	4	6	7	9	12
2. MULTIPLE DX	5498	6.0	13	1	2	6	7	10	12	18
A. NOT OPERATED	1862	2.9	4	1	1	2	4	5	6	10
B. OPERATED	6795	6.0	11	2	2	6	7	10	11	17
TOTAL 0-19 YRS	1217	3.9	6	1	1	4	5	7	8	12
20-34	5001	5.0	10	1	1	5	6	8	10	15
35-49	2071	6.5	12	2	2	6	8	10	12	18
50-64	235	7.3	20	2	2	7	9	12	13	27
65+	133	9.5	30	2	3	8	12	17	21	28
GRAND TOTAL	**8657**	**5.3**	**11**	**1**	**2**	**5**	**7**	**9**	**11**	**16**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	868	4.2	5	2	2	4	5	7	8	11
20-34	2211	4.3	5	2	2	4	5	7	8	12
35-49	300	5.1	8	2	2	5	7	9	11	13
50-64	20	4.7	4	2	2	4	6	7	8	9
65+	8	6.0	6	4	4	5	7	10	11	11
B. *Operated*										
0-19 YRS	186	5.2	11	1	2	5	6	9	10	19
20-34	1074	5.0	10	1	1	5	7	9	10	15
35-49	291	5.8	12	1	2	6	7	9	11	18
50-64	47	7.3	24	2	2	7	9	13	15	28
65+	12	5.7	13	1	1	5	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	587	4.7	6	2	2	4	6	8	9	12
20-34	1741	5.0	7	2	2	4	6	8	10	15
35-49	405	6.0	11	2	3	5	8	10	12	16
50-64	53	7.4	23	2	3	6	9	13	18	25
65+	30	11.5	143	2	4	8	10	26	38	58
B. *Operated*										
0-19 YRS	392	6.5	19	1	2	6	9	11	13	20
20-34	3686	6.1	12	1	2	6	7	10	12	18
35-49	1277	7.7	22	2	3	7	9	12	16	24
50-64	161	11.0	64	4	5	9	12	19	25	54
65+	51	13.7	185	4	5	10	16	23	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3407	4.4	5	2	2	4	5	7	8	12
B. *Operated*	1610	5.2	11	1	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	2816	5.2	10	2	2	5	7	9	10	15
B. *Operated*	5567	6.7	20	1	2	6	8	11	14	22
1. SINGLE DX	5017	4.6	7	1	2	4	6	8	9	14
2. MULTIPLE DX	8383	6.2	17	2	2	6	7	10	13	21
A. NOT OPERATED	6223	4.7	8	2	2	4	6	8	9	14
B. OPERATED	7177	6.4	18	1	2	6	8	11	13	21
TOTAL 0-19 YRS	2033	4.9	9	2	2	4	6	8	10	15
20-34	8712	5.3	10	1	2	5	7	9	11	16
35-49	2273	6.8	18	2	2	6	8	11	14	23
50-64	281	9.2	50	2	3	8	11	17	22	37
65+	101	11.5	145	3	4	9	12	21	39	92
GRAND TOTAL	**13400**	**5.6**	**14**	**1**	**2**	**5**	**7**	**9**	**12**	**18**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.7	3	1	1	3	3	5	6	6
20-34	60	2.9	3	<1	<1	2	4	6	7	8
35-49	22	2.0	1	<1	1	2	2	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	39	3.8	5	<1	1	3	6	7	8	9
20-34	1073	4.3	7	<1	1	5	6	7	8	12
35-49	525	5.6	5	1	2	6	7	8	8	10
50-64	33	5.2	8	<1	1	5	7	9	11	11
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.8	1	2	2	4	5	5	5	5
20-34	104	3.8	6	1	1	3	5	7	8	13
35-49	48	4.0	8	1	1	3	5	7	8	15
50-64	3	3.7	14	1	1	2	6	8	8	8
65+	2	9.0	72	3	3	9	15	15	15	15
B. *Operated*										
0-19 YRS	65	4.3	11	1	1	4	6	9	11	16
20-34	3464	5.8	7	1	2	6	7	8	10	14
35-49	3446	6.7	6	3	5	6	8	9	11	15
50-64	304	7.5	14	3	5	7	8	10	12	23
65+	42	8.5	17	4	5	8	10	14	18	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	2.6	3	<1	1	2	3	5	7	8
B. *Operated*	1671	4.7	7	<1	1	5	6	8	8	12
2. MULTIPLE DX										
A. *Not Operated*	165	3.9	7	1	1	3	5	7	8	15
B. *Operated*	7321	6.3	7	2	3	6	7	9	10	15
1. SINGLE DX	1762	4.6	7	<1	1	5	6	8	8	11
2. MULTIPLE DX	7486	6.2	8	2	2	6	7	9	10	15
A. NOT OPERATED	256	3.5	6	1	1	3	5	7	8	14
B. OPERATED	8992	6.0	8	1	2	6	7	9	10	15
TOTAL 0-19 YRS	121	4.0	8	1	1	3	5	7	9	15
20-34	4701	5.4	8	1	2	6	7	8	9	14
35-49	4041	6.5	6	2	4	6	8	9	10	15
50-64	340	7.2	14	2	4	7	8	10	11	22
65+	45	8.4	19	3	5	7	10	15	18	23
GRAND TOTAL	**9248**	**5.9**	**8**	**1**	**2**	**6**	**7**	**9**	**10**	**15**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	1	<1	<1	2	3	3	3	3
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	6	2.5	1	1	1	2	3	4	4	4
20-34	100	3.2	4	1	1	2	4	6	7	8
35-49	61	3.1	5	<1	1	2	4	7	8	8
50-64	36	2.4	2	<1	1	2	3	4	5	7
65+	16	3.7	20	2	2	2	3	5	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.4	10	2	2	3	5	10	10	10
20-34	14	3.9	3	2	2	4	5	6	7	7
35-49	5	2.4	2	1	1	3	3	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	8.8	36	3	3	7	13	17	17	17
B. *Operated*										
0-19 YRS	20	2.6	3	<1	1	2	3	5	6	8
20-34	589	4.9	10	1	2	5	6	8	10	14
35-49	504	6.0	14	1	2	6	8	10	12	18
50-64	150	5.2	25	1	2	3	7	9	11	35
65+	61	5.6	18	2	2	4	8	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.8	1	<1	<1	2	2	3	3	3
B. *Operated*	219	3.1	5	1	1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	29	4.4	10	1	2	4	5	8	10	17
B. *Operated*	1324	5.3	14	1	2	5	7	9	11	18
1. SINGLE DX	228	3.0	5	1	1	2	4	6	7	8
2. MULTIPLE DX	1353	5.3	13	1	2	5	7	9	11	18
A. NOT OPERATED	38	3.8	9	<1	1	3	4	7	10	17
B. OPERATED	1543	5.0	13	1	2	5	7	9	11	17
TOTAL 0-19 YRS	36	2.8	4	<1	1	2	3	4	7	10
20-34	705	4.6	9	1	1	4	6	8	10	14
35-49	571	5.6	13	1	2	6	7	9	12	18
50-64	187	4.7	21	1	2	3	7	9	10	29
65+	82	5.3	19	2	2	3	7	10	15	23
GRAND TOTAL	**1581**	**5.0**	**13**	**1**	**2**	**5**	**7**	**9**	**11**	**17**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	3.1	4	<1	<1	3	4	6	8	10
20-34	154	3.2	3	<1	1	3	4	5	6	8
35-49	33	3.2	4	<1	1	2	5	6	7	7
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	6	6.0	12	2	2	6	9	10	10	10
B. *Operated*										
0-19 YRS	82	2.5	2	<1	1	2	3	5	6	7
20-34	533	2.4	3	<1	1	2	3	4	6	8
35-49	247	2.2	3	<1	<1	2	3	4	5	8
50-64	91	3.3	6	<1	1	2	4	7	8	13
65+	22	3.0	6	1	1	2	3	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	4.1	5	1	2	4	5	7	9	12
20-34	197	4.8	7	1	2	4	6	8	10	15
35-49	71	4.9	6	2	2	4	6	8	10	14
50-64	35	5.9	16	1	2	5	7	10	14	21
65+	51	7.0	19	2	3	6	8	14	14	21
B. *Operated*										
0-19 YRS	64	3.6	11	<1	1	2	4	8	11	15
20-34	432	4.0	13	1	1	3	5	7	9	15
35-49	215	4.3	14	1	1	3	6	8	11	23
50-64	89	4.9	15	2	2	4	7	10	11	22
65+	54	8.3	98	1	1	5	10	17	29	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	3.3	4	<1	1	3	4	6	7	10
B. *Operated*	975	2.5	3	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	434	5.0	9	1	2	4	6	9	11	17
B. *Operated*	854	4.4	20	1	1	3	6	8	11	22
1. SINGLE DX	1221	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	1288	4.6	16	1	1	4	6	8	11	19
A. NOT OPERATED	680	4.4	8	1	2	4	6	8	10	14
B. OPERATED	1829	3.4	12	<1	1	2	4	7	8	15
TOTAL 0-19 YRS	277	3.3	6	<1	1	3	4	6	8	13
20-34	1316	3.4	8	1	1	3	4	6	8	13
35-49	566	3.4	9	<1	1	3	4	7	8	13
50-64	217	4.4	12	1	1	3	6	9	11	18
65+	133	6.8	51	1	2	5	8	14	18	42
GRAND TOTAL	**2509**	**3.6**	**11**	**<1**	**1**	**3**	**5**	**7**	**9**	**15**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	5	5.2	10	1	1	6	8	8	8	8
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	13	3.8	4	1	1	3	5	6	7	7
B. *Operated*										
0-19 YRS	7	2.7	4	<1	<1	2	4	6	6	6
20-34	459	5.8	3	3	4	6	7	8	9	12
35-49	601	6.5	5	3	4	6	8	9	11	14
50-64	760	7.0	5	4	4	7	8	10	11	15
65+	610	7.7	7	4	5	7	9	11	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	27	2.1	3	<1	<1	1	3	5	6	7
35-49	36	3.8	10	<1	<1	3	6	8	9	14
50-64	44	3.8	10	<1	1	3	4	6	9	19
65+	101	4.6	14	1	1	4	6	10	12	20
B. *Operated*										
0-19 YRS	6	5.7	5	2	2	6	6	9	9	9
20-34	1890	6.3	5	4	4	6	7	9	10	14
35-49	2975	7.2	7	4	5	7	8	10	12	17
50-64	2058	8.2	10	4	5	8	9	12	14	19
65+	1866	9.1	17	4	5	8	10	14	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.3	6	<1	<1	3	5	7	8	8
B. *Operated*	2437	6.8	6	4	4	7	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	208	4.0	12	<1	1	3	5	8	11	19
B. *Operated*	8795	7.6	10	4	5	7	9	11	13	19
1. SINGLE DX	2463	6.8	6	3	4	7	8	10	11	15
2. MULTIPLE DX	9003	7.6	11	4	5	7	9	11	13	19
A. NOT OPERATED	234	3.9	11	<1	<1	3	5	8	10	19
B. OPERATED	11232	7.5	9	4	5	7	9	11	13	18
TOTAL 0-19 YRS	15	3.9	6	<1	1	5	6	6	8	9
20-34	2379	6.2	5	4	4	6	7	9	10	14
35-49	3617	7.0	7	4	5	7	8	10	12	16
50-64	2865	7.8	9	4	5	7	9	11	13	19
65+	2590	8.5	15	4	5	8	10	13	15	22
GRAND TOTAL	**11466**	**7.4**	**10**	**4**	**4**	**7**	**9**	**11**	**13**	**18**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	10	1.7		1	1	2	2	3	3	3
35-49	5	2.0	3	1	1	1	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.5		<1	<1	1	2	2	2	2
20-34	102	2.0	2	<1	<1	2	2	4	5	8
35-49	105	1.9	2	<1	<1	2	2	3	6	8
50-64	5	2.4	1	<1	<1	2	3	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	11	2.3	2	1	1	2	3	4	6	6
35-49	9	4.3	11	<1	<1	3	5	10	12	12
50-64	3	3.7	21	1	1	1	7	9	9	9
65+										
B. *Operated*										
0-19 YRS	17	3.8	10	1	1	2	5	10	11	11
20-34	191	3.6	6	1	1	2	6	7	8	9
35-49	223	4.3	10	1	1	3	7	8	10	13
50-64	24	3.1	12	<1	1	2	3	6	12	16
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.7	1	1	1	1	2	3	4	5
B. *Operated*	218	2.0	2	<1	<1	2	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	27	3.3	7	<1	1	3	4	6	9	12
B. *Operated*	455	3.9	8	1	1	2	6	8	9	13
1. SINGLE DX	235	1.9	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX	482	3.9	8	1	1	2	6	8	9	13
A. NOT OPERATED	44	2.7	5	1	1	2	3	5	7	12
B. OPERATED	673	3.3	7	<1	1	2	5	7	8	11
TOTAL 0-19 YRS	29	3.1	7	1	1	2	4	7	10	11
20-34	314	3.0	5	<1	1	2	4	6	7	9
35-49	342	3.5	9	<1	1	2	6	8	9	13
50-64	32	3.0	10	<1	1	2	3	7	10	16
65+										
GRAND TOTAL	**717**	**3.2**	**7**	**<1**	**1**	**2**	**5**	**7**	**8**	**11**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	2.2	2	<1	1	2	3	4	5	7
20-34	244	1.9	2	<1	<1	2	2	4	4	8
35-49	61	2.2	5	<1	<1	2	2	3	4	17
50-64	6	1.2		<1	<1	1	1	2	2	2
65+										
B. *Operated*										
0-19 YRS	268	1.9	1	<1	1	2	2	3	4	5
20-34	2679	2.2	3	<1	<1	2	2	5	6	8
35-49	2357	2.2	4	<1	<1	2	2	5	6	9
50-64	251	2.1	3	<1	<1	2	2	5	6	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	2.8	3	1	1	2	3	6	7	8
20-34	304	2.9	6	1	1	2	4	5	6	9
35-49	202	3.0	5	<1	1	2	4	6	7	11
50-64	17	2.6	4	<1	<1	2	3	6	7	7
65+										
B. *Operated*										
0-19 YRS	300	3.0	4	1	1	2	4	6	7	10
20-34	4866	4.3	8	1	1	4	6	8	9	13
35-49	6096	4.8	9	<1	1	5	7	8	9	13
50-64	592	4.2	9	<1	1	3	7	8	9	13
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	2.0	2	<1	<1	2	2	4	4	7
B. *Operated*	5555	2.2	3	<1	<1	2	2	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	630	2.9	5	<1	1	2	4	6	6	9
B. *Operated*	11854	4.5	8	<1	1	5	6	8	9	13
1. SINGLE DX	5984	2.2	3	<1	<1	2	2	5	6	8
2. MULTIPLE DX	12484	4.4	8	<1	1	4	6	8	9	13
A. NOT OPERATED	1059	2.5	4	<1	1	2	3	5	6	8
B. OPERATED	17409	3.8	8	<1	1	2	6	7	8	12
TOTAL 0-19 YRS	793	2.5	3	<1	1	2	3	5	6	8
20-34	8093	3.5	7	<1	1	2	6	7	8	11
35-49	8716	4.0	9	<1	1	3	6	8	9	12
50-64	866	3.5	8	<1	1	2	6	8	9	12
65+										
GRAND TOTAL	**18468**	**3.7**	**8**	**<1**	**1**	**2**	**6**	**7**	**8**	**12**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	17	2.9	4	<1	1	2	3	6	7	8
50-64	11	2.3	1	<1	<1	2	3	4	5	5
65+	13	2.8	3	<1	1	3	4	5	6	6
B. *Operated*										
0-19 YRS										
20-34	9	2.9	10	<1	<1	1	4	8	10	10
35-49	256	1.8	1	<1	<1	2	2	3	4	7
50-64	852	1.9	2	<1	<1	2	2	3	4	8
65+	311	2.2	2	<1	1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	4.0	5	2	2	3	5	7	7	7
35-49	39	3.5	2	1	2	3	4	5	6	7
50-64	56	4.4	17	1	1	3	6	9	12	22
65+	50	4.8	17	1	2	3	6	10	12	24
B. *Operated*										
0-19 YRS										
20-34	20	3.4	5	1	1	3	5	7	7	7
35-49	281	3.6	12	<1	1	2	5	8	10	16
50-64	1240	3.6	15	<1	1	2	5	8	10	16
65+	736	4.1	15	1	1	3	5	9	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.7	3	<1	1	2	3	5	6	8
B. *Operated*	1428	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	150	4.3	13	1	1	3	5	8	10	22
B. *Operated*	2277	3.8	14	1	1	2	5	8	11	17
1. SINGLE DX	1469	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	2427	3.8	14	1	1	2	5	8	10	17
A. NOT OPERATED	191	3.9	11	1	1	3	5	8	9	20
B. OPERATED	3705	3.1	10	<1	1	2	3	7	9	15
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	33	3.3	6	<1	1	2	5	7	7	10
35-49	593	2.8	7	<1	<1	2	3	6	8	14
50-64	2159	2.9	10	<1	1	2	3	7	8	15
65+	1110	3.6	12	1	1	2	4	8	11	17
GRAND TOTAL	**3896**	**3.1**	**10**	**<1**	**1**	**2**	**3**	**7**	**9**	**15**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	2.1	3	<1	<1	1	2	4	7	8
20-34	135	2.0	2	<1	<1	2	2	4	4	7
35-49	40	2.9	5	<1	1	2	4	6	7	12
50-64	9	3.1	20	1	1	2	2	10	15	15
65+	8	3.4	19	<1	<1	2	3	11	14	14
B. *Operated*										
0-19 YRS	133	2.5	2	<1	1	2	3	5	5	7
20-34	1727	3.2	5	<1	1	2	5	6	7	10
35-49	939	3.4	8	<1	1	2	5	7	8	13
50-64	490	3.0	7	<1	<1	2	4	7	8	11
65+	184	3.1	5	1	1	2	3	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	2.6	4	<1	1	2	3	5	8	10
20-34	150	2.6	3	<1	1	2	3	5	6	8
35-49	74	3.6	12	<1	1	2	5	8	11	17
50-64	56	4.2	11	1	1	3	5	9	11	17
65+	90	5.4	15	1	1	5	7	10	12	20
B. *Operated*										
0-19 YRS	147	4.3	12	1	1	4	5	7	11	20
20-34	2247	4.7	8	1	1	5	6	8	9	14
35-49	2420	5.4	13	1	1	6	7	9	10	15
50-64	1330	5.6	23	1	2	6	7	9	12	22
65+	703	7.1	69	1	2	4	9	15	21	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	2.2	4	<1	<1	2	3	4	6	12
B. *Operated*	3473	3.2	6	<1	1	2	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	415	3.6	10	<1	1	3	5	8	9	16
B. *Operated*	6847	5.4	20	1	1	5	7	9	11	21
1. SINGLE DX	3719	3.1	6	<1	1	2	4	6	7	11
2. MULTIPLE DX	7262	5.3	19	1	1	5	7	9	11	20
A. NOT OPERATED	661	3.1	8	<1	1	2	4	7	8	15
B. OPERATED	10320	4.6	16	1	1	4	6	8	10	18
TOTAL 0-19 YRS	379	3.1	7	<1	1	2	4	6	7	13
20-34	4259	3.9	7	1	1	3	6	7	8	12
35-49	3473	4.8	12	<1	1	5	7	8	10	15
50-64	1885	4.9	20	<1	1	4	7	9	11	19
65+	985	6.2	54	1	2	4	8	13	18	39
GRAND TOTAL	**10981**	**4.6**	**16**	**1**	**1**	**4**	**6**	**8**	**10**	**17**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	2.0	2	<1	1	2	2	4	4	7
20-34	301	2.3	2	<1	<1	2	3	4	5	8
35-49	84	2.8	5	<1	1	2	4	6	7	10
50-64	16	2.8	3	<1	1	3	4	5	6	7
65+	6	7.8	80	1	1	5	8	23	25	25
B. *Operated*										
0-19 YRS	154	2.5	2	<1	1	2	3	5	6	7
20-34	1180	3.3	7	<1	<1	2	5	7	8	11
35-49	577	6.3	11	1	2	6	8	10	11	16
50-64	338	7.6	8	2	4	8	9	11	13	16
65+	181	9.0	20	3	4	9	11	14	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	2.6	2	<1	1	2	3	5	6	8
20-34	468	3.1	6	<1	1	3	4	6	7	10
35-49	152	3.3	5	<1	1	3	5	6	8	10
50-64	47	4.2	10	1	2	3	5	8	8	20
65+	36	7.4	90	1	2	5	7	15	23	53
B. *Operated*										
0-19 YRS	180	3.5	7	<1	1	3	5	7	9	12
20-34	3579	4.9	8	<1	1	5	6	8	9	13
35-49	1953	6.7	10	2	3	6	8	10	11	17
50-64	584	8.6	15	2	4	8	10	13	15	22
65+	331	9.7	26	2	4	9	12	16	18	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	574	2.3	4	<1	<1	2	3	4	6	8
B. *Operated*	2430	5.0	13	<1	1	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	846	3.3	10	<1	1	3	4	6	8	13
B. *Operated*	6627	5.9	12	1	2	6	8	10	12	17
1. SINGLE DX	3004	4.5	12	<1	1	3	7	9	10	15
2. MULTIPLE DX	7473	5.6	12	1	1	6	7	10	11	17
A. NOT OPERATED	1420	2.9	7	<1	1	2	4	5	7	11
B. OPERATED	9057	5.7	12	<1	1	6	7	10	11	17
TOTAL 0-19 YRS	644	2.7	4	<1	1	2	3	5	7	10
20-34	5528	4.2	8	<1	1	4	6	8	9	12
35-49	2766	6.3	10	1	2	6	8	10	11	16
50-64	985	7.9	14	2	3	8	10	12	14	20
65+	554	9.3	29	2	3	9	11	15	18	27
GRAND TOTAL	**10477**	**5.3**	**13**	**<1**	**1**	**5**	**7**	**9**	**11**	**17**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	30	2.1	2	<1	<1	2	3	4	4	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	99	4.7	3	2	3	5	6	6	7	10
20-34	1360	5.0	3	3	3	5	6	7	8	10
35-49	141	5.2	4	2	3	5	6	7	8	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	14	3.0	2	<1	1	3	4	5	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	98	5.2	3	3	4	5	6	7	8	13
20-34	1305	5.5	4	3	4	5	6	8	9	13
35-49	217	6.0	7	3	4	5	7	9	11	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.1	1	<1	<1	2	3	4	4	6
B. *Operated*	1600	5.0	3	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	17	2.9	3	<1	1	2	4	5	6	7
B. *Operated*	1620	5.6	5	3	4	5	6	8	9	14
1. SINGLE DX	1634	4.9	3	2	3	5	6	7	8	10
2. MULTIPLE DX	1637	5.5	5	3	4	5	6	8	9	14
A. NOT OPERATED	51	2.3	2	<1	<1	2	3	4	5	7
B. OPERATED	3220	5.3	4	3	3	5	6	7	8	13
TOTAL 0-19 YRS	204	4.8	3	2	3	5	6	7	8	11
20-34	2709	5.2	4	3	3	5	6	7	8	12
35-49	358	5.7	6	3	4	5	7	8	10	16
50-64										
65+										
GRAND TOTAL	**3271**	**5.2**	**4**	**3**	**3**	**5**	**6**	**7**	**8**	**13**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.8	4	<1	<1	1	2	3	7	8
20-34	34	2.3	3	<1	1	2	3	5	5	8
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	273	1.9	2	<1	<1	2	2	3	4	5
20-34	525	1.8	2	<1	<1	1	2	3	4	7
35-49	99	1.4	1	<1	<1	<1	2	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.4	3	<1	<1	2	3	5	6	6
20-34	18	3.4	14	<1	1	2	4	7	13	16
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	301	2.3	3	<1	<1	2	3	4	6	10
20-34	891	2.6	7	<1	<1	2	3	5	7	12
35-49	226	2.6	6	<1	<1	2	3	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.2	3	<1	<1	2	2	4	5	8
B. *Operated*	897	1.8	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	31	2.9	9	<1	1	2	4	6	8	16
B. *Operated*	1418	2.5	6	<1	<1	2	3	5	7	12
1. SINGLE DX	947	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1449	2.5	6	<1	<1	2	3	5	7	12
A. NOT OPERATED	81	2.4	5	<1	1	2	3	5	7	14
B. OPERATED	2315	2.2	5	<1	<1	2	2	4	6	10
TOTAL 0-19 YRS	597	2.1	3	<1	<1	2	2	3	5	10
20-34	1468	2.3	5	<1	<1	2	3	4	6	11
35-49	331	2.2	5	<1	<1	1	2	5	7	10
50-64										
65+										
GRAND TOTAL	**2396**	**2.2**	**5**	**<1**	**<1**	**2**	**2**	**4**	**6**	**10**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
20-34	4	2.5	3	1	1	2	4	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	8	2.1	2	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	4.0		4	4	4	4	4	4	4
1. SINGLE DX	9	2.0	2	<1	<1	2	2	4	5	5
2. MULTIPLE DX	2	4.0		4	4	4	4	4	4	4
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	10	2.5	2	<1	<1	2	4	5	5	5
TOTAL 0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	5	2.8	3	1	1	2	4	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
GRAND TOTAL	**11**	**2.4**	**2**	**<1**	**<1**	**2**	**4**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	305	1.7	1	<1	1	1	2	3	4	5
20-34	752	1.7	2	<1	<1	1	2	3	4	7
35-49	55	1.4	1	<1	<1	1	2	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1579	1.6	1	<1	<1	1	2	3	3	5
20-34	7154	1.5	2	<1	<1	1	2	2	3	5
35-49	851	1.4	1	<1	<1	1	2	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	2.1	2	<1	1	2	3	4	5	6
20-34	191	2.3	3	1	1	2	3	5	6	10
35-49	17	3.2	13	<1	1	2	3	9	13	14
50-64										
65+										
B. *Operated*										
0-19 YRS	268	2.4	4	1	1	2	3	5	6	12
20-34	1332	2.4	6	<1	1	2	3	5	6	11
35-49	262	2.4	5	<1	1	2	3	5	6	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1112	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	9584	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	258	2.3	3	<1	1	2	3	5	6	11
B. *Operated*	1862	2.4	5	<1	1	2	3	5	6	12
1. SINGLE DX	10696	1.5	2	<1	<1	1	2	2	3	5
2. MULTIPLE DX	2120	2.4	5	<1	1	2	3	5	6	11
A. NOT OPERATED	1370	1.8	2	<1	<1	1	2	3	4	7
B. OPERATED	11446	1.6	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	2202	1.7	1	<1	1	1	2	3	4	6
20-34	9429	1.6	3	<1	<1	1	2	3	4	7
35-49	1185	1.7	2	<1	<1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	**12816**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.0	6	<1	1	3	4	5	5	15
20-34	147	2.5	3	<1	1	2	3	5	7	8
35-49	18	2.1	2	<1	1	2	2	4	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	178	1.9	2	<1	<1	2	2	3	4	8
20-34	1448	1.6	1	<1	<1	1	2	3	3	6
35-49	178	1.6	1	<1	<1	1	2	3	3	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.2	3	1	1	3	4	6	7	7
20-34	62	3.1	9	1	1	2	4	6	8	18
35-49	8	5.3	31	1	1	3	8	15	16	16
50-64										
65+										
B. *Operated*										
0-19 YRS	58	3.4	8	1	1	3	4	7	11	13
20-34	399	2.8	7	<1	1	2	3	5	8	12
35-49	71	3.1	6	<1	1	2	4	6	8	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	2.6	4	<1	1	2	3	5	6	9
B. *Operated*	1804	1.7	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	87	3.3	10	1	1	2	4	7	9	18
B. *Operated*	528	2.9	7	<1	1	2	3	6	8	13
1. SINGLE DX	2032	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	615	3.0	7	<1	1	2	3	6	8	13
A. NOT OPERATED	315	2.8	5	<1	1	2	4	5	7	13
B. OPERATED	2332	2.0	3	<1	<1	2	2	3	5	9
TOTAL 0-19 YRS	316	2.5	4	<1	1	2	3	5	6	12
20-34	2056	2.0	3	<1	<1	2	2	3	5	9
35-49	275	2.1	4	<1	<1	2	2	4	6	12
50-64										
65+										
GRAND TOTAL	**2647**	**2.1**	**3**	**<1**	**<1**	**2**	**2**	**4**	**5**	**10**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	185	2.2	3	<1	1	2	3	4	5	8
20-34	1011	2.4	2	<1	1	2	3	4	5	8
35-49	53	2.3	2	<1	1	2	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.8	2	1	1	1	2	4	4	4
20-34	22	2.4	3	1	1	2	3	5	6	7
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.0	4	<1	<1	3	4	5	6	11
20-34	208	3.0	4	1	1	3	4	5	7	11
35-49	21	3.5	8	<1	1	3	4	8	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	4	4.8	12	1	1	4	7	9	9	9
20-34	15	4.5	16	<1	1	2	8	10	12	12
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1249	2.3	3	<1	1	2	3	4	5	8
B. *Operated*	27	2.3	2	1	1	2	3	4	6	7
2. MULTIPLE DX										
A. *Not Operated*	277	3.1	4	1	1	3	4	5	7	11
B. *Operated*	20	4.4	15	<1	1	3	8	10	11	12
1. SINGLE DX	1276	2.3	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	297	3.1	5	1	1	3	4	6	8	11
A. NOT OPERATED	1526	2.5	3	<1	1	2	3	4	6	9
B. OPERATED	47	3.2	8	1	1	2	4	8	10	12
TOTAL 0-19 YRS	242	2.4	4	<1	1	2	3	4	6	9
20-34	1256	2.5	3	<1	1	2	3	4	6	9
35-49	75	2.6	4	<1	1	2	3	5	6	11
50-64										
65+										
GRAND TOTAL	**1573**	**2.5**	**3**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.9	1	<1	<1	2	3	3	3	3
20-34	54	2.2	2	<1	<1	2	3	4	6	8
35-49	3	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	4	2	2	3	4	7	7	7
20-34	18	2.7	2	<1	1	3	4	4	5	5
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.2	2	<1	<1	2	3	4	5	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	27	2.8	2	1	1	3	4	4	5	7
B. *Operated*	3	2.3	5	<1	<1	1	4	5	5	5
1. SINGLE DX	72	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX	30	2.7	2	<1	1	3	4	5	5	7
A. NOT OPERATED	99	2.3	2	<1	<1	2	3	4	5	8
B. OPERATED	3	2.3	5	<1	<1	1	4	5	5	5
TOTAL 0-19 YRS	22	2.3	2	<1	<1	2	3	4	5	7
20-34	73	2.4	2	<1	<1	2	3	4	5	8
35-49	7	2.3	1	1	1	3	3	3	3	3
50-64										
65+										
GRAND TOTAL	**102**	**2.3**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	315	3.5	8	1	1	3	4	7	8	13
20-34	1232	3.6	9	1	1	3	4	6	8	16
35-49	113	4.1	11	1	2	3	5	7	10	19
50-64										
65+										
B. *Operated*										
0-19 YRS	22	3.7	8	<1	<1	3	5	7	10	13
20-34	69	4.0	10	1	1	3	5	9	11	15
35-49	11	5.3	18	<1	<1	5	8	12	13	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	3.4	10	<1	1	3	4	6	7	21
20-34	365	4.2	9	1	1	3	5	8	10	15
35-49	51	4.3	8	1	2	4	5	9	10	14
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.6	6	<1	1	3	6	7	8	8
20-34	62	4.7	12	<1	1	4	7	9	10	18
35-49	7	5.3	23	1	1	3	8	13	14	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1660	3.6	9	1	1	3	4	6	8	16
B. *Operated*	102	4.1	10	<1	1	3	5	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	506	4.0	9	1	1	3	5	8	10	15
B. *Operated*	82	4.5	12	<1	1	3	7	9	11	17
1. SINGLE DX	1762	3.6	9	1	1	3	4	6	9	16
2. MULTIPLE DX	588	4.1	9	1	1	3	5	8	10	15
A. NOT OPERATED	2166	3.7	9	1	1	3	4	7	9	15
B. OPERATED	184	4.3	11	<1	1	3	6	9	11	15
TOTAL 0-19 YRS	440	3.5	8	<1	1	3	4	7	8	15
20-34	1728	3.8	9	1	1	3	4	7	9	16
35-49	182	4.3	11	1	2	3	5	8	11	15
50-64										
65+										
GRAND TOTAL	**2350**	**3.8**	**9**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	288	3.1	5	1	1	3	4	5	7	13
20-34	1407	3.8	7	1	2	3	4	6	9	15
35-49	39	3.7	5	1	1	3	5	7	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	9	5.4	44	1	1	3	6	17	22	22
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	3.6	6	1	2	3	4	7	8	14
20-34	529	4.1	9	1	2	3	5	7	9	16
35-49	16	6.1	47	1	1	4	6	10	24	30
50-64										
65+										
B. *Operated*										
0-19 YRS	7	4.0	7	<1	<1	3	6	8	8	8
20-34	25	7.0	21	2	3	6	10	12	17	20
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1734	3.7	6	1	2	3	4	6	8	14
B. *Operated*	10	5.0	41	1	1	3	5	15	22	22
2. MULTIPLE DX										
A. *Not Operated*	686	4.0	9	1	2	3	5	7	9	15
B. *Operated*	33	6.5	20	2	2	5	9	12	15	20
1. SINGLE DX	1744	3.7	6	1	2	3	4	6	8	14
2. MULTIPLE DX	719	4.1	10	1	2	3	5	7	10	16
A. NOT OPERATED	2420	3.8	7	1	2	3	4	7	9	15
B. OPERATED	43	6.2	24	1	2	5	8	12	17	22
TOTAL 0-19 YRS	436	3.3	5	1	1	3	4	6	7	13
20-34	1970	3.9	8	1	2	3	4	7	9	16
35-49	57	4.5	18	1	1	3	5	9	10	29
50-64										
65+										
GRAND TOTAL	**2463**	**3.8**	**8**	**1**	**2**	**3**	**4**	**7**	**9**	**15**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	1033	1.2	1	<1	<1	1	1	2	3	4
20-34	3449	1.3	1	<1	<1	1	1	2	3	5
35-49	178	1.3	2	<1	<1	1	1	2	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS.	88	1.4	1	<1	<1	1	1	2	3	7
20-34	327	1.4	1	<1	<1	1	1	2	4	7
35-49	18	2.1	2	<1	<1	1	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	196	1.6	2	<1	<1	1	2	3	4	8
20-34	540	1.7	3	<1	<1	1	2	3	4	7
35-49	24	1.8	2	<1	<1	1	2	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS.	16	2.3	2	<1	1	2	3	5	5	5
20-34	57	2.6	16	<1	<1	1	2	5	8	24
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4660	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	433	1.4	1	<1	<1	1	1	2	4	7
2. MULTIPLE DX										
A. *Not Operated*	760	1.7	3	<1	<1	1	2	3	4	7
B. *Operated*	75	2.5	12	<1	<1	1	2	5	7	23
1. SINGLE DX	5093	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	835	1.7	4	<1	<1	1	2	3	4	8
A. NOT OPERATED	5420	1.3	1	<1	<1	1	1	2	3	5
B. OPERATED	508	1.6	3	<1	<1	1	1	3	4	8
TOTAL 0-19 YRS.	1333	1.3	1	<1	<1	1	1	2	3	5
20-34	4373	1.3	2	<1	<1	1	1	2	3	6
35-49	222	1.4	2	<1	<1	1	1	2	4	5
50-64										
65+										
GRAND TOTAL	**5928**	**1.3**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	38	2.6	2	1	1	2	4	4	6	7
20-34	369	3.7	19	1	1	3	4	6	12	25
35-49	40	3.6	12	1	1	2	4	8	11	17
50-64										
65+										
B. *Operated*										
0-19 YRS.	7	2.1	2	1	1	2	3	4	4	4
20-34	24	8.2	126	1	1	4	9	18	37	56
35-49	4	8.3	50	3	3	6	13	18	18	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	13	2.6	3	<1	1	2	4	6	7	7
20-34	118	3.9	15	<1	1	3	5	8	10	21
35-49	12	5.5	35	1	1	2	6	14	21	22
50-64										
65+										
B. *Operated*										
0-19 YRS.	3	2.7	2	1	1	3	4	4	4	4
20-34	17	4.5	11	1	1	4	5	10	12	13
35-49	6	6.0	22	3	3	4	7	14	15	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	447	3.6	17	1	1	2	4	6	11	24
B. *Operated*	35	7.0	103	1	1	3	8	17	27	54
2. MULTIPLE DX										
A. *Not Operated*	143	4.0	16	<1	1	3	5	8	11	23
B. *Operated*	26	4.7	12	1	1	4	5	11	13	15
1. SINGLE DX	482	3.8	24	1	1	3	4	7	12	26
2. MULTIPLE DX	169	4.1	15	1	1	3	5	8	11	21
A. NOT OPERATED	590	3.7	17	1	1	3	4	6	11	23
B. OPERATED	61	6.0	65	1	1	4	6	12	17	51
TOTAL 0-19 YRS.	61	2.6	2	1	1	2	4	5	6	7
20-34	528	4.0	24	1	1	3	4	7	12	27
35-49	62	4.5	20	1	1	3	5	11	16	22
50-64										
65+										
GRAND TOTAL	**651**	**3.9**	**22**	**1**	**1**	**3**	**4**	**7**	**12**	**26**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	2.0	1	<1	1	2	2	4	5	6
20-34	482	2.3	4	<1	1	2	3	4	6	11
35-49	23	2.7	13	1	1	2	3	4	10	18
50-64										
65+										
B. *Operated*										
0-19 YRS	9	2.8	4	1	1	2	4	6	7	7
20-34	39	2.1	2	<1	<1	2	3	4	5	5
35-49	3	6.0	61	1	1	2	12	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	1.7	1	<1	<1	1	2	3	4	4
20-34	169	3.0	11	<1	<1	2	4	5	7	19
35-49	4	3.0	3	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	6	5.3	34	2	2	3	5	16	17	17
20-34	14	3.8	3	1	2	4	5	6	8	8
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	609	2.2	4	<1	1	2	3	4	5	11
B. *Operated*	51	2.5	5	<1	<1	2	3	4	5	15
2. MULTIPLE DX										
A. *Not Operated*	213	2.8	9	<1	<1	2	3	5	6	17
B. *Operated*	21	4.1	12	1	1	3	5	7	12	17
1. SINGLE DX	660	2.3	4	<1	1	2	3	4	5	11
2. MULTIPLE DX	234	2.9	9	<1	<1	2	4	5	7	17
A. NOT OPERATED	822	2.4	5	<1	<1	2	3	4	6	12
B. OPERATED	72	2.9	7	<1	1	2	4	5	7	17
TOTAL 0-19 YRS	159	2.1	3	<1	<1	2	3	4	5	7
20-34	704	2.5	6	<1	1	2	3	4	6	12
35-49	31	3.0	15	1	1	2	3	5	15	18
50-64										
65+										
GRAND TOTAL	**894**	**2.4**	**6**	**<1**	**<1**	**2**	**3**	**4**	**6**	**14**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	337	3.2	3	<1	1	3	4	5	7	10
20-34	690	3.0	3	1	1	3	4	5	6	8
35-49	15	3.1	4	<1	1	3	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.2	12	<1	<1	2	4	8	12	13
20-34	30	2.8	3	<1	1	3	4	5	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	409	3.5	3	<1	1	3	4	6	7	9
20-34	797	3.4	4	<1	1	3	4	6	7	11
35-49	28	4.8	9	2	2	4	6	9	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	17	3.4	5	<1	<1	3	5	7	8	8
20-34	45	4.4	10	1	1	4	6	8	11	15
35-49	2	8.5	13	6	6	8	11	11	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1042	3.1	3	1	1	3	4	5	6	8
B. *Operated*	42	2.9	5	<1	1	2	4	6	6	13
2. MULTIPLE DX										
A. *Not Operated*	1234	3.5	4	<1	1	3	4	6	7	11
B. *Operated*	64	4.3	9	<1	1	4	6	8	10	15
1. SINGLE DX	1084	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX	1298	3.5	4	<1	1	3	4	6	7	11
A. NOT OPERATED	2276	3.3	3	<1	1	3	4	6	7	10
B. OPERATED	106	3.7	8	<1	1	3	5	7	10	14
TOTAL 0-19 YRS	775	3.3	3	<1	1	3	4	5	7	10
20-34	1562	3.3	4	<1	1	3	4	6	7	10
35-49	45	4.4	8	1	1	4	6	9	11	12
50-64										
65+										
GRAND TOTAL	**2382**	**3.3**	**4**	**<1**	**1**	**3**	**4**	**6**	**7**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	3.8	10	1	1	3	5	8	10	17
20-34	588	4.2	15	1	1	3	5	8	11	18
35-49	70	4.6	11	2	2	4	6	9	10	18
50-64										
65+										
B. *Operated*										
0-19 YRS	4	5.3	21	2	2	3	8	12	12	12
20-34	21	4.9	42	1	1	3	5	7	19	32
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257	3.8	15	<1	1	3	5	7	10	18
20-34	1211	4.2	15	1	1	3	5	9	11	18
35-49	115	5.3	21	1	2	4	6	10	17	23
50-64										
65+										
B. *Operated*										
0-19 YRS	26	5.1	18	1	1	4	6	10	13	22
20-34	111	6.2	42	1	1	4	7	14	20	33
35-49	11	4.7	32	<1	<1	2	7	13	19	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	764	4.2	14	1	1	3	5	8	11	18
B. *Operated*	25	5.0	38	1	2	3	5	9	17	32
2. MULTIPLE DX										
A. *Not Operated*	1583	4.2	15	1	1	3	5	8	11	19
B. *Operated*	148	5.9	37	<1	1	4	7	13	20	30
1. SINGLE DX	789	4.2	14	1	1	3	5	8	11	18
2. MULTIPLE DX	1731	4.4	17	<1	1	3	5	9	12	21
A. NOT OPERATED	2347	4.2	15	1	1	3	5	8	11	18
B. OPERATED	173	5.8	37	<1	1	4	7	12	20	32
TOTAL 0-19 YRS	393	3.9	14	<1	1	3	5	7	11	18
20-34	1931	4.4	17	1	1	3	5	9	12	20
35-49	196	5.0	18	1	2	4	6	10	16	22
50-64										
65+										
GRAND TOTAL	**2520**	**4.3**	**16**	**1**	**1**	**3**	**5**	**8**	**12**	**20**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	671	2.4	9	<1	<1	2	3	5	7	14
20-34	2311	2.8	13	<1	<1	2	3	5	7	18
35-49	129	3.3	31	<1	<1	2	3	7	8	31
50-64										
65+										
B. *Operated*										
0-19 YRS	149	3.1	15	<1	<1	2	4	6	9	18
20-34	921	3.1	10	<1	<1	3	4	5	7	15
35-49	57	4.2	60	<1	<1	3	4	6	8	55
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	356	3.3	16	<1	<1	2	4	7	9	18
20-34	1288	3.5	20	<1	<1	2	4	7	9	24
35-49	76	2.9	6	<1	<1	2	3	6	7	14
50-64										
65+										
B. *Operated*										
0-19 YRS	74	3.6	7	<1	1	3	5	7	8	14
20-34	381	4.2	17	<1	1	3	5	8	11	22
35-49	34	4.0	10	<1	1	3	6	7	10	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3111	2.7	13	<1	<1	2	3	5	7	18
B. *Operated*	1127	3.2	13	<1	<1	3	4	5	7	18
2. MULTIPLE DX										
A. *Not Operated*	1720	3.5	19	<1	<1	2	4	7	9	22
B. *Operated*	489	4.1	15	<1	1	3	5	8	11	21
1. SINGLE DX	4238	2.8	13	<1	<1	2	3	5	7	18
2. MULTIPLE DX	2209	3.6	18	<1	<1	3	4	7	10	22
A. NOT OPERATED	4831	3.0	15	<1	<1	2	3	6	8	20
B. OPERATED	1616	3.5	14	<1	<1	3	4	6	9	19
TOTAL 0-19 YRS	1250	2.8	12	<1	<1	2	3	6	8	18
20-34	4901	3.1	15	<1	<1	2	4	6	8	20
35-49	296	3.4	28	<1	<1	2	4	6	8	24
50-64										
65+										
GRAND TOTAL	**6447**	**3.1**	**15**	**<1**	**<1**	**2**	**4**	**6**	**8**	**20**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	2.5	1	1	1	2	3	3	4	7
20-34	406	2.8	2	1	2	3	3	4	5	8
35-49	23	2.7	1	1	1	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	66	3.2	2	1	2	3	4	5	6	7
20-34	257	3.9	5	2	2	3	5	6	7	13
35-49	12	5.9	25	1	2	4	6	16	17	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	182	3.0	1	2	2	3	3	4	5	7
20-34	508	3.4	13	2	2	3	3	5	6	19
35-49	25	3.3	2	1	2	3	4	6	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	155	5.2	23	2	2	4	6	9	14	27
20-34	1204	5.4	29	2	2	4	6	9	13	28
35-49	140	6.2	32	2	2	4	7	12	18	36
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	567	2.8	2	1	2	3	3	4	4	7
B. *Operated*	335	3.9	5	2	2	3	5	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	715	3.3	10	2	2	3	3	5	6	13
B. *Operated*	1499	5.5	29	2	2	4	6	9	14	28
1. SINGLE DX	902	3.2	3	1	2	3	4	5	6	9
2. MULTIPLE DX	2214	4.8	24	2	2	3	5	8	11	26
A. NOT OPERATED	1282	3.0	6	1	2	3	3	4	5	11
B. OPERATED	1834	5.2	25	2	2	4	6	8	13	25
TOTAL 0-19 YRS	541	3.5	9	1	2	3	4	6	7	17
20-34	2375	4.4	20	2	2	3	5	7	10	23
35-49	200	5.4	26	2	2	4	6	10	15	30
50-64										
65+										
GRAND TOTAL	**3116**	**4.3**	**18**	**2**	**2**	**3**	**5**	**7**	**9**	**22**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9514	2.6	1	1	2	3	3	4	4	5
20-34	36614	2.7	1	1	2	3	3	4	4	5
35-49	1551	2.7	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1520	2.5	2	1	1	2	3	3	4	5
20-34	6410	2.6	1	1	2	3	3	4	4	6
35-49	308	2.8	1	1	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	403	3.0	2	1	2	3	3	5	5	9
20-34	1460	2.9	2	1	2	3	3	4	5	7
35-49	80	3.1	1	1	2	3	4	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	259	3.1	1	2	2	3	4	4	5	7
20-34	7295	3.2	2	2	2	3	4	4	5	6
35-49	775	3.3	2	2	2	3	4	5	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47679	2.6	1	1	2	3	3	4	4	5
B. *Operated*	8238	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	1943	3.0	2	1	2	3	3	4	5	8
B. *Operated*	8329	3.2	2	2	2	3	4	4	5	6
1. SINGLE DX	55917	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX	10272	3.2	2	2	2	3	4	4	5	7
A. NOT OPERATED	49622	2.6	1	1	2	3	3	4	4	5
B. OPERATED	16567	2.9	2	1	2	3	3	4	5	6
TOTAL 0-19 YRS	11696	2.6	1	1	2	3	3	4	4	5
20-34	51779	2.7	1	1	2	3	3	4	4	6
35-49	2714	2.9	2	1	2	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	**66189**	**2.7**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	22	2.9	2	1	1	3	3	4	6	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	22	4.8	6	2	3	4	5	8	11	11
20-34	131	7.8	91	3	3	5	6	13	31	52
35-49	18	8.0	36	3	4	6	7	15	23	28
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	4	3	3	5	7	8	8	8
20-34	27	4.7	18	1	1	3	5	11	14	17
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	39	8.1	66	2	3	6	8	18	28	41
20-34	362	8.5	90	3	3	5	8	17	30	55
35-49	64	7.2	21	4	4	6	8	11	20	89
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.8	2	1	1	3	3	4	5	7
B. *Operated*	171	7.4	75	3	3	5	6	12	28	51
2. MULTIPLE DX										
A. *Not Operated*	34	4.6	15	1	1	3	5	10	13	17
B. *Operated*	465	8.3	78	3	3	5	8	16	28	54
1. SINGLE DX	197	6.8	68	2	3	5	6	11	20	50
2. MULTIPLE DX	499	8.1	75	3	3	5	8	16	27	54
A. NOT OPERATED	60	3.8	10	1	1	3	4	8	11	17
B. OPERATED	636	8.1	78	3	3	5	7	15	28	53
TOTAL 0-19 YRS	68	6.6	43	2	3	5	7	11	20	39
20-34	542	7.9	85	2	3	5	7	15	29	53
35-49	86	7.1	24	3	4	6	8	13	19	73
50-64										
65+										
GRAND TOTAL	**696**	**7.7**	**73**	**2**	**3**	**5**	**7**	**14**	**26**	**53**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.3	1	1	1	2	3	3	3	4
20-34	155	2.9	10	1	1	3	3	4	6	13
35-49	13	2.3	2	<1	<1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	38	4.2	3	1	2	5	5	6	7	7
20-34	167	4.7	18	2	2	4	5	6	7	19
35-49	11	4.3	2	2	2	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.8	2	1	2	2	3	4	6	8
20-34	132	3.1	3	1	1	3	3	5	6	11
35-49	9	3.9	8	1	1	4	5	8	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	105	4.7	10	1	2	4	6	8	11	16
20-34	525	4.9	12	2	2	5	6	7	9	20
35-49	43	4.8	6	2	2	4	6	9	10	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	219	2.8	8	1	1	2	3	4	5	11
B. *Operated*	216	4.6	14	2	2	4	5	6	7	18
2. MULTIPLE DX										
A. *Not Operated*	166	3.1	3	1	1	3	4	5	6	11
B. *Operated*	673	4.8	11	2	2	4	6	7	10	18
1. SINGLE DX	435	3.7	12	1	1	3	5	6	6	14
2. MULTIPLE DX	839	4.5	10	1	2	4	5	7	9	17
A. NOT OPERATED	385	2.9	6	1	1	3	3	5	6	11
B. OPERATED	889	4.8	12	2	2	4	6	7	9	18
TOTAL 0-19 YRS	219	3.8	6	1	2	3	5	6	8	15
20-34	979	4.3	12	1	2	4	5	7	8	18
35-49	76	4.2	6	1	2	4	5	7	9	12
50-64										
65+										
GRAND TOTAL	**1274**	**4.2**	**11**	**1**	**2**	**4**	**5**	**7**	**8**	**16**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.6	1	1	1	3	3	4	4	4
20-34	21	2.6	2	1	1	2	3	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	63	2.4	1	1	1	2	3	3	4	8
20-34	358	2.9	15	1	2	3	3	4	5	7
35-49	21	2.8	1	<1	1	3	4	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	2.6	1	<1	1	2	4	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	35	3.0	2	1	2	3	4	5	5	9
20-34	226	3.1	3	1	2	3	4	5	6	8
35-49	23	3.1	3	1	1	3	4	5	7	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.7	1	1	1	2	3	5	5	5
B. *Operated*	442	2.9	12	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	12	2.4	1	<1	1	2	3	4	4	4
B. *Operated*	284	3.1	3	1	1	3	4	5	6	9
1. SINGLE DX	471	2.9	11	1	1	3	3	4	5	7
2. MULTIPLE DX	296	3.1	2	1	1	3	4	5	6	9
A. NOT OPERATED	41	2.6	1	1	1	2	3	4	5	5
B. OPERATED	726	3.0	8	1	1	3	3	4	5	8
TOTAL 0-19 YRS	106	2.6	2	1	1	2	3	4	5	8
20-34	615	3.0	9	1	2	3	3	4	5	7
35-49	46	2.9	2	1	1	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	**767**	**2.9**	**8**	**1**	**1**	**3**	**3**	**4**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.8	1	2	2	3	3	4	4	5
20-34	148	2.7	1	1	1	3	3	4	4	6
35-49	8	2.5		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	26	3.5	2	1	2	3	4	6	7	8
20-34	78	3.0	1	1	2	3	4	4	5	7
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.4	2	2	2	3	4	5	6	7
20-34	83	2.9	1	1	2	3	3	4	4	7
35-49	2	8.0	72	2	2	8	14	14	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	23	3.5	1	2	2	3	4	5	6	6
20-34	134	3.8	6	2	2	3	4	6	7	18
35-49	7	2.9		2	2	3	3	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	2.7	1	1	2	3	3	4	4	6
B. *Operated*	106	3.1	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	113	3.1	2	1	2	3	4	4	6	10
B. *Operated*	164	3.7	5	2	2	3	4	5	7	17
1. SINGLE DX	313	2.9	1	1	2	3	3	4	5	7
2. MULTIPLE DX	277	3.5	4	2	2	3	4	5	6	13
A. NOT OPERATED	320	2.9	1	1	2	3	3	4	4	7
B. OPERATED	270	3.5	4	2	2	3	4	5	6	10
TOTAL 0-19 YRS	128	3.2	1	2	2	3	4	4	6	7
20-34	443	3.1	3	1	2	3	4	4	5	8
35-49	19	3.3	7	2	2	3	3	4	10	14
50-64										
65+										
GRAND TOTAL	**590**	**3.1**	**3**	**1**	**2**	**3**	**4**	**4**	**6**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.0	2	1	2	3	3	4	6	7
20-34	82	2.9	1	1	2	3	3	4	5	7
35-49	6	4.0	9	2	2	3	3	9	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	10	3.2	3	1	1	3	4	6	6	6
20-34	71	4.4	9	2	2	4	5	7	8	21
35-49	5	4.6	3	3	3	4	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.0	44	1	2	3	4	9	20	33
20-34	84	4.1	38	1	1	3	4	6	12	42
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	64	5.2	7	2	2	5	6	8	11	14
20-34	631	5.5	28	2	2	5	6	8	12	31
35-49	54	5.9	15	2	3	5	7	10	12	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	3.0	2	2	2	3	3	4	5	9
B. *Operated*	86	4.3	8	2	2	4	5	7	8	19
2. MULTIPLE DX										
A. *Not Operated*	109	4.3	38	1	1	3	4	7	13	41
B. *Operated*	749	5.5	25	2	2	5	6	8	12	26
1. SINGLE DX	194	3.6	5	2	2	3	4	6	7	10
2. MULTIPLE DX	858	5.4	27	2	2	4	6	8	12	30
A. NOT OPERATED	217	3.7	20	1	2	3	4	5	8	26
B. OPERATED	835	5.4	23	2	2	5	6	8	11	25
TOTAL 0-19 YRS	117	4.6	13	1	2	4	6	8	10	20
20-34	868	5.0	25	2	2	4	6	8	10	24
35-49	67	5.6	13	2	3	5	7	10	11	24
50-64										
65+										
GRAND TOTAL	**1052**	**5.0**	**23**	**2**	**2**	**4**	**6**	**8**	**10**	**24**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.6	1	1	2	2	3	4	4	5
20-34	162	2.7	1	1	2	3	3	4	5	6
35-49	15	2.5	1	<1	1	3	3	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	288	4.5	2	2	3	5	5	6	7	10
20-34	1621	4.5	2	2	3	5	5	6	6	8
35-49	73	4.1	3	2	2	4	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.3	1	1	1	2	3	3	4	4
20-34	61	2.8	2	1	1	3	3	5	5	7
35-49	8	2.6	3	<1	<1	2	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	311	5.2	5	2	3	5	6	8	9	13
20-34	1929	5.1	8	2	3	5	6	7	8	14
35-49	199	5.3	6	2	3	5	6	8	10	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	2.7	1	1	2	3	3	4	5	6
B. *Operated*	1982	4.5	2	2	3	5	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	87	2.7	2	1	1	3	3	4	5	7
B. *Operated*	2439	5.2	8	2	3	5	6	7	8	14
1. SINGLE DX	2180	4.3	2	2	2	4	5	6	6	8
2. MULTIPLE DX	2526	5.1	8	2	3	5	6	7	8	14
A. NOT OPERATED	285	2.7	1	1	1	3	3	4	5	6
B. OPERATED	4421	4.9	5	2	3	5	6	7	8	11
TOTAL 0-19 YRS	638	4.8	4	2	3	5	5	7	8	11
20-34	3773	4.7	5	2	3	5	5	6	7	11
35-49	295	4.8	5	2	2	5	6	7	9	13
50-64										
65+										
GRAND TOTAL	**4706**	**4.7**	**5**	**2**	**3**	**5**	**5**	**7**	**7**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	48	2.6	1	1	2	3	3	4	4	5
20-34	291	2.7	1	1	2	3	3	4	5	6
35-49	20	3.2	1	2	2	3	4	4	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS.	189	3.9	3	2	2	3	5	6	7	9
20-34	997	3.9	3	2	2	4	5	6	6	8
35-49	49	4.2	2	2	2	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	30	3.3	1	2	2	3	4	4	6	6
20-34	129	3.1	2	1	2	3	3	4	6	8
35-49	9	2.9	2	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS.	414	4.3	7	2	2	4	5	7	8	13
20-34	2517	4.5	8	2	3	4	5	6	7	11
35-49	230	4.8	4	2	3	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	359	2.7	1	1	2	3	3	4	4	6
B. *Operated*	1235	3.9	3	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	168	3.1	2	1	2	3	4	4	6	8
B. *Operated*	3161	4.5	8	2	2	4	5	6	7	12
1. SINGLE DX	1594	3.7	3	2	2	3	5	6	6	8
2. MULTIPLE DX	3329	4.4	8	2	2	4	5	6	7	11
A. NOT OPERATED	527	2.9	1	1	2	3	3	4	5	7
B. OPERATED	4396	4.3	7	2	2	4	5	6	7	11
TOTAL 0-19 YRS.	681	4.0	6	2	2	4	5	6	7	12
20-34	3934	4.2	7	2	2	4	5	6	7	10
35-49	308	4.5	3	2	2	4	6	7	7	11
50-64										
65+										
GRAND TOTAL	**4923**	**4.2**	**6**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	3	3.7	4	2	2	3	5	6	6	6
20-34	29	2.9	1	1	1	3	4	5	5	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS.	627	5.1	2	3	4	5	6	7	8	10
20-34	2475	5.1	4	3	4	5	6	6	7	8
35-49	61	5.7	1	4	4	6	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	3	5.0	3	4	4	4	6	7	7	7
20-34	27	4.0	2	2	3	4	5	6	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS.	1095	5.9	8	4	4	5	6	8	10	14
20-34	4527	5.5	5	4	4	5	6	7	8	13
35-49	260	5.6	3	4	4	5	6	8	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	3.0	2	1	2	3	4	5	6	6
B. *Operated*	3163	5.1	3	3	4	5	6	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	30	4.1	2	2	3	4	5	6	7	7
B. *Operated*	5882	5.6	6	4	4	5	6	7	9	13
1. SINGLE DX	3196	5.1	3	3	4	5	6	6	7	9
2. MULTIPLE DX	5912	5.6	6	4	4	5	6	7	9	13
A. NOT OPERATED	63	3.5	2	1	2	3	4	6	6	7
B. OPERATED	9045	5.4	5	4	4	5	6	7	8	12
TOTAL 0-19 YRS.	1728	5.6	6	3	4	5	6	8	9	13
20-34	7058	5.4	5	3	4	5	6	7	8	12
35-49	322	5.6	3	4	4	5	6	7	8	12
50-64										
65+										
GRAND TOTAL	**9108**	**5.4**	**5**	**3**	**4**	**5**	**6**	**7**	**8**	**12**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	2.8	1	1	2	3	3	4	4	6
20-34	361	3.1	2	2	2	3	3	4	5	6
35-49	13	2.4		1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	141	4.0	3	1	2	4	5	6	6	8
20-34	696	4.0	3	2	2	4	5	6	7	9
35-49	38	3.8	2	1	2	4	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.9	6	1	2	3	4	6	11	13
20-34	181	3.3	6	1	2	3	4	5	6	11
35-49	9	3.3	1	1	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	355	4.8	16	1	2	4	6	8	9	13
20-34	1761	4.5	4	2	2	4	6	7	8	10
35-49	126	5.2	6	2	3	5	6	7	8	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	454	3.0	2	2	2	3	3	4	5	6
B. *Operated*	875	4.0	3	2	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	246	3.4	6	1	2	3	4	5	6	13
B. *Operated*	2242	4.6	6	2	2	4	6	7	8	12
1. SINGLE DX	1329	3.6	3	2	2	3	5	6	6	8
2. MULTIPLE DX	2488	4.5	6	2	2	4	6	7	8	12
A. NOT OPERATED	700	3.1	3	2	2	3	4	4	5	11
B. OPERATED	3117	4.4	5	2	2	4	6	7	8	11
TOTAL 0-19 YRS	632	4.3	11	1	2	4	5	7	8	12
20-34	2999	4.1	4	2	2	4	5	6	7	10
35-49	186	4.6	6	2	2	4	6	7	8	15
50-64										
65+										
GRAND TOTAL	**3817**	**4.2**	**5**	**2**	**2**	**4**	**5**	**6**	**7**	**11**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.3	1	1	1	2	3	3	4	4
20-34	89	2.5	1	1	1	2	3	3	4	6
35-49	9	2.7	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	62	4.8	2	2	3	5	5	6	7	7
20-34	394	4.5	2	2	2	5	5	6	7	9
35-49	15	4.1	2	2	3	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.9	52	1	2	3	3	12	25	30
20-34	73	3.4	6	2	2	3	3	5	6	17
35-49	6	3.8	13	1	1	2	6	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	125	5.4	9	2	3	5	6	8	9	21
20-34	957	5.3	6	2	3	5	6	7	9	13
35-49	107	5.4	4	3	3	5	6	8	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	2.5	1	1	1	2	3	3	4	6
B. *Operated*	471	4.5	2	2	3	5	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	95	3.7	14	1	2	3	3	6	9	24
B. *Operated*	1189	5.4	6	2	3	5	6	8	9	13
1. SINGLE DX	593	4.1	3	2	2	4	5	5	7	8
2. MULTIPLE DX	1284	5.2	7	2	3	5	6	7	9	15
A. NOT OPERATED	217	3.0	7	1	1	3	3	4	6	16
B. OPERATED	1660	5.1	5	2	3	5	6	7	8	12
TOTAL 0-19 YRS	227	4.9	10	2	2	5	6	7	8	21
20-34	1513	4.9	6	2	2	5	6	7	8	12
35-49	137	5.0	4	2	3	5	6	8	9	11
50-64										
65+										
GRAND TOTAL	**1877**	**4.9**	**6**	**2**	**2**	**5**	**6**	**7**	**8**	**12**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	12	2.7	1	1	1	3	3	4	5	5
20-34	63	3.0	2	2	2	3	4	5	6	7
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. Operated										
0-19 YRS	388	5.0	2	3	4	5	6	7	7	9
20-34	4603	5.2	1	3	4	5	6	7	7	8
35-49	238	5.7	1	4	4	6	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	5	3.4	2	2	2	3	4	6	6	6
20-34	34	3.3	2	1	2	3	4	6	6	7
35-49	4	4.0	1	3	3	4	5	5	5	5
50-64										
65+										
B. Operated										
0-19 YRS	401	5.4	4	3	4	5	6	7	8	12
20-34	6611	5.5	4	4	4	5	6	7	8	11
35-49	516	5.9	7	4	4	6	6	8	8	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	77	2.9	1	2	2	3	3	5	6	7
B. Operated	5229	5.2	1	3	4	5	6	7	7	8
2. MULTIPLE DX										
A. Not Operated	43	3.4	2	1	2	3	4	6	6	7
B. Operated	7528	5.5	4	4	4	5	6	7	8	12
1. SINGLE DX	5306	5.2	2	3	4	5	6	7	7	8
2. MULTIPLE DX	7571	5.5	4	4	4	5	6	7	8	12
A. NOT OPERATED	120	3.1	2	1	2	3	4	5	6	7
B. OPERATED	12757	5.4	3	3	4	5	6	7	8	10
TOTAL 0-19 YRS	806	5.2	3	3	4	5	6	7	7	10
20-34	11311	5.4	3	3	4	5	6	7	7	10
35-49	760	5.8	6	4	4	6	6	7	8	12
50-64										
65+										
GRAND TOTAL	**12877**	**5.4**	**3**	**3**	**4**	**5**	**6**	**7**	**8**	**10**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	207	2.9	1	2	2	3	3	4	4	6
20-34	921	3.1	2	1	2	3	4	4	5	7
35-49	46	2.9	1	1	2	3	4	4	5	5
50-64										
65+										
B. Operated										
0-19 YRS	145	3.2	3	1	2	3	4	5	6	8
20-34	748	3.3	3	2	2	3	4	5	6	8
35-49	38	3.7	3	2	2	3	4	6	7	10
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	189	3.7	13	1	2	3	4	6	6	14
20-34	613	3.5	5	2	2	3	4	5	6	11
35-49	37	4.2	9	1	2	3	5	6	13	15
50-64										
65+										
B. Operated										
0-19 YRS	452	4.3	7	2	2	4	5	7	8	16
20-34	2642	4.3	6	2	2	4	5	6	8	14
35-49	229	4.8	9	2	2	4	6	7	9	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1174	3.0	2	1	2	3	4	4	5	7
B. Operated	931	3.3	3	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. Not Operated	839	3.6	7	1	2	3	4	5	6	14
B. Operated	3323	4.3	6	2	2	4	5	7	8	14
1. SINGLE DX	2105	3.1	2	2	2	3	4	5	6	8
2. MULTIPLE DX	4162	4.2	7	2	2	4	5	6	8	14
A. NOT OPERATED	2013	3.2	4	1	2	3	4	5	6	9
B. OPERATED	4254	4.1	6	2	2	4	5	6	7	14
TOTAL 0-19 YRS	993	3.7	7	2	2	3	4	6	7	13
20-34	4924	3.8	5	2	2	3	5	6	7	12
35-49	350	4.4	8	2	2	4	5	7	8	15
50-64										
65+										
GRAND TOTAL	**6267**	**3.8**	**5**	**2**	**2**	**3**	**5**	**6**	**7**	**13**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	415	2.6	1	1	2	3	3	3	4	5
20-34	2190	2.7	1	1	2	3	3	4	4	5
35-49	87	2.9	1	2	2	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	239	2.6	1	1	1	2	3	4	4	6
20-34	1337	2.8	2	1	2	3	3	4	5	6
35-49	83	2.9	2	1	1	3	3	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	2.8	2	1	2	3	3	4	5	8
20-34	479	2.7	1	1	2	3	3	4	5	5
35-49	29	3.2	1	2	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	268	3.0	5	1	1	3	3	5	6	9
20-34	2014	3.2	2	2	2	3	4	5	6	7
35-49	201	4.0	13	2	2	3	4	6	7	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2692	2.7	1	1	2	3	3	4	4	5
B. *Operated*	1659	2.8	1	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	614	2.7	1	1	2	3	3	4	5	6
B. *Operated*	2483	3.3	3	2	2	3	4	5	6	8
1. SINGLE DX	4351	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX	3097	3.2	3	1	2	3	4	5	6	7
A. NOT OPERATED	3306	2.7	1	1	2	3	3	4	4	5
B. OPERATED	4142	3.1	2	1	2	3	4	5	5	7
TOTAL 0-19 YRS	1028	2.7	2	1	2	3	3	4	5	7
20-34	6020	2.9	1	1	2	3	3	4	5	6
35-49	400	3.5	7	2	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	**7448**	**2.9**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	225	2.6	1	1	2	3	3	3	4	4
20-34	680	2.5	1	1	1	2	3	3	4	4
35-49	25	2.7	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1084	2.5	4	1	1	2	3	3	4	5
20-34	5070	2.5	1	1	1	3	3	4	4	5
35-49	360	2.6	1	1	1	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	3.0	3	2	2	3	3	4	6	12
20-34	201	2.7	1	1	2	3	3	4	4	6
35-49	10	2.9	1	2	2	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	496	3.0	8	1	2	3	3	4	5	14
20-34	2993	3.0	2	1	2	3	3	4	5	8
35-49	286	3.2	2	1	2	3	4	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	930	2.5	1	1	2	3	3	3	4	4
B. *Operated*	6514	2.5	2	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	281	2.8	2	1	2	3	3	4	4	7
B. *Operated*	3775	3.0	3	1	2	3	3	4	5	8
1. SINGLE DX	7444	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX	4056	3.0	3	1	2	3	3	4	5	8
A. NOT OPERATED	1211	2.6	1	1	2	3	3	3	4	5
B. OPERATED	10289	2.7	2	1	2	3	3	4	4	6
TOTAL 0-19 YRS	1875	2.6	5	1	2	2	3	4	4	6
20-34	8944	2.7	2	1	2	3	3	4	4	6
35-49	681	2.8	1	1	1	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	**11500**	**2.7**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	2.9	6	2	2	3	3	3	4	5
20-34	378	2.9	4	2	2	3	3	4	4	5
35-49	6	2.8		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1267	2.7	1	1	2	3	3	4	4	5
20-34	3998	2.9	1	2	2	3	3	4	5	6
35-49	103	3.0	1	2	2	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.0	1	2	2	3	3	4	5	8
20-34	133	3.1	1	2	2	3	3	4	6	8
35-49	3	3.3		3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	698	3.2	4	2	2	3	3	4	6	10
20-34	2423	3.3	3	2	2	3	4	5	5	8
35-49	105	3.3	2	2	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	2.9	4	2	2	3	3	4	4	5
B. *Operated*	5368	2.9	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	193	3.1	1	2	2	3	3	4	5	8
B. *Operated*	3226	3.3	3	2	2	3	4	5	5	9
1. SINGLE DX	5907	2.9	1	2	2	3	3	4	4	6
2. MULTIPLE DX	3419	3.3	3	2	2	3	4	5	5	8
A. NOT OPERATED	732	3.0	3	2	2	3	3	4	4	6
B. OPERATED	8594	3.0	2	2	2	3	3	4	5	7
TOTAL 0-19 YRS	2177	2.9	2	2	2	3	3	4	4	7
20-34	6932	3.1	2	2	2	3	4	4	5	7
35-49	217	3.2	1	2	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	**9326**	**3.0**	**2**	**2**	**2**	**3**	**3**	**4**	**5**	**7**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.8	3	1	2	2	3	4	5	13
20-34	195	2.4	1	1	1	2	3	3	4	5
35-49	10	3.2	2	2	2	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	405	2.7	1	1	2	3	3	4	4	5
20-34	1484	2.8	1	1	2	3	3	4	4	6
35-49	50	3.2	2	1	1	3	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.4	79	1	2	3	3	5	6	55
20-34	76	3.1	13	1	2	3	3	4	5	26
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	254	3.4	7	1	2	3	4	5	7	14
20-34	1254	3.2	3	2	2	3	4	5	6	8
35-49	53	3.8	4	2	2	3	4	5	7	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	2.6	2	1	1	2	3	3	4	6
B. *Operated*	1939	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	112	3.5	33	1	2	3	3	4	5	41
B. *Operated*	1561	3.3	4	2	2	3	4	5	6	10
1. SINGLE DX	2221	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX	1673	3.3	6	2	2	3	4	5	6	11
A. NOT OPERATED	394	2.8	11	1	1	3	3	4	4	7
B. OPERATED	3500	3.0	2	1	2	3	3	4	5	7
TOTAL 0-19 YRS	771	3.0	7	1	2	3	3	4	5	11
20-34	3009	2.9	2	1	2	3	3	4	5	7
35-49	114	3.4	3	1	2	3	4	5	6	10
50-64										
65+										
GRAND TOTAL	**3894**	**3.0**	**3**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1512	3.1	6	1	2	3	3	4	5	11
20-34	4391	3.0	4	1	2	3	3	4	6	10
35-49	210	2.9	3	1	1	3	3	4	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	3673	3.1	4	1	2	3	3	5	6	10
20-34	15274	3.3	3	2	2	3	4	5	6	8
35-49	719	3.5	2	2	2	3	4	5	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	839	3.8	24	1	2	3	4	6	8	23
20-34	2526	3.4	7	1	1	3	4	6	7	16
35-49	173	3.2	5	1	1	3	4	6	8	13
50-64										
65+										
B. *Operated*										
0-19 YRS	3654	4.4	13	2	2	4	5	7	9	19
20-34	17698	4.4	11	2	2	4	5	7	9	18
35-49	1507	4.9	16	2	2	4	6	8	10	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6113	3.0	4	1	2	3	3	4	6	10
B. *Operated*	19666	3.3	3	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	3538	3.5	11	1	1	3	4	6	8	16
B. *Operated*	22859	4.5	12	2	2	4	5	7	9	18
1. SINGLE DX	25779	3.2	3	1	2	3	4	5	6	9
2. MULTIPLE DX	26397	4.3	12	2	2	4	5	7	9	18
A. NOT OPERATED	9651	3.2	7	1	2	3	4	5	6	13
B. OPERATED	42525	3.9	8	2	2	3	4	6	8	15
TOTAL 0-19 YRS	9678	3.7	10	1	2	3	4	6	8	15
20-34	39889	3.8	7	2	2	3	4	6	7	14
35-49	2609	4.2	11	2	2	3	5	7	9	17
50-64										
65+										
GRAND TOTAL	**52176**	**3.8**	**8**	**2**	**2**	**3**	**4**	**6**	**7**	**14**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	3.5	2	2	2	3	4	5	5	10
20-34	110	3.8	3	2	2	3	5	6	6	10
35-49	3	6.0	1	5	5	6	7	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	20	4.0	3	1	2	4	5	6	8	9
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.3	5	1	2	4	5	8	9	9
20-34	53	4.8	8	2	2	4	6	9	10	14
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	4	4.0	7	1	1	5	30	99+	99+	99+
20-34	30	6.2	21	1	2	5	9	13	15	19
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	3.7	3	2	2	3	4	6	6	10
B. *Operated*	23	3.9	3	1	2	4	5	6	8	9
2. MULTIPLE DX										
A. *Not Operated*	69	4.8	7	2	2	4	6	9	10	14
B. *Operated*	34	5.9	20	1	2	5	9	15	18	99+
1. SINGLE DX	189	3.7	3	2	2	3	4	6	6	10
2. MULTIPLE DX	103	5.1	11	1	2	4	7	10	13	56
A. NOT OPERATED	235	4.0	4	2	2	4	5	6	8	11
B. OPERATED	57	5.1	14	1	2	4	6	11	15	93
TOTAL 0-19 YRS	74	3.6	3	1	2	3	4	5	8	77
20-34	213	4.4	7	2	2	4	5	8	10	15
35-49	5	6.4	5	4	4	6	8	10	10	10
50-64										
65+										
GRAND TOTAL	**292**	**4.2**	**6**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	.0th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A *Not Operated*										
0-19 YRS	15	1.8	1	1	1	2	2	3	4	5
20-34	65	1.5	1	<1	<1	1	2	2	3	4
35-49	4	2.5	1	1	1	3	3	3	3	3
50-64										
65+										
B *Operated*										
0-19 YRS	38	2.3	6	<1	<1	2	2	3	6	16
20-34	225	1.8	1	<1	1	1	2	3	4	6
35-49	14	2.1	5	<1	1	2	2	4	8	9
50-64										
65+										
2. MULTIPLE DX										
A *Not Operated*										
0-19 YRS	10	2.8	2	1	1	3	4	5	5	5
20-34	40	2.3	3	<1	1	2	3	4	6	10
35-49	6	3.2	1	1	1	3	4	4	4	4
50-64										
65+										
B *Operated*										
0-19 YRS	23	3.1	4	1	1	2	4	7	8	8
20-34	139	3.0	5	1	1	2	4	6	8	11
35-49	9	4.2	16	1	1	3	5	11	14	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	1.6	1	<1	1	1	2	3	3	5
B. *Operated*	277	1.9	2	<1	1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	56	2.5	3	1	1	2	3	4	5	10
B. *Operated*	171	3.0	6	1	1	2	4	6	8	12
1. SINGLE DX	361	1.8	2	<1	1	1	2	3	4	6
2. MULTIPLE DX	227	2.9	5	1	1	2	3	6	8	11
A. NOT OPERATED	140	2.0	2	<1	1	2	2	4	4	7
B. OPERATED	448	2.3	4	<1	1	2	3	5	6	10
TOTAL 0-19 YRS	86	2.5	5	<1	1	2	3	5	6	13
20-34	469	2.1	3	<1	1	2	2	4	5	10
35-49	33	2.9	7	1	1	2	3	5	9	14
50-64										
65+										
GRAND TOTAL	**588**	**2.2**	**3**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A *Not Operated*										
0-19 YRS	19	3.9	8	1	2	3	5	9	10	10
20-34	81	3.3	6	<1	1	3	4	6	10	12
35-49	8	4.5	5	3	3	4	5	8	9	9
50-64										
65+										
B *Operated*										
0-19 YRS	28	3.2	5	1	1	3	4	7	7	9
20-34	101	3.3	9	1	1	2	4	8	10	13
35-49	9	2.4	1	1	1	2	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A *Not Operated*										
0-19 YRS	15	4.7	14	1	1	4	6	12	13	13
20-34	69	5.7	34	<1	1	4	7	14	18	31
35-49	4	6.8	47	3	3	4	10	17	17	17
50-64										
65+										
B *Operated*										
0-19 YRS	22	4.3	4	2	2	4	6	7	8	9
20-34	95	4.0	8	1	2	3	5	9	12	60
35-49	9	3.4	4	1	1	3	5	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	3.5	6	<1	1	3	4	6	10	12
B. *Operated*	138	3.2	7	1	1	2	4	7	10	12
2. MULTIPLE DX										
A. *Not Operated*	88	5.6	30	<1	1	4	7	13	17	29
B. *Operated*	126	4.0	7	1	2	3	5	8	12	33
1. SINGLE DX	246	3.3	7	1	1	3	4	7	10	12
2. MULTIPLE DX	214	4.7	17	1	1	3	6	10	13	25
A. NOT OPERATED	196	4.4	18	<1	1	3	5	10	13	20
B. OPERATED	264	3.6	7	1	1	3	4	7	10	13
TOTAL 0-19 YRS	84	3.9	7	1	1	3	5	8	9	13
20-34	346	4.0	14	1	1	3	4	9	12	20
35-49	30	3.9	9	1	2	3	4	7	9	17
50-64										
65+										
GRAND TOTAL	**460**	**4.0**	**12**	**1**	**1**	**3**	**5**	**8**	**12**	**18**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	659	4.1	5	2	2	4	5	7	9	13
20-34	591	4.3	9	1	2	4	5	7	9	15
35-49	389	5.0	8	2	2	4	6	8	10	15
50-64	295	5.7	12	2	2	5	7	9	12	19
65+	296	7.3	33	2	3	6	9	13	18	30
B. *Operated*										
0-19 YRS	389	4.8	15	1	1	4	6	9	11	20
20-34	356	5.1	15	1	1	4	7	10	12	16
35-49	215	5.6	19	2	2	5	7	10	11	26
50-64	167	7.3	42	2	2	5	9	15	19	32
65+	88	9.4	66	2	3	7	12	18	27	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	688	4.8	8	2	2	4	6	8	10	16
20-34	729	5.4	13	2	2	4	6	9	12	20
35-49	759	6.9	27	2	3	6	8	12	16	29
50-64	1108	7.5	34	3	3	6	9	13	16	28
65+	1870	9.2	48	3	4	7	11	16	21	34
B. *Operated*										
0-19 YRS	293	6.5	35	1	2	5	8	12	17	34
20-34	440	7.7	45	2	3	6	9	14	19	37
35-49	438	11.2	119	2	3	7	14	22	35	50
50-64	552	13.1	159	3	4	9	15	28	40	68
65+	656	14.8	164	3	4	11	18	29	42	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2234	5.0	12	2	2	4	6	9	11	19
B. *Operated*	1215	5.7	25	1	2	4	7	11	14	27
2. MULTIPLE DX										
A. *Not Operated*	5154	7.4	34	2	3	6	9	13	17	28
B. *Operated*	2379	11.4	126	2	3	8	14	23	34	60
1. SINGLE DX	3449	5.2	17	1	2	4	6	10	12	21
2. MULTIPLE DX	7533	8.6	67	2	3	6	10	16	22	44
A. NOT OPERATED	7388	6.6	29	2	2	5	8	12	15	27
B. OPERATED	3594	9.5	99	2	2	6	11	19	28	53
TOTAL 0-19 YRS	2029	4.8	13	1	2	4	6	9	11	20
20-34	2116	5.5	20	2	2	4	7	10	13	23
35-49	1801	7.4	49	2	3	5	8	14	19	38
50-64	2126	8.7	71	2	3	6	10	16	22	45
65+	2910	10.3	79	3	4	8	12	19	26	45
GRAND TOTAL	**10982**	**7.6**	**54**	**2**	**2**	**6**	**9**	**14**	**20**	**39**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	230	3.9	10	<1	1	3	5	6	8	16
20-34	149	3.4	3	<1	<1	3	4	6	7	8
35-49	78	5.0	14	<1	2	4	6	9	12	21
50-64	50	6.2	19	1	1	6	8	11	15	23
65+	43	5.8	18	2	2	5	7	12	14	21
B. *Operated*										
0-19 YRS	202	3.7	12	<1	1	3	5	8	11	18
20-34	130	4.5	13	1	1	3	6	10	12	17
35-49	123	4.8	16	<1	1	3	6	11	12	20
50-64	83	5.1	16	1	1	4	7	10	13	20
65+	64	7.1	52	1	2	5	8	16	23	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	277	4.5	10	1	2	4	5	8	10	14
20-34	184	5.3	24	1	2	4	6	9	10	29
35-49	142	6.0	11	2	2	5	8	10	12	16
50-64	213	8.1	35	2	3	7	10	14	19	34
65+	331	9.3	49	3	3	8	11	16	20	46
B. *Operated*										
0-19 YRS	139	5.5	16	1	1	5	7	11	13	21
20-34	156	6.1	33	1	2	4	7	13	17	37
35-49	176	8.8	70	2	2	6	11	20	25	60
50-64	226	10.8	101	2	2	8	13	23	29	49
65+	240	12.9	178	2	3	9	15	26	36	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	550	4.3	11	<1	1	4	5	8	10	17
B. *Operated*	602	4.6	19	<1	1	3	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	1147	6.8	32	2	2	5	9	12	15	33
B. *Operated*	937	9.4	99	2	2	6	12	19	27	53
1. SINGLE DX	1152	4.5	15	<1	1	3	5	9	11	21
2. MULTIPLE DX	2084	8.0	63	2	2	6	10	15	21	45
A. NOT OPERATED	1697	6.0	27	1	2	5	8	11	14	26
B. OPERATED	1539	7.5	73	1	2	5	9	16	22	46
TOTAL 0-19 YRS	848	4.3	12	1	1	3	5	8	11	17
20-34	619	4.9	20	<1	1	4	6	9	12	22
35-49	519	6.5	36	1	2	5	9	12	17	30
50-64	572	8.6	61	2	2	7	11	17	23	45
65+	678	10.1	98	2	3	8	12	18	27	53
GRAND TOTAL	**3236**	**6.7**	**49**	**1**	**2**	**5**	**8**	**13**	**18**	**38**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.2	3	<1	1	3	4	5	6	6
20-34	12	4.1	15	2	2	3	4	8	15	16
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	3	11.0	112	3	3	7	19	23	23	23
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	715	3.5	7	1	2	3	4	6	7	12
20-34	1195	3.5	3	1	2	3	4	6	7	11
35-49	202	3.5	3	1	2	3	4	6	7	9
50-64	37	4.3	9	1	2	3	5	9	11	13
65+	16	6.5	128	1	1	3	5	9	36	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	3	<1	<1	2	4	6	6	6
20-34	9	2.9	5	<1	<1	3	4	7	7	7
35-49	2	8.5	41	4	4	8	13	13	13	13
50-64	2	6.0	50	1	1	6	11	11	11	11
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	89	4.6	15	1	2	4	5	7	12	25
20-34	216	5.0	26	2	2	4	6	8	10	22
35-49	81	5.5	19	2	2	4	6	11	16	23
50-64	33	4.9	11	2	2	4	7	10	12	15
65+	11	7.8	15	2	3	7	10	13	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	4.5	21	1	1	3	4	9	16	23
B. *Operated*	2165	3.6	6	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	24	3.5	10	<1	<1	2	4	7	12	13
B. *Operated*	430	5.0	21	2	2	4	6	9	12	22
1. SINGLE DX	2196	3.6	6	1	2	3	4	6	7	12
2. MULTIPLE DX	454	5.0	21	1	2	4	6	8	12	22
A. NOT OPERATED	55	4.0	16	<1	1	3	4	7	13	23
B. OPERATED	2595	3.8	8	1	2	3	4	6	8	14
TOTAL 0-19 YRS	825	3.6	8	1	2	3	4	6	7	14
20-34	1432	3.8	7	1	2	3	4	6	7	13
35-49	288	4.1	9	1	2	3	5	7	9	16
50-64	75	4.9	15	1	2	3	7	10	12	21
65+	30	6.9	74	1	2	4	8	12	16	48
GRAND TOTAL	**2650**	**3.8**	**9**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	6	1.3		<1	<1	<1	2	2	2	2
35-49	5	1.6	2	<1	<1	<1	1	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	150	1.6	1	<1	<1	1	2	3	4	5
20-34	174	1.8	1	<1	<1	2	2	3	4	7
35-49	138	2.1	2	<1	<1	2	2	4	5	8
50-64	91	2.6	6	<1	<1	2	3	4	6	17
65+	44	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.8	1	2	2	3	3	4	4	4
35-49	8	5.5	3	3	3	6	7	8	8	8
50-64	5	5.8	16	2	2	4	9	11	11	11
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	40	2.3	4	<1	<1	2	2	5	7	9
20-34	88	2.7	4	<1	1	2	3	5	6	12
35-49	94	3.2	6	<1	1	2	4	6	7	14
50-64	104	3.5	8	<1	1	3	4	9	10	12
65+	64	4.9	45	1	1	3	5	10	14	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	1.8	1	<1	<1	<1	2	4	4	4
B. *Operated*	597	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	18	4.9	7	2	2	4	6	9	10	11
B. *Operated*	390	3.4	13	<1	1	2	4	7	9	14
1. SINGLE DX	613	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	408	3.4	12	<1	1	2	4	7	9	14
A. NOT OPERATED	34	3.4	7	<1	<1	3	4	7	9	11
B. OPERATED	987	2.5	7	<1	<1	2	3	5	7	12
TOTAL 0-19 YRS	192	1.8	2	<1	<1	1	2	3	4	8
20-34	272	2.1	2	<1	<1	2	2	4	5	9
35-49	245	2.6	4	<1	<1	2	3	5	7	11
50-64	201	3.2	8	<1	<1	2	4	6	10	13
65+	111	3.8	28	<1	1	2	4	7	10	32
GRAND TOTAL	**1021**	**2.6**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	389	3.4	10	<1	1	2	4	7	9	19
20-34	255	4.6	48	<1	<1	3	5	9	15	25
35-49	204	6.2	59	<1	1	4	7	13	21	39
50-64	185	6.8	44	1	1	4	9	15	22	34
65+	198	8.9	73	1	2	6	11	20	30	54
B. *Operated*										
0-19 YRS	675	3.0	19	<1	<1	2	3	6	10	20
20-34	674	4.3	33	<1	1	3	4	9	12	26
35-49	546	4.6	32	<1	1	3	5	9	14	29
50-64	488	5.3	54	1	1	3	6	12	19	38
65+	449	8.9	132	<1	1	4	12	22	36	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	508	4.7	27	1	1	3	5	9	12	28
20-34	393	6.6	61	1	1	4	8	14	18	38
35-49	465	7.6	54	1	2	5	9	17	22	43
50-64	687	8.5	66	1	2	6	11	17	24	45
65+	1578	12.1	116	3	4	9	15	25	33	66
B. *Operated*										
0-19 YRS	368	6.0	89	1	1	3	7	12	21	52
20-34	698	12.1	272	1	2	5	16	30	49	96
35-49	819	9.7	154	1	2	5	11	27	39	93
50-64	1032	10.9	176	1	2	6	14	29	42	83
65+	1553	17.4	273	2	2	12	25	43	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1231	5.5	45	<1	1	3	6	12	18	31
B. *Operated*	2832	5.0	52	<1	1	2	5	11	18	40
2. MULTIPLE DX										
A. *Not Operated*	3631	9.2	88	1	2	6	11	20	27	51
B. *Operated*	4470	12.7	227	1	2	7	17	34	50	99+
1. SINGLE DX	4063	5.1	50	<1	1	3	5	11	18	38
2. MULTIPLE DX	8101	11.1	168	1	2	7	14	27	40	82
A. NOT OPERATED	4862	8.3	80	1	2	5	10	18	25	48
B. OPERATED	7302	9.7	174	1	1	4	12	26	40	82
TOTAL 0-19 YRS	1940	4.1	34	<1	1	2	4	8	12	26
20-34	2020	7.5	135	<1	1	4	8	18	27	74
35-49	2034	7.5	93	1	1	4	8	18	27	61
50-64	2392	8.7	114	1	2	5	10	21	32	60
65+	3778	13.7	191	2	2	9	18	32	46	92
GRAND TOTAL	**12164**	**9.1**	**137**	**1**	**1**	**5**	**11**	**23**	**34**	**71**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	6.4	47	2	2	4	6	15	21	35
20-34	51	6.0	17	1	2	5	8	10	12	21
35-49	42	5.7	15	2	2	5	7	10	14	20
50-64	53	6.0	17	2	2	5	7	12	14	23
65+	22	7.2	31	1	2	6	8	14	20	26
B. *Operated*										
0-19 YRS	17	9.0	195	2	2	3	11	16	45	60
20-34	23	6.9	57	2	2	4	7	19	26	31
35-49	20	6.4	28	1	1	4	10	15	15	15
50-64	21	7.5	23	2	2	7	9	15	18	20
65+	15	7.5	12	2	3	7	11	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	7.9	33	2	2	6	10	15	23	29
20-34	203	7.5	42	1	2	5	10	15	22	33
35-49	210	8.1	76	2	3	6	9	14	20	49
50-64	208	9.0	59	2	3	7	11	17	22	49
65+	200	10.9	60	3	4	9	14	22	27	36
B. *Operated*										
0-19 YRS	28	17.6	498	1	2	8	23	56	62	92
20-34	101	13.5	202	2	3	9	16	28	45	91
35-49	89	14.6	153	3	4	12	17	28	31	74
50-64	113	11.8	67	3	4	10	15	23	27	42
65+	111	18.1	269	4	5	13	22	45	54	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	6.1	22	2	2	5	8	11	15	24
B. *Operated*	96	7.4	59	2	2	6	10	15	18	47
2. MULTIPLE DX										
A. *Not Operated*	892	8.8	59	2	3	7	11	17	24	40
B. *Operated*	442	14.7	197	3	3	11	19	29	46	89
1. SINGLE DX	296	6.5	35	2	2	5	8	12	16	29
2. MULTIPLE DX	1 34	10.8	112	2	3	8	13	22	30	58
A. NOT OPERATED	1092	8.3	53	2	3	6	10	16	23	38
B. OPERATED	538	13.4	180	2	3	10	16	27	43	84
TOTAL 0-19 YRS	148	9.5	154	2	2	6	10	21	31	61
20-34	378	8.9	90	2	2	6	11	19	25	56
35-49	361	9.3	95	2	2	7	11	18	27	51
50-64	395	9.3	57	2	3	7	12	19	23	44
65+	348	12.8	136	3	4	9	15	25	36	67
GRAND TOTAL	**1630**	**10.0**	**101**	**2**	**3**	**7**	**12**	**21**	**28**	**55**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	5.9	18	2	2	5	7	11	13	22
20-34	47	5.8	37	<1	1	4	7	9	15	36
35-49	130	6.3	16	2	3	5	8	12	15	23
50-64	209	6.2	21	2	3	5	7	10	13	22
65+	180	7.5	19	2	3	7	9	13	16	22
B. *Operated*										
0-19 YRS	21	6.8	74	1	1	3	9	17	29	35
20-34	50	7.3	52	1	2	5	8	16	26	36
35-49	154	7.0	42	2	2	5	8	17	22	28
50-64	313	9.4	49	2	2	8	13	19	23	32
65+	201	11.4	67	2	3	11	16	22	29	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	6.8	33	2	2	5	8	14	17	34
20-34	80	6.8	23	2	2	6	9	12	15	29
35-49	253	7.3	19	2	3	6	9	13	16	21
50-64	618	8.1	45	2	3	7	10	15	19	38
65+	881	9.6	57	2	3	8	12	17	23	41
B. *Operated*										
0-19 YRS	22	12.7	177	2	3	10	14	24	43	65
20-34	51	11.2	252	2	2	6	11	24	51	80
35-49	179	9.4	73	2	3	7	12	19	29	52
50-64	490	11.5	105	2	3	8	16	24	31	52
65+	426	14.2	143	3	4	11	17	28	38	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	654	6.5	21	2	2	6	8	12	15	23
B. *Operated*	739	9.2	56	2	2	7	13	19	24	35
2. MULTIPLE DX										
A. *Not Operated*	1887	8.6	47	2	3	7	10	16	20	35
B. *Operated*	1168	12.2	124	2	3	9	16	25	35	64
1. SINGLE DX	1393	7.9	41	2	2	6	10	16	21	33
2. MULTIPLE DX	3055	10.0	79	2	3	8	12	19	26	50
A. NOT OPERATED	2541	8.1	41	2	3	7	10	15	19	33
B. OPERATED	1907	11.0	100	2	3	8	15	23	30	53
TOTAL 0-19 YRS	186	7.1	51	2	2	5	9	13	20	35
20-34	228	7.7	86	2	2	5	9	14	19	56
35-49	716	7.6	38	2	2	6	9	15	20	34
50-64	1630	9.1	64	2	3	7	11	18	24	42
65+	1688	10.7	80	3	3	8	14	20	27	49
GRAND TOTAL	**4448**	**9.3**	**68**	**2**	**3**	**7**	**12**	**18**	**24**	**45**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	4	2	2	3	4	7	7	7
20-34	19	3.5	4	<1	<1	3	6	6	7	7
35-49	54	4.7	11	1	2	4	6	10	11	16
50-64	97	5.1	10	1	2	4	6	9	10	17
65+	240	6.0	19	1	2	5	8	12	13	22
B. *Operated*										
0-19 YRS	13	4.5	19	2	2	3	4	10	16	18
20-34	151	4.7	20	1	2	3	5	11	13	19
35-49	354	5.9	31	1	1	4	8	13	16	25
50-64	1102	9.5	42	2	2	9	14	18	20	28
65+	1705	13.9	49	3	5	14	17	22	25	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.8	11	2	2	5	8	11	11	11
20-34	23	4.4	6	1	2	4	6	8	9	11
35-49	155	5.8	18	1	2	5	8	11	13	32
50-64	676	6.5	22	2	2	5	8	12	15	22
65+	1941	7.6	31	2	3	6	10	14	18	29
B. *Operated*										
0-19 YRS	10	6.0	12	2	2	6	9	11	12	12
20-34	151	5.8	43	1	1	3	7	14	17	22
35-49	346	6.2	33	1	2	4	8	14	17	30
50-64	1169	10.5	77	2	2	9	15	20	28	42
65+	2418	16.0	94	3	5	15	19	26	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	415	5.5	15	1	2	5	7	10	13	21
B. *Operated*	3325	11.1	53	2	2	11	16	20	23	32
2. MULTIPLE DX										
A. *Not Operated*	2801	7.2	28	2	2	6	9	14	17	28
B. *Operated*	4094	13.2	95	2	3	12	17	24	31	49
1. SINGLE DX	3740	10.5	52	2	2	10	15	19	23	32
2. MULTIPLE DX	6895	10.8	76	2	3	9	15	21	26	43
A. NOT OPERATED	3216	7.0	27	2	2	6	9	13	16	27
B. OPERATED	7419	12.3	77	2	2	12	17	22	27	42
TOTAL 0-19 YRS	34	5.0	13	2	2	4	7	9	12	18
20-34	344	5.1	29	1	2	3	6	11	16	22
35-49	909	5.9	28	1	2	4	8	13	16	26
50-64	3044	9.1	53	2	2	7	13	18	21	36
65+	6304	12.5	74	2	3	12	17	22	27	42
GRAND TOTAL	**10635**	**10.7**	**68**	**2**	**2**	**9**	**15**	**20**	**25**	**40**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	6.8	26	2	2	5	9	14	18	22
20-34	87	4.6	10	1	2	4	6	10	11	16
35-49	80	5.1	16	1	2	4	7	9	11	22
50-64	94	7.1	25	1	2	6	9	13	18	24
65+	83	6.7	112	1	2	4	7	11	15	73
B. *Operated*										
0-19 YRS	84	11.8	78	2	3	10	15	22	30	42
20-34	176	5.4	28	1	2	4	7	11	15	27
35-49	191	5.4	18	1	2	4	7	11	13	22
50-64	190	7.9	36	2	2	6	12	16	19	25
65+	120	11.7	49	2	2	12	17	21	23	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	9.3	57	2	3	7	12	18	25	38
20-34	113	7.3	56	2	2	5	8	12	20	42
35-49	149	6.2	22	2	2	5	8	11	14	27
50-64	248	6.9	38	1	2	5	9	13	17	38
65+	4[illegible]	8.0	39	2	3	6	10	15	21	36
B. *Operated*										
0-19 YRS	80	14.4	105	2	4	13	18	27	30	55
20-34	133	10.3	133	2	2	6	12	24	37	55
35-49	158	9.4	80	2	2	6	12	21	31	46
50-64	239	10.8	108	2	2	7	15	25	34	62
65+	271	16.8	181	2	4	14	22	33	43	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	464	6.1	37	1	2	4	8	12	15	23
B. *Operated*	761	7.7	43	2	2	5	11	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	1082	7.5	40	2	2	6	9	14	20	37
B. *Operated*	881	12.6	138	2	2	9	17	27	36	58
1. SINGLE DX	1225	7.1	41	1	2	5	10	15	19	29
2. MULTIPLE DX	1963	9.8	90	2	2	7	12	22	29	49
A. NOT OPERATED	1546	7.1	40	2	2	5	9	14	18	36
B. OPERATED	1642	10.3	100	2	2	7	14	22	30	49
TOTAL 0-19 YRS	369	10.2	70	2	2	8	14	21	27	42
20-34	509	7.0	63	1	2	4	8	14	21	45
35-49	578	6.6	38	2	2	5	8	13	20	34
50-64	771	8.3	60	2	2	6	11	17	24	49
65+	961	10.8	102	2	3	8	14	22	29	52
GRAND TOTAL	**3185**	**8.8**	**73**	**2**	**2**	**6**	**11**	**18**	**25**	**45**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.8	3	<1	1	2	4	5	6	7
20-34	44	2.2	4	<1	<1	1	3	5	6	10
35-49	12	1.7	1	1	1	1	2	3	3	3
50-64	9	2.4	2	<1	<1	3	3	5	5	5
65+	4	5.3	8	<1	<1	6	7	7	7	7
B. *Operated*										
0-19 YRS	589	2.6	2	1	1	2	3	5	6	8
20-34	1305	2.8	4	<1	1	2	3	5	6	10
35-49	728	3.0	5	<1	1	2	4	5	7	12
50-64	373	3.1	[illegible]	1	1	2	4	6	8	11
65+	107	3.9	10	1	1	3	4	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.4	1	<1	<1	1	2	3	3	3
20-34	30	3.0	11	<1	<1	2	4	6	11	16
35-49	27	3.9	18	<1	1	3	6	7	13	20
50-64	27	4.2	31	<1	<1	2	4	8	20	25
65+	14	3.8	8	<1	1	3	6	8	9	9
B. *Operated*										
0-19 YRS	400	2.9	3	1	1	2	4	5	6	10
20-34	990	3.2	5	1	1	2	4	6	8	12
35-49	830	3.3	7	1	1	3	4	6	8	16
50-64	620	3.6	9	1	2	3	4	6	8	16
65+	286	4.7	20	1	2	3	5	9	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	2.4	4	<1	<1	2	3	5	7	9
B. *Operated*	3102	2.9	4	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	114	3.4	16	<1	<1	2	4	7	11	22
B. *Operated*	3126	3.4	8	1	1	3	4	6	8	16
1. SINGLE DX	3189	2.9	4	<1	1	2	3	5	7	11
2. MULTIPLE DX	3240	3.4	8	1	1	3	4	6	8	16
A. NOT OPERATED	201	3.0	11	<1	<1	2	3	6	8	19
B. OPERATED	6228	3.2	6	1	1	2	4	6	7	13
TOTAL 0-19 YRS	1023	2.7	3	1	1	2	3	5	6	9
20-34	2369	3.0	4	<1	1	2	4	5	7	11
35-49	1597	3.2	6	1	1	2	4	6	8	15
50-64	1029	3.4	8	1	1	3	4	6	8	15
65+	411	4.5	17	1	2	3	5	9	12	21
GRAND TOTAL	**6429**	**3.2**	**6**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	3.7	7	<1	<1	3	5	7	9	14
20-34	117	3.4	14	<1	<1	2	4	7	11	21
35-49	89	4.3	10	<1	1	4	6	8	10	16
50-64	73	4.6	13	<1	1	4	6	9	13	17
65+	102	6.2	16	1	2	5	9	11	13	19
B. *Operated*										
0-19 YRS	721	3.2	3	1	2	3	4	5	6	9
20-34	1136	3.5	5	1	1	3	4	6	7	13
35-49	429	3.9	8	1	1	3	5	8	10	15
50-64	200	4.6	16	1	1	4	5	9	11	20
65+	127	8.1	56	1	1	5	12	19	25	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	4.1	14	<1	1	3	5	9	11	19
20-34	159	4.4	16	<1	1	3	6	9	11	25
35-49	182	5.9	35	1	1	4	8	14	17	29
50-64	231	6.7	31	1	2	5	9	14	17	29
65+	421	7.0	31	2	2	6	9	13	17	34
B. *Operated*										
0-19 YRS	306	4.1	20	1	1	3	5	7	10	27
20-34	586	4.5	23	1	2	3	5	8	12	29
35-49	374	5.0	20	1	2	4	6	10	13	24
50-64	306	7.9	63	2	2	5	9	17	23	42
65+	245	11.1	116	2	2	7	15	24	30	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	530	4.3	13	<1	1	3	6	9	12	17
B. *Operated*	2613	3.8	10	1	1	3	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	1119	6.1	29	1	2	4	8	12	15	28
B. *Operated*	1817	6.0	47	1	2	4	7	13	19	36
1. SINGLE DX	3143	3.9	10	1	1	3	5	7	10	17
2. MULTIPLE DX	2936	6.0	40	1	2	4	7	13	17	33
A. NOT OPERATED	1649	5.5	24	1	1	4	7	11	14	25
B. OPERATED	4430	4.7	26	1	2	3	5	9	14	27
TOTAL 0-19 YRS	1302	3.6	9	1	1	3	4	6	8	14
20-34	1998	3.9	12	1	1	3	5	7	9	18
35-49	1074	4.7	17	1	2	3	5	9	13	23
50-64	810	6.4	40	1	2	4	8	13	18	35
65+	895	8.2	60	2	2	6	10	17	22	43
GRAND TOTAL	**6079**	**4.9**	**26**	**1**	**2**	**3**	**6**	**10**	**14**	**27**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	8	5.5	5	2	3	5	6	9	10	10
35-49	7	4.0	2	1	2	4	5	5	5	5
50-64	6	9.2	48	2	2	7	13	20	21	21
65+	4	5.0	6	3	3	5	7	8	8	8
B. *Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	5	12.0	103	3	3	8	17	29	29	29
35-49	3	12.3	12	9	9	12	15	16	16	16
50-64	1	19.0		19	19	19	19	19	19	19
65+	1	26.0		26	26	26	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	5.5	12	2	2	4	7	11	12	12
35-49	14	7.0	27	3	3	5	8	15	19	20
50-64	21	7.6	24	2	3	7	10	14	18	21
65+	22	7.7	9	3	4	8	9	12	13	14
B. *Operated*										
0-19 YRS										
20-34	7	13.1	43	8	8	10	16	24	26	26
35-49	9	12.0	207	2	2	4	18	37	40	40
50-64	11	15.1	239	2	4	10	17	36	57	59
65+	9	8.6	29	2	3	7	10	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.6	16	1	2	5	7	9	14	21
B. *Operated*	11	14.8	68	3	5	13	20	27	29	29
2. MULTIPLE DX										
A. *Not Operated*	67	7.2	18	2	3	7	9	12	15	21
B. *Operated*	36	12.3	136	2	2	9	16	25	38	59
1. SINGLE DX	39	8.2	47	1	2	6	10	20	24	29
2. MULTIPLE DX	103	9.0	64	2	3	7	11	17	21	49
A. NOT OPERATED	95	6.7	18	2	3	6	8	12	15	21
B. OPERATED	47	12.9	119	2	3	9	17	26	34	59
TOTAL 0-19 YRS	4	7.8	85	1	1	4	14	21	21	21
20-34	30	8.4	41	2	3	7	10	15	26	29
35-49	33	8.2	74	2	3	5	10	17	31	40
50-64	39	10.2	95	2	3	8	12	20	21	59
65+	36	8.1	23	2	3	7	9	14	18	26
GRAND TOTAL	**142**	**8.8**	**59**	**2**	**3**	**7**	**11**	**17**	**21**	**42**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	46	4.5	7	1	2	4	6	9	10	12
35-49	158	5.6	14	2	2	5	7	12	13	16
50-64	258	5.8	27	2	2	5	7	10	13	21
65+	249	6.3	16	2	2	6	8	11	14	21
B. *Operated*										
0-19 YRS	4	4.5	17	1	1	4	8	9	9	9
20-34	90	6.9	22	2	2	6	8	14	16	22
35-49	346	7.1	23	2	2	6	9	13	15	23
50-64	417	7.0	20	2	2	6	9	13	15	23
65+	169	8.7	44	2	2	8	11	15	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	8	4	4	4	8	9	9	9
20-34	59	5.1	8	1	2	5	7	9	11	15
35-49	424	6.4	17	2	2	5	8	11	14	20
50-64	1202	6.4	18	2	2	5	8	11	14	21
65+	1913	7.5	27	2	3	6	9	14	17	27
B. *Operated*										
0-19 YRS	5	7.8	33	3	3	8	10	17	17	17
20-34	84	7.9	19	2	3	7	10	13	15	24
35-49	377	9.2	48	2	3	8	12	17	23	35
50-64	678	9.6	55	2	3	8	12	17	22	36
65+	583	12.2	93	3	3	10	16	23	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	712	5.9	19	2	2	5	7	10	13	20
B. *Operated*	1026	7.3	25	2	2	6	9	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	3601	7.0	23	2	3	6	9	12	16	24
B. *Operated*	1727	10.3	66	2	3	9	13	19	25	42
1. SINGLE DX	1738	6.7	23	2	2	6	9	12	15	23
2. MULTIPLE DX	5328	8.1	39	2	3	7	10	15	19	32
A. NOT OPERATED	4313	6.8	22	2	3	6	9	12	15	23
B. OPERATED	2753	9.2	53	2	3	8	12	17	22	35
TOTAL 0-19 YRS	13	6.1	19	1	1	5	8	11	16	17
20-34	279	6.4	17	2	2	6	8	12	15	20
35-49	1305	7.3	29	2	2	6	10	13	17	28
50-64	2555	7.3	31	2	3	6	9	14	17	28
65+	2914	8.4	44	2	3	7	10	16	21	33
GRAND TOTAL	**7066**	**7.7**	**36**	**2**	**3**	**6**	**10**	**14**	**18**	**30**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	6.3	11	1	2	7	9	11	11	12
20-34	842	6.5	16	2	2	6	8	12	14	20
35-49	1317	6.7	17	2	2	6	9	12	15	20
50-64	688	7.2	19	2	3	6	9	12	16	21
65+	274	7.6	27	2	3	7	9	14	16	26
B. *Operated*										
0-19 YRS	130	6.6	18	1	2	6	9	11	14	22
20-34	3121	7.7	27	2	2	7	10	14	17	25
35-49	4970	8.2	27	2	3	7	11	15	18	26
50-64	2275	8.8	30	2	3	8	11	16	19	27
65+	450	10.3	49	2	3	9	13	20	23	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.5	11	1	2	7	8	11	13	14
20-34	360	6.6	16	1	2	6	9	12	14	20
35-49	860	7.4	23	2	3	6	9	13	16	24
50-64	1022	7.8	23	2	3	7	10	14	16	24
65+	897	8.8	32	2	3	8	11	15	19	30
B. *Operated*										
0-19 YRS	32	8.0	30	2	3	6	11	16	19	25
20-34	787	10.1	47	2	3	9	13	19	22	33
35-49	2004	10.3	47	2	3	9	13	19	23	33
50-64	1627	11.6	58	3	4	10	15	21	25	38
65+	825	14.3	105	3	5	12	18	25	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3163	6.8	18	2	2	6	9	12	15	20
B. *Operated*	10946	8.2	29	2	3	7	11	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	3152	7.8	25	2	3	7	10	14	17	27
B. *Operated*	5275	11.3	61	3	3	10	14	20	25	39
1. SINGLE DX	14109	7.9	27	2	2	7	10	14	17	25
2. MULTIPLE DX	8427	10.0	51	2	3	8	13	18	23	35
A. NOT OPERATED	6315	7.3	22	2	3	6	9	13	16	23
B. OPERATED	16221	9.2	41	2	3	8	12	17	21	31
TOTAL 0-19 YRS	217	6.8	18	1	2	6	9	12	14	23
20-34	5110	7.8	28	2	2	7	10	14	18	26
35-49	9151	8.3	31	2	3	7	11	15	19	27
50-64	5612	9.2	38	2	3	8	12	17	20	31
65+	2446	10.8	66	2	3	9	14	20	25	42
GRAND TOTAL	**22536**	**8.7**	**37**	**2**	**3**	**8**	**11**	**16**	**20**	**29**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	17	4.4	5	1	1	4	6	7	10	12
20-34	172	6.5	16	2	2	6	8	12	15	21
35-49	357	6.2	15	1	2	5	8	11	13	19
50-64	212	6.5	16	2	3	6	9	12	15	19
65+	63	7.8	20	2	3	7	10	14	17	21
B. *Operated*										
0-19 YRS.	11	7.3	20	2	2	6	10	14	16	16
20-34	385	7.3	21	2	2	7	9	13	15	24
35-49	1072	8.0	21	2	2	8	10	14	16	22
50-64	546	8.2	25	2	3	8	10	14	17	25
65+	71	10.2	45	3	3	9	13	16	24	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	2	4.0		4	4	4	4	4	4	4
20-34	100	6.9	29	1	2	5	8	14	16	27
35-49	349	6.8	23	2	2	6	9	12	15	24
50-64	485	7.1	18	2	3	6	9	12	15	21
65+	348	7.6	21	2	3	7	9	13	17	24
B. *Operated*										
0-19 YRS.	4	17.5	238	2	2	16	30	36	36	36
20-34	114	8.7	41	2	3	7	12	16	20	31
35-49	538	9.4	44	2	3	8	12	17	21	31
50-64	464	10.5	48	3	4	9	13	19	22	38
65+	138	13.1	103	3	4	11	17	24	29	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	621	6.4	16	2	2	6	8	12	14	20
B. *Operated*	2085	8.0	23	2	3	7	10	14	16	24
2. MULTIPLE DX										
A. *Not Operated*	1284	7.1	21	2	3	6	9	12	16	24
B. *Operated*	1258	10.2	54	2	3	9	13	19	23	37
1. SINGLE DX	2906	7.6	21	2	2	7	10	13	16	23
2. MULTIPLE DX	2542	8.6	40	2	3	7	11	16	20	31
A. NOT OPERATED	2105	6.9	19	2	3	6	9	12	15	22
B. OPERATED	3343	8.8	36	2	3	8	11	16	19	29
TOTAL 0-19 YRS.	34	6.8	65	1	2	5	7	13	22	36
20-34	771	7.3	24	2	2	6	9	14	16	25
35-49	2316	7.9	27	2	3	7	10	14	17	26
50-64	1707	8.3	30	2	3	7	11	15	18	28
65+	620	9.2	47	2	3	8	11	17	22	33
GRAND TOTAL	**5448**	**8.1**	**30**	**2**	**3**	**7**	**10**	**14**	**18**	**27**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	6	9.0	278	1	1	2	3	39	43	43
20-34	120	5.4	11	1	2	5	7	10	12	13
35-49	140	6.3	11	2	3	6	8	11	13	16
50-64	60	6.6	21	1	2	5	8	12	18	21
65+	11	7.0	9	2	3	7	9	11	12	12
B. *Operated*										
0-19 YRS.	7	9.3	134	1	1	5	13	30	33	33
20-34	120	6.2	21	2	2	5	8	12	16	24
35-49	152	7.7	28	2	2	6	11	15	18	24
50-64	41	8.4	27	2	3	8	10	14	20	25
65+	4	7.5	14	4	4	7	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	6	6.0	23	3	3	4	8	14	15	15
20-34	85	6.9	15	2	2	7	9	12	15	18
35-49	174	7.6	20	2	3	7	9	13	16	25
50-64	119	7.6	20	2	3	7	10	14	16	23
65+	93	8.6	28	2	3	7	11	16	20	26
B. *Operated*										
0-19 YRS.	3	3.3	4	1	1	4	5	5	5	5
20-34	98	9.8	42	2	3	8	14	18	21	32
35-49	130	10.0	44	2	3	9	12	17	25	35
50-64	55	13.3	80	2	3	13	18	23	34	39
65+	17	9.6	49	2	2	9	12	23	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	6.1	17	1	2	5	8	11	13	18
B. *Operated*	324	7.3	27	2	2	6	9	15	17	25
2. MULTIPLE DX										
A. *Not Operated*	477	7.7	21	2	3	7	10	14	16	24
B. *Operated*	303	10.4	52	2	3	9	14	20	25	36
1. SINGLE DX	661	6.7	22	2	2	6	9	12	16	24
2. MULTIPLE DX	780	8.7	34	2	3	8	11	16	20	31
A. NOT OPERATED	814	7.0	20	2	3	6	9	12	15	22
B. OPERATED	627	8.8	42	2	2	7	12	17	22	34
TOTAL 0-19 YRS.	22	7.5	115	1	1	3	5	21	37	43
20-34	423	6.9	24	2	2	6	9	14	16	24
35-49	596	7.9	27	2	3	7	10	14	17	27
50-64	275	8.6	38	2	3	7	11	16	21	34
65+	125	8.6	29	2	3	7	11	16	20	25
GRAND TOTAL	**1441**	**7.8**	**30**	**2**	**2**	**7**	**10**	**15**	**18**	**28**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.6	11	2	2	4	8	10	10	10
20-34	72	5.9	20	1	2	5	7	10	12	26
35-49	95	6.1	15	2	2	5	7	10	14	24
50-64	68	6.7	17	2	2	6	9	12	14	22
65+	48	7.5	21	1	2	7	10	14	17	18
B. *Operated*										
0-19 YRS	7	3.9	3	2	2	3	5	7	7	7
20-34	53	5.5	14	2	2	4	8	10	13	19
35-49	60	5.6	12	1	2	5	8	11	12	16
50-64	40	7.5	24	2	2	7	10	14	18	20
65+	12	7.3	25	2	2	7	9	15	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	8	3	3	6	8	9	9	9
20-34	74	6.3	17	2	2	5	8	11	15	23
35-49	162	7.3	18	2	3	7	9	14	16	21
50-64	161	7.7	16	2	3	7	10	13	15	20
65+	237	8.7	32	3	4	8	11	14	18	33
B. *Operated*										
0-19 YRS	3	9.0	25	4	4	9	13	14	14	14
20-34	38	7.7	51	2	2	4	11	18	24	28
35-49	74	9.0	39	2	2	8	11	16	24	31
50-64	46	9.0	35	2	3	9	12	19	20	28
65+	43	13.0	103	2	3	11	16	27	32	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	6.4	18	2	2	5	8	11	15	23
B. *Operated*	172	6.0	17	2	2	5	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	638	7.8	23	2	3	7	10	14	16	29
B. *Operated*	204	9.6	56	2	2	8	12	19	24	33
1. SINGLE DX	460	6.3	17	2	2	5	8	11	14	20
2. MULTIPLE DX	842	8.2	32	2	3	7	10	15	18	31
A. NOT OPERATED	926	7.4	22	2	3	7	9	13	16	25
B. OPERATED	376	8.0	41	2	2	7	10	16	20	31
TOTAL 0-19 YRS	19	5.6	11	2	2	5	8	10	12	14
20-34	237	6.2	23	2	2	5	8	11	16	25
35-49	391	7.1	22	2	2	6	9	13	16	25
50-64	315	7.7	20	2	3	7	10	13	16	22
65+	340	9.0	42	2	3	8	11	16	19	34
GRAND TOTAL	**1302**	**7.5**	**27**	**2**	**2**	**7**	**10**	**14**	**17**	**28**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	4.5	15	<1	1	3	6	9	12	19
20-34	1304	5.6	19	1	2	5	8	10	13	19
35-49	1672	6.0	18	1	2	5	8	11	14	21
50-64	905	6.2	21	1	2	5	8	11	14	21
65+	344	6.4	20	1	2	5	9	12	14	21
B. *Operated*										
0-19 YRS	65	3.7	7	1	1	3	4	7	9	15
20-34	1033	5.7	25	2	2	4	7	12	15	25
35-49	1428	6.3	23	2	2	5	9	13	16	23
50-64	779	7.7	33	2	2	6	10	16	19	26
65+	317	10.5	53	2	2	9	15	20	24	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	4.3	12	<1	1	4	6	8	11	16
20-34	1146	6.3	24	1	2	5	8	12	15	25
35-49	1908	7.1	25	2	2	6	9	13	17	25
50-64	1782	7.2	31	2	2	6	9	13	16	27
65+	1476	7.9	31	2	3	7	10	15	18	29
B. *Operated*										
0-19 YRS	55	5.7	29	1	2	4	6	12	19	27
20-34	821	7.7	40	2	2	6	10	16	20	29
35-49	1353	8.5	47	2	2	7	11	16	21	35
50-64	1149	9.9	53	2	3	9	13	19	23	38
65+	800	13.8	90	3	4	12	18	26	33	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4371	5.9	19	1	2	5	8	11	13	21
B. *Operated*	3622	6.8	30	2	2	5	9	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	6450	7.1	28	2	2	6	9	13	17	25
B. *Operated*	4178	9.7	60	2	2	8	13	19	24	39
1. SINGLE DX	7993	6.3	24	1	2	5	8	12	15	24
2. MULTIPLE DX	10628	8.2	42	2	2	7	10	16	20	33
A. NOT OPERATED	10821	6.6	25	1	2	5	9	12	15	24
B. OPERATED	7800	8.3	48	2	2	7	11	17	22	35
TOTAL 0-19 YRS	404	4.5	15	1	1	3	5	9	12	21
20-34	4304	6.2	26	1	2	5	8	12	15	25
35-49	6361	6.9	28	2	2	6	9	13	17	25
50-64	4615	7.8	37	2	2	6	10	15	19	29
65+	2937	9.6	55	2	3	8	12	19	24	38
GRAND TOTAL	**18621**	**7.4**	**35**	**2**	**2**	**6**	**10**	**14**	**18**	**29**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	3.5	10	1	1	3	4	6	8	15
20-34	122	4.0	9	<1	<1	3	5	7	10	15
35-49	166	4.7	10	1	1	4	6	9	11	16
50-64	147	5.0	9	1	2	4	6	9	11	16
65+	106	5.0	14	1	2	4	7	10	11	21
B. *Operated*										
0-19 YRS	214	2.9	10	<1	1	2	3	5	8	22
20-34	617	2.9	4	<1	1	2	3	5	7	12
35-49	971	3.1	5	<1	1	3	4	5	7	12
50-64	952	3.3	7	<1	1	3	4	6	8	13
65+	261	3.5	10	<1	<1	2	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	4.9	21	1	2	4	6	9	14	26
20-34	103	4.7	7	1	2	4	6	8	10	13
35-49	283	5.4	11	1	2	5	7	9	12	18
50-64	368	6.2	25	2	2	5	7	11	14	26
65+	400	7.2	23	2	3	6	9	14	17	24
B. *Operated*										
0-19 YRS	78	4.4	21	<1	1	3	5	10	16	22
20-34	270	4.0	9	1	2	3	5	8	11	14
35-49	628	4.4	19	1	2	3	5	9	11	25
50-64	710	5.0	20	1	2	4	6	10	13	23
65+	360	6.4	41	1	2	4	8	13	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	702	4.4	11	1	1	4	6	9	10	16
B. *Operated*	3015	3.1	6	<1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	1215	6.1	20	2	2	5	8	11	14	24
B. *Operated*	2046	4.9	22	1	2	3	6	10	13	24
1. SINGLE DX	3717	3.4	7	<1	1	3	4	6	8	14
2. MULTIPLE DX	3261	5.4	22	1	2	4	7	10	13	24
A. NOT OPERATED	1917	5.5	17	1	2	4	7	10	13	22
B. OPERATED	5061	3.8	14	<1	1	3	4	7	10	19
TOTAL 0-19 YRS	514	3.5	14	1	1	2	4	6	9	22
20-34	1112	3.4	7	<1	1	3	4	7	8	14
35-49	2048	3.9	11	1	1	3	5	7	10	17
50-64	2177	4.5	15	1	1	3	5	9	11	21
65+	1127	5.9	27	1	2	4	7	12	16	24
GRAND TOTAL	**6978**	**4.3**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	3	1.0		<1	<1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	142	3.3	3	1	2	3	4	5	6	9
20-34	323	3.4	2	1	2	3	4	5	6	9
35-49	438	3.7	3	1	2	3	5	6	7	9
50-64	465	3.9	3	2	2	4	5	6	7	10
65+	294	4.0	5	1	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49	8	1.4	1	<1	<1	1	2	3	3	3
50-64	14	2.9	4	1	1	2	3	7	7	7
65+	16	5.2	21	<1	<1	5	7	13	15	16
B. *Operated*										
0-19 YRS	118	3.9	3	2	2	4	5	6	7	9
20-34	358	4.1	3	2	2	4	5	6	7	12
35-49	626	4.1	4	2	2	4	5	6	8	11
50-64	1095	4.6	5	2	2	4	5	7	9	14
65+	890	5.1	7	2	2	5	6	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.0	2	<1	<1	2	3	4	4	4
B. *Operated*	1662	3.7	3	1	2	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	44	3.3	11	<1	<1	2	5	7	10	16
B. *Operated*	3087	4.6	5	2	2	4	5	7	9	13
1. SINGLE DX	1672	3.7	3	1	2	3	5	6	7	10
2. MULTIPLE DX	3131	4.5	5	2	2	4	5	7	9	13
A. NOT OPERATED	54	3.1	10	<1	<1	2	4	7	8	16
B. OPERATED	4749	4.3	5	2	2	4	5	7	8	12
TOTAL 0-19 YRS	265	3.5	3	2	2	3	4	5	7	9
20-34	687	3.7	3	1	2	3	5	6	7	10
35-49	1074	3.9	3	2	2	4	5	6	7	10
50-64	1577	4.4	5	2	2	4	5	7	8	12
65+	1200	4.9	7	2	2	4	6	8	9	15
GRAND TOTAL	**4803**	**4.3**	**5**	**2**	**2**	**4**	**5**	**7**	**8**	**12**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7	1	<1	<1	2	2	3	3	3
20-34	8	1.4		<1	<1	1	2	2	2	2
35-49	12	2.4	2	<1	<1	2	3	4	4	4
50-64	8	3.1	5	<1	<1	2	5	6	6	6
65+	5	4.2	17	1	1	2	6	11	11	11
B. *Operated*										
0-19 YRS	491	1.8	1	<1	<1	2	2	3	3	4
20-34	800	1.9	2	<1	<1	2	2	3	3	5
35-49	572	2.1	2	<1	<1	2	3	4	5	8
50-64	309	2.4	4	<1	<1	2	3	4	5	11
65+	115	2.9	4	<1	1	2	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	8	1.3		<1	<1	1	2	2	2	2
35-49	13	3.6	11	<1	<1	2	5	9	11	11
50-64	11	2.7	6	<1	<1	2	3	7	9	9
65+	10	5.5	10	1	1	6	8	9	10	10
B. *Operated*										
0-19 YRS	61	2.0	1	<1	<1	2	2	3	4	5
20-34	176	2.6	2	<1	1	2	3	5	6	8
35-49	208	3.5	11	<1	1	2	4	7	10	18
50-64	198	3.5	9	1	1	3	4	6	8	16
65+	120	5.0	20	1	1	4	6	8	12	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	2.5	4	<1	<1	2	3	5	6	11
B. *Operated*	2287	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	44	3.3	9	<1	<1	2	5	8	9	11
B. *Operated*	763	3.4	10	<1	1	2	4	6	8	16
1. SINGLE DX	2327	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	807	3.4	10	<1	1	2	4	7	8	16
A. NOT OPERATED	84	2.9	6	<1	<1	2	4	7	9	11
B. OPERATED	3050	2.4	4	<1	<1	2	3	4	5	11
TOTAL 0-19 YRS	561	1.8	1	<1	<1	2	2	3	3	4
20-34	992	2.0	2	<1	<1	2	2	3	4	6
35-49	805	2.5	5	<1	<1	2	3	4	6	12
50-64	526	2.9	6	<1	1	2	3	5	6	13
65+	250	4.0	13	<1	1	3	5	8	10	15
GRAND TOTAL	**3134**	**2.4**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	13.0	97	1	2	11	19	25	30	49
20-34	22	9.9	52	2	4	8	14	18	28	30
35-49	37	9.8	60	2	3	6	14	25	26	28
50-64	40	11.3	91	1	3	8	15	22	33	44
65+	18	14.6	69	2	4	14	21	26	30	32
B. *Operated*										
0-19 YRS	98	15.5	140	2	3	14	22	30	37	59
20-34	106	12.0	115	2	3	8	17	25	38	48
35-49	81	15.0	189	2	3	11	19	34	44	68
50-64	86	11.4	88	2	3	8	15	24	29	46
65+	55	15.5	207	2	3	12	21	32	42	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	15.2	141	2	3	12	24	32	42	89
20-34	35	10.2	83	<1	1	8	13	22	31	38
35-49	58	13.4	129	2	3	9	19	30	39	44
50-64	91	14.1	127	2	3	10	19	30	40	51
65+	125	14.8	175	2	3	11	18	32	45	67
B. *Operated*										
0-19 YRS	73	19.5	202	3	4	17	28	44	49	91
20-34	144	17.7	228	2	3	14	23	44	51	99+
35-49	151	18.1	216	2	4	14	26	44	53	99+
50-64	238	19.6	254	3	5	15	26	43	54	97
65+	281	20.4	240	4	6	16	26	44	60	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	11.9	83	2	3	10	17	25	28	42
B. *Operated*	426	13.7	143	2	3	10	19	29	38	51
2. MULTIPLE DX										
A. *Not Operated*	380	14.1	142	2	3	10	19	31	40	52
B. *Operated*	887	19.3	234	3	5	15	26	44	54	99+
1. SINGLE DX	633	13.1	124	2	3	10	18	27	34	50
2. MULTIPLE DX	1267	17.7	212	2	4	14	24	40	51	93
A. NOT OPERATED	587	13.3	122	2	3	10	18	28	38	51
B. OPERATED	1313	17.5	212	3	3	14	23	38	50	83
TOTAL 0-19 YRS	332	15.6	146	2	3	13	22	31	42	64
20-34	307	14.3	169	2	3	10	20	32	44	77
35-49	327	15.5	183	2	3	11	20	38	46	81
50-64	455	16.2	196	2	4	12	21	34	48	77
65+	479	18.1	219	3	5	14	23	38	53	81
GRAND TOTAL	**1900**	**16.2**	**188**	**2**	**3**	**12**	**22**	**35**	**47**	**76**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	4.6	20	1	1	3	6	11	13	23
20-34	144	3.3	5	1	1	3	4	6	8	12
35-49	171	4.0	12	1	1	3	4	8	10	18
50-64	172	4.9	15	1	1	4	7	10	13	18
65+	265	8.0	28	2	3	7	11	14	17	23
B. *Operated*										
0-19 YRS	658	4.7	19	1	1	3	6	9	13	24
20-34	740	5.0	24	1	2	4	6	10	13	22
35-49	457	6.3	36	1	2	4	8	12	16	39
50-64	404	7.4	40	2	2	5	10	15	18	29
65+	253	10.8	50	2	3	10	15	18	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	6.5	73	1	1	4	6	14	27	45
20-34	241	4.7	39	1	2	3	5	9	11	17
35-49	459	5.2	21	1	2	4	6	10	13	20
50-64	785	6.6	31	2	2	5	8	13	16	29
65+	2740	9.8	46	2	3	8	13	18	22	34
B. *Operated*										
0-19 YRS	216	4.7	17	1	1	4	6	9	14	23
20-34	473	6.7	59	1	2	4	8	13	19	42
35-49	414	8.8	77	2	2	6	12	18	24	51
50-64	558	11.4	121	2	3	9	14	23	29	72
65+	911	16.2	136	3	5	14	21	31	39	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	879	5.3	20	1	1	4	7	11	14	22
B. *Operated*	2512	6.1	33	1	2	4	8	13	17	28
2. MULTIPLE DX										
A. *Not Operated*	4306	8.4	44	2	2	7	11	16	21	33
B. *Operated*	2572	11.3	116	2	2	8	15	24	32	57
1. SINGLE DX	3391	5.9	30	1	2	4	8	13	16	26
2. MULTIPLE DX	6878	9.4	73	2	2	7	12	19	25	43
A. NOT OPERATED	5185	7.8	41	2	2	6	10	15	20	32
B. OPERATED	5084	8.7	82	2	2	6	11	19	25	46
TOTAL 0-19 YRS	1082	4.8	23	1	1	3	6	9	14	25
20-34	1598	5.3	36	1	2	4	6	10	14	33
35-49	1501	6.4	43	1	2	4	8	13	17	36
50-64	1919	8.0	63	2	2	6	10	16	22	39
65+	4169	11.1	72	2	3	9	14	21	27	43
GRAND TOTAL	**10269**	**8.3**	**62**	**2**	**2**	**6**	**11**	**17**	**23**	**40**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	69	1	1	2	7	20	20	20
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	13.0	242	2	2	13	24	24	24	24
65+	3	5.3	14	1	1	7	8	8	8	8
B. *Operated*										
0-19 YRS	163	4.0	7	1	1	4	5	7	8	15
20-34	106	3.6	8	1	1	3	5	7	10	15
35-49	52	3.2	3	<1	2	3	4	6	7	9
50-64	59	3.6	5	1	1	3	5	7	8	12
65+	17	8.9	82	1	1	6	11	27	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.9	16	<1	<1	1	3	9	13	13
20-34	4	7.3	66	1	1	4	12	19	19	19
35-49	9	7.2	55	1	1	5	8	20	25	25
50-64	4	4.8	9	1	1	5	7	8	8	8
65+	20	8.1	27	2	3	7	12	16	18	18
B. *Operated*										
0-19 YRS	166	5.2	42	2	2	4	5	8	10	32
20-34	127	5.2	36	1	2	4	6	9	11	39
35-49	111	5.8	19	2	2	5	7	11	13	24
50-64	115	6.1	27	2	2	5	7	11	15	30
65+	68	8.5	40	2	3	6	12	18	23	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	5.2	52	1	1	2	6	20	23	24
B. *Operated*	397	4.0	11	1	1	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	46	6.5	33	<1	1	5	8	14	18	25
B. *Operated*	587	5.9	34	2	2	4	7	11	16	31
1. SINGLE DX	412	4.0	12	1	1	3	5	7	10	21
2. MULTIPLE DX	633	5.9	34	2	2	4	7	11	16	29
A. NOT OPERATED	61	6.2	37	<1	1	4	8	16	19	25
B. OPERATED	984	5.1	25	1	2	4	6	9	13	26
TOTAL 0-19 YRS	343	4.6	25	1	2	4	5	8	10	23
20-34	240	4.5	24	1	1	3	5	9	11	26
35-49	174	5.1	18	1	2	4	6	10	12	24
50-64	180	5.3	22	2	2	4	6	10	14	24
65+	108	8.4	42	2	2	6	11	18	23	28
GRAND TOTAL	**1045**	**5.2**	**26**	**1**	**2**	**4**	**6**	**10**	**14**	**25**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	4	2	2	2	5	6	6	6
20-34	40	4.5	13	1	2	3	5	8	12	19
35-49	59	5.7	14	1	1	5	8	11	14	16
50-64	37	5.2	28	<1	1	4	6	11	15	28
65+	29	6.1	26	1	1	5	8	14	19	19
B. *Operated*										
0-19 YRS										
20-34	20	5.0	10	1	2	5	7	10	11	12
35-49	41	4.7	10	2	2	3	6	10	12	12
50-64	26	7.4	49	1	2	5	10	16	24	29
65+	12	8.8	37	3	3	7	13	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	38	6.2	55	2	2	4	7	10	13	47
35-49	75	6.7	27	1	2	5	8	12	16	31
50-64	109	6.7	18	2	2	6	9	12	14	21
65+	136	7.5	23	2	2	6	9	14	19	22
B. *Operated*										
0-19 YRS										
20-34	17	11.0	76	2	3	8	14	25	31	33
35-49	43	10.4	52	3	3	10	12	21	23	40
50-64	32	8.4	50	2	3	6	9	21	26	27
65+	17	14.5	80	7	7	12	16	27	36	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	5.3	19	1	1	4	7	11	15	19
B. *Operated*	99	5.9	25	2	2	4	8	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	363	6.9	25	2	2	6	9	13	16	22
B. *Operated*	109	10.6	62	3	3	9	13	22	26	40
1. SINGLE DX	269	5.5	21	1	2	4	7	11	15	22
2. MULTIPLE DX	472	7.8	36	2	2	6	10	14	19	32
A. NOT OPERATED	533	6.4	24	1	2	5	8	12	16	21
B. OPERATED	208	8.4	49	2	2	6	11	18	25	36
TOTAL 0-19 YRS	8	3.4	2	2	2	3	4	6	6	6
20-34	115	6.1	39	2	2	5	7	12	15	38
35-49	218	6.8	29	1	2	5	9	12	16	28
50-64	204	6.8	29	1	2	5	9	13	18	27
65+	196	8.0	33	1	2	7	10	16	19	27
GRAND TOTAL	**741**	**6.9**	**32**	**1**	**2**	**5**	**9**	**14**	**18**	**28**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	3.6	10	<1	<1	2	4	8	10	14
20-34	411	3.5	8	<1	<1	3	5	7	9	12
35-49	417	4.6	14	<1	1	4	6	9	12	19
50-64	273	4.5	14	<1	1	3	6	8	12	21
65+	153	5.5	21	1	1	4	7	12	16	20
B. *Operated*										
0-19 YRS	539	4.9	21	1	1	3	7	12	13	19
20-34	628	3.9	13	<1	1	3	5	8	11	18
35-49	526	4.0	12	1	1	3	5	8	11	18
50-64	484	3.8	15	1	1	3	4	8	12	21
65+	286	3.8	13	1	1	3	4	8	10	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	3.7	11	<1	1	3	5	8	10	19
20-34	526	5.1	20	1	1	4	6	10	12	25
35-49	842	5.8	20	1	2	5	7	11	14	24
50-64	850	5.8	17	2	2	5	8	11	14	20
65+	916	7.1	37	2	2	6	9	13	17	31
B. *Operated*										
0-19 YRS	436	4.7	34	1	1	3	5	11	15	31
20-34	724	4.6	26	1	1	3	5	9	14	26
35-49	766	6.4	58	1	2	4	8	12	19	46
50-64	712	6.4	40	1	2	4	8	14	18	29
65+	453	8.7	89	2	2	6	11	18	24	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1418	4.3	13	<1	1	3	5	9	11	18
B. *Operated*	2463	4.1	15	1	1	3	5	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	3291	6.0	24	1	2	5	7	11	14	26
B. *Operated*	3091	6.1	49	1	2	4	7	13	18	38
1. SINGLE DX	3881	4.2	14	<1	1	3	5	9	12	19
2. MULTIPLE DX	6382	6.0	36	1	2	4	7	12	16	31
A. NOT OPERATED	4709	5.5	21	1	2	4	7	10	13	24
B. OPERATED	5554	5.2	35	1	2	3	6	11	15	30
TOTAL 0-19 YRS	1296	4.5	23	1	1	3	5	11	13	22
20-34	2289	4.3	18	<1	1	3	5	9	11	23
35-49	2551	5.4	29	1	2	4	7	10	14	28
50-64	2319	5.5	24	1	2	4	7	11	15	23
65+	1808	6.9	47	1	2	5	8	14	18	34
GRAND TOTAL	**10263**	**5.3**	**29**	**1**	**2**	**4**	**7**	**11**	**14**	**27**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	6	7	7	7	7
20-34	10	4.0	5	1	1	6	5	7	8	8
35-49	6	3.0	2	<1	<1	3	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	10	3.9	6	<1	1	3	4	8	9	9
35-49	3	4.7	22	1	1	3	8	10	10	10
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	12	5.7	10	2	2	5	8	10	11	11
35-49	27	5.9	14	1	2	5	8	10	15	16
50-64	13	5.4	12	<1	1	5	6	10	13	14
65+	19	8.5	35	1	2	7	14	17	20	22
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	11	7.3	28	3	3	5	8	16	20	20
35-49	8	7.9	23	4	4	6	8	16	19	19
50-64	4	5.5	6	4	4	5	7	9	9	9
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.6	4	<1	1	3	5	7	8	8
B. *Operated*	17	3.6	7	<1	1	3	4	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	72	6.5	19	1	2	6	8	14	15	21
B. *Operated*	25	7.0	20	3	4	5	8	14	19	20
1. SINGLE DX	36	3.6	5	<1	1	3	4	7	9	10
2. MULTIPLE DX	97	6.6	19	1	2	5	8	14	16	21
A. NOT OPERATED	91	5.9	10	1	2	5	8	12	15	20
B. OPERATED	42	5.6	17	1	2	4	7	10	16	20
TOTAL 0-19 YRS	7	4.7	11	2	2	4	6	10	11	11
20-34	43	5.3	13	1	2	4	7	9	12	20
35-49	44	5.8	15	1	2	5	8	10	15	19
50-64	20	5.0	10	<1	1	5	6	9	12	14
65+	19	8.5	35	1	2	7	14	17	20	22
GRAND TOTAL	133	5.8	17	1	2	5	7	11	15	20

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.9	5	<1	1	2	4	5	9	11
20-34	5	4.2	13	1	1	3	6	10	10	10
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	3	4.0	19	<1	<1	2	7	9	9	9
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	136	8.2	39	2	3	7	10	16	23	33
20-34	11	5.2	9	2	2	5	6	10	11	11
35-49	16	8.3	50	2	2	7	9	18	25	28
50-64	4	5.5	18	1	1	5	9	10	10	10
65+	3	9.3	42	3	3	9	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	4.3	34	1	1	3	4	6	13	30
20-34	14	4.7	12	<1	1	3	7	11	11	11
35-49	6	5.0	6	2	2	5	6	9	9	9
50-64	10	9.0	221	1	1	3	10	31	50	50
65+	13	3.5	14	<1	<1	2	5	9	12	13
B. *Operated*										
0-19 YRS	212	9.1	78	2	2	7	11	18	25	49
20-34	23	10.9	70	2	2	8	18	24	53	99+
35-49	17	15.5	119	2	3	17	20	26	39	46
50-64	9	17.9	222	3	4	16	27	76	99+	99+
65+	11	12.9	28	5	5	12	17	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.2	6	<1	1	2	4	7	10	11
B. *Operated*	170	8.0	38	2	3	7	9	16	22	32
2. MULTIPLE DX										
A. *Not Operated*	186	4.5	40	1	1	3	5	9	12	42
B. *Operated*	272	10.1	86	2	2	7	13	21	27	52
1. SINGLE DX	222	6.9	34	1	2	5	9	14	19	30
2. MULTIPLE DX	458	7.8	75	1	2	5	10	18	24	52
A. NOT OPERATED	238	4.2	33	<1	1	3	4	9	11	31
B. OPERATED	442	9.3	68	2	2	7	11	20	25	50
TOTAL 0-19 YRS	531	7.1	56	1	2	5	9	16	22	40
20-34	53	7.4	45	1	2	5	11	19	22	97
35-49	42	10.4	88	2	2	7	17	22	27	46
50-64	26	11.0	184	1	1	8	14	45	59	99+
65+	28	7.9	40	<1	1	6	12	17	18	21
GRAND TOTAL	680	7.5	62	1	2	5	9	17	23	50

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	1.4	2	<1	<1	1	1	2	3	11
20-34	4	5.0	13	2	2	4	7	10	10	10
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	503	2.3	12	<1	1	2	2	3	5	9
20-34	104	2.5	2	<1	1	2	3	4	6	9
35-49	83	2.4	1	1	1	2	3	4	4	7
50-64	70	2.5	3	2	2	2	3	3	4	14
65+	108	2.7	4	1	1	2	3	4	5	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	1.8	4	<1	<1	1	2	3	5	12
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	183	2.9	6	1	1	2	3	6	8	14
20-34	54	3.2	11	1	1	2	4	5	8	23
35-49	41	3.0	4	1	2	3	3	5	7	12
50-64	63	3.0	3	1	2	2	3	5	8	9
65+	115	3.3	14	2	2	2	3	5	9	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	1.6	3	<1	<1	1	1	2	3	13
B. *Operated*	868	2.4	8	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	51	1.7	3	<1	<1	1	2	3	5	12
B. *Operated*	456	3.1	8	1	1	2	3	5	8	15
1. SINGLE DX	949	2.3	8	<1	1	2	3	4	5	9
2. MULTIPLE DX	507	2.9	8	1	1	2	3	5	8	14
A. NOT OPERATED	132	1.6	3	<1	<1	1	2	3	4	12
B. OPERATED	1324	2.6	8	1	1	2	3	4	6	12
TOTAL 0-19 YRS	804	2.3	10	<1	1	2	2	4	6	12
20-34	164	2.8	6	<1	1	2	3	4	7	10
35-49	128	2.6	2	1	1	2	3	4	4	9
50-64	135	2.7	3	1	2	2	3	4	5	10
65+	225	3.0	9	1	2	2	3	5	7	19
GRAND TOTAL	**1456**	**2.5**	**8**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	3.3	9	<1	<1	2	5	8	10	15
20-34	15	3.5	7	1	1	2	4	7	9	10
35-49	13	3.5	3	1	2	3	4	6	7	7
50-64	9	5.6	57	2	2	3	4	18	25	25
65+	6	3.3	6	1	1	3	3	8	8	8
B. *Operated*										
0-19 YRS	740	4.9	18	1	1	2	8	10	13	19
20-34	83	6.5	31	1	2	4	9	14	19	24
35-49	56	8.4	126	1	2	6	10	14	20	75
50-64	26	4.8	13	1	2	3	8	10	12	13
65+	14	8.4	87	2	2	4	13	25	30	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	353	4.9	58	<1	1	3	5	10	15	41
20-34	53	4.0	11	1	1	3	5	7	13	18
35-49	36	6.3	54	1	2	4	7	16	21	38
50-64	27	5.7	25	1	2	4	7	11	16	25
65+	57	7.1	36	1	2	5	8	15	19	30
B. *Operated*										
0-19 YRS	1362	7.8	105	1	2	3	10	18	28	65
20-34	89	7.2	57	1	2	5	10	14	22	44
35-49	72	10.4	164	2	2	7	13	21	42	94
50-64	60	9.9	65	2	2	8	13	21	28	32
65+	49	13.3	140	2	2	12	18	27	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	3.5	11	<1	1	2	4	7	9	19
B. *Operated*	919	5.3	28	1	1	3	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	526	5.2	49	1	1	3	6	11	16	32
B. *Operated*	1632	8.1	106	1	2	5	10	19	28	66
1. SINGLE DX	1024	5.1	26	1	1	3	8	11	13	22
2. MULTIPLE DX	2158	7.4	94	1	1	4	9	16	25	59
A. NOT OPERATED	631	4.9	44	<1	1	3	6	10	15	28
B. OPERATED	2551	7.1	80	1	1	4	9	15	22	51
TOTAL 0-19 YRS	2517	6.4	73	1	1	3	8	13	21	46
20-34	240	6.0	37	1	1	4	8	13	18	26
35-49	177	8.4	121	1	2	5	10	17	23	77
50-64	122	7.6	49	2	2	5	10	18	24	32
65+	126	9.5	89	2	2	7	13	22	29	72
GRAND TOTAL	**3182**	**6.7**	**73**	**1**	**1**	**3**	**9**	**14**	**21**	**48**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.1	3	<1	<1	1	3	5	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	423	4.0	3	2	2	4	5	6	7	9
20-34	9	4.3	13	1	1	4	5	10	13	13
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.3	16	<1	<1	1	4	10	13	16
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	337	4.4	8	2	2	4	5	7	8	12
20-34	11	3.4	3	1	1	3	4	6	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.1	3	<1	<1	1	3	5	5	5
B. *Operated*	435	4.0	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	37	3.3	16	<1	<1	1	4	10	13	16
B. *Operated*	350	4.4	8	2	2	4	5	7	8	12
1. SINGLE DX	445	3.9	3	2	2	4	5	6	7	9
2. MULTIPLE DX	387	4.3	9	1	2	4	5	7	8	14
A. NOT OPERATED	47	3.0	13	<1	<1	1	4	8	12	16
B. OPERATED	785	4.1	5	2	2	4	5	6	7	11
TOTAL 0-19 YRS	807	4.1	6	1	2	4	5	6	8	12
20-34	20	3.8	7	1	1	3	5	6	10	13
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**832**	**4.1**	**6**	**1**	**2**	**4**	**5**	**6**	**8**	**12**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.6	1	<1	<1	3	4	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	448	3.8	4	2	2	3	4	6	7	12
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.2	8	1	1	4	6	9	10	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	105	4.8	7	2	2	4	6	9	9	14
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.6	1	<1	<1	3	4	4	4	4
B. *Operated*	448	3.8	4	2	2	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	16	4.2	8	1	1	4	6	9	10	10
B. *Operated*	105	4.8	7	2	2	4	6	9	9	14
1. SINGLE DX	459	3.7	4	2	2	3	4	6	7	12
2. MULTIPLE DX	121	4.7	7	2	2	4	6	9	10	14
A. NOT OPERATED	27	3.6	6	1	1	3	4	7	9	10
B. OPERATED	553	4.0	5	2	2	4	4	6	7	13
TOTAL 0-19 YRS	580	3.9	5	2	2	4	4	6	8	13
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**580**	**3.9**	**5**	**2**	**2**	**4**	**4**	**6**	**8**	**13**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	2.5	12	<1	<1	1	3	4	6	22
20-34	12	2.8	3	1	1	2	3	5	7	7
35-49	7	4.4	5	2	2	5	6	8	8	8
50-64	4	5.8	19	2	2	6	9	10	10	10
65+	12	3.8	6	<1	1	3	5	8	9	9
B. *Operated*										
0-19 YRS	308	6.3	34	<1	1	5	9	14	17	24
20-34	42	4.2	12	1	1	3	6	8	10	18
35-49	27	4.6	9	1	1	4	7	9	10	11
50-64	20	10.1	178	1	2	7	11	18	41	62
65+	21	5.1	17	1	1	4	7	10	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	6.0	55	1	1	3	7	12	17	42
20-34	17	4.2	6	1	2	4	6	8	8	8
35-49	17	3.5	8	<1	1	3	4	6	11	14
50-64	29	6.5	25	1	2	6	7	12	20	23
65+	75	6.8	51	1	2	5	9	14	15	46
B. *Operated*										
0-19 YRS	327	9.8	104	1	2	7	13	21	32	59
20-34	69	8.6	52	2	2	7	10	17	28	34
35-49	39	9.8	171	2	2	7	11	16	22	83
50-64	55	9.7	74	2	2	9	12	18	33	41
65+	66	11.4	122	2	3	8	16	26	31	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	2.8	11	<1	<1	2	3	5	9	22
B. *Operated*	418	6.1	37	<1	1	4	9	13	17	24
2. MULTIPLE DX										
A. *Not Operated*	315	6.0	47	1	1	4	7	12	15	37
B. *Operated*	556	9.8	101	1	2	7	12	20	30	57
1. SINGLE DX	541	5.4	33	<1	1	3	8	12	16	23
2. MULTIPLE DX	871	8.5	85	1	2	6	11	18	26	54
A. NOT OPERATED	438	5.1	39	<1	1	3	6	11	14	31
B. OPERATED	974	8.2	77	1	1	6	11	18	24	50
TOTAL 0-19 YRS	900	7.1	66	<1	1	4	10	16	22	43
20-34	140	6.2	35	1	1	5	8	12	18	30
35-49	90	6.7	85	1	2	5	8	13	14	59
50-64	108	8.8	79	2	2	7	11	17	24	50
65+	174	8.2	78	1	2	5	9	17	25	54
GRAND TOTAL	**1412**	**7.3**	**67**	**1**	**1**	**5**	**9**	**16**	**21**	**43**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.4		<1	<1	1	2	3	3	3
20-34	3	1.7		<1	<1	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	637	2.6	1	1	1	2	3	4	5	7
20-34	45	3.2	2	1	2	3	4	4	6	9
35-49	8	2.9	1	1	1	3	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	1.3	1	<1	<1	1	1	2	4	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	544	2.8	3	1	1	2	3	4	6	8
20-34	56	4.2	7	2	2	4	5	7	8	17
35-49	28	3.4	2	2	2	3	4	6	7	8
50-64	1	5.0		5	5	5	5	5	5	5
65+	3	3.3	2	2	2	3	4	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.5		<1	<1	1	2	2	3	3
B. *Operated*	692	2.6	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	39	1.3	1	<1	<1	1	1	2	4	5
B. *Operated*	632	2.9	3	1	1	3	3	5	6	9
1. SINGLE DX	707	2.6	1	1	1	2	3	4	5	7
2. MULTIPLE DX	671	2.8	3	1	1	2	3	5	6	9
A. NOT OPERATED	54	1.4	1	<1	<1	1	1	2	3	5
B. OPERATED	1324	2.8	2	1	1	2	3	4	6	8
TOTAL 0-19 YRS	1231	2.6	2	1	1	2	3	4	5	8
20-34	105	3.6	5	1	2	3	4	6	8	13
35-49	36	3.3	2	2	2	3	4	5	7	8
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	4	3.0	2	2	2	3	4	5	5	5
GRAND TOTAL	**1378**	**2.7**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.3	2	<1	<1	2	3	4	6	8
20-34	16	3.4	11	<1	<1	2	4	10	11	11
35-49	11	3.5	6	<1	1	3	5	7	9	9
50-64	8	2.5	2	1	1	2	3	5	5	5
65+	8	2.3	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	649	5.3	16	1	1	4	8	10	13	18
20-34	154	4.2	11	<1	1	3	6	8	11	16
35-49	48	5.7	22	1	2	5	7	11	15	27
50-64	30	4.9	16	1	2	3	9	11	12	14
65+	15	6.0	23	<1	1	6	8	12	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	2.9	11	<1	1	2	3	6	9	21
20-34	28	4.7	19	1	1	4	5	11	14	20
35-49	40	6.2	22	2	2	5	7	13	17	20
50-64	51	5.4	27	1	1	4	6	11	14	32
65+	46	6.7	39	2	2	5	8	15	19	35
B. *Operated*										
0-19 YRS	488	7.1	50	1	1	5	9	15	19	33
20-34	190	5.3	20	1	2	5	6	10	12	21
35-49	126	7.0	23	2	2	6	9	14	16	25
50-64	79	7.9	74	2	2	5	9	14	29	46
65+	79	9.1	52	2	2	9	12	16	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.7	4	<1	<1	2	3	5	7	11
B. *Operated*	896	5.1	15	1	1	4	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	236	4.9	25	1	1	3	6	10	15	25
B. *Operated*	962	7.0	44	1	2	5	9	14	18	35
1. SINGLE DX	973	4.9	15	1	1	4	7	10	12	18
2. MULTIPLE DX	1198	6.6	41	1	1	5	9	14	17	33
A. NOT OPERATED	313	4.4	20	1	1	3	5	9	14	24
B. OPERATED	1858	6.1	31	1	1	5	8	12	15	27
TOTAL 0-19 YRS	1242	5.8	30	1	1	4	8	12	15	27
20-34	388	4.7	16	1	1	4	6	8	12	20
35-49	225	6.4	22	1	2	6	8	13	15	24
50-64	168	6.3	48	1	2	4	8	12	14	38
65+	148	7.7	45	2	2	6	10	15	19	35
GRAND TOTAL	**2171**	**5.8**	**30**	**1**	**1**	**5**	**8**	**12**	**15**	**27**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.9	44	<1	<1	2	5	14	23	24
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	267	3.3	2	2	2	3	4	5	6	8
20-34	15	4.9	7	2	2	5	6	9	11	12
35-49	13	5.7	12	2	2	5	7	11	13	14
50-64	7	3.1	1	2	2	3	4	5	5	5
65+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	1.4	2	<1	<1	1	1	2	3	9
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	151	4.3	7	2	2	4	5	8	9	13
20-34	43	5.1	3	2	3	5	6	7	8	11
35-49	21	4.5	4	2	3	4	5	8	9	10
50-64	32	4.9	17	2	2	4	5	6	18	20
65+	16	7.6	19	3	3	6	10	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.0	40	<1	<1	3	6	13	22	24
B. *Operated*	304	3.5	3	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	32	1.4	2	<1	<1	1	1	2	3	9
B. *Operated*	263	4.7	8	2	2	4	6	8	10	17
1. SINGLE DX	317	3.6	4	2	2	3	4	6	7	11
2. MULTIPLE DX	295	4.3	9	1	1	4	5	8	9	17
A. NOT OPERATED	45	2.4	15	<1	<1	1	2	6	9	24
B. OPERATED	567	4.1	6	2	2	4	5	7	8	14
TOTAL 0-19 YRS	462	3.6	5	1	1	3	4	6	7	12
20-34	59	5.1	4	2	3	5	6	8	9	12
35-49	34	5.0	7	2	3	4	6	8	10	14
50-64	39	4.6	15	2	2	4	5	6	14	20
65+	18	7.1	19	3	3	6	9	15	17	17
GRAND TOTAL	**612**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**15**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	2.9	15	<1	1	2	3	6	8	23
20-34	46	4.1	11	<1	1	3	5	10	11	17
35-49	54	4.7	8	1	1	4	6	9	10	14
50-64	33	6.7	22	1	2	6	9	14	16	20
65+	12	8.8	39	1	2	6	13	19	21	21
B. *Operated*										
0-19 YRS	1176	4.2	18	1	1	3	5	8	11	23
20-34	375	3.9	14	<1	<1	3	5	8	12	20
35-49	203	5.8	41	<1	<1	3	8	15	18	29
50-64	135	5.6	24	1	1	4	8	12	15	25
65+	43	6.1	25	1	2	4	8	16	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	268	5.4	79	<1	1	3	6	11	15	57
20-34	84	6.1	32	1	1	4	7	12	15	34
35-49	99	6.4	31	1	2	5	8	11	19	31
50-64	104	7.5	41	2	2	6	10	13	19	36
65+	93	8.8	75	2	3	6	11	17	20	53
B. *Operated*										
0-19 YRS	540	6.4	64	1	2	4	8	13	20	50
20-34	228	6.7	64	1	1	4	8	15	21	46
35-49	206	7.3	52	1	2	5	10	16	19	38
50-64	153	9.3	67	2	2	8	12	17	22	50
65+	95	13.3	202	2	3	9	17	30	38	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	307	4.0	17	<1	1	3	5	9	11	20
B. *Operated*	1932	4.5	21	<1	1	3	6	9	13	23
2. MULTIPLE DX										
A. *Not Operated*	648	6.5	60	1	1	4	8	13	18	40
B. *Operated*	1222	7.5	76	1	2	4	9	16	22	50
1. SINGLE DX	2239	4.4	20	<1	1	3	6	9	13	22
2. MULTIPLE DX	1870	7.1	71	1	1	4	9	15	22	48
A. NOT OPERATED	955	5.7	47	1	1	4	7	12	16	33
B. OPERATED	3154	5.6	44	1	1	3	7	12	17	35
TOTAL 0-19 YRS	2146	4.8	38	1	1	3	6	9	14	31
20-34	733	5.0	33	<1	<1	3	6	11	15	29
35-49	562	6.3	40	<1	1	4	8	14	17	34
50-64	425	7.5	46	1	2	6	10	14	20	34
65+	243	10.1	121	2	2	7	12	20	27	69
GRAND TOTAL	**4109**	**5.6**	**45**	**1**	**1**	**3**	**7**	**12**	**17**	**34**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1312	4.8	33	1	1	3	4	11	18	29
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	30	7.8	69	1	2	4	11	23	28	30
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1084	11.0	158	1	2	6	14	27	38	70
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	131	20.3	503	1	2	12	31	71	99	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1312	4.8	33	1	1	3	4	11	18	29
B. *Operated*	30	7.8	69	1	2	4	11	23	28	30
2. MULTIPLE DX										
A. *Not Operated*	1084	11.0	158	1	2	6	14	27	38	70
B. *Operated*	131	20.3	503	1	2	12	31	71	99	99+
1. SINGLE DX	1342	4.8	34	1	1	3	4	11	18	29
2. MULTIPLE DX	1215	12.0	203	1	2	6	15	30	45	93
A. NOT OPERATED	2396	7.5	99	1	2	4	8	21	27	54
B. OPERATED	161	17.9	445	1	2	10	27	63	93	99+
TOTAL 0-19 YRS	2557	8.2	127	1	2	4	10	22	30	69
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2557**	**8.2**	**127**	**1**	**2**	**4**	**10**	**22**	**30**	**69**

329. Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1826	2.8	5	1	1	2	3	5	7	11
20-34	621	3.2	7	1	1	3	4	6	7	13
35-49	388	3.6	10	1	1	3	4	7	8	13
50-64	739	4.1	11	1	1	3	5	7	9	21
65+	172	4.9	14	1	2	4	6	11	12	19
B. *Operated*										
0-19 YRS	15	4.2	7	2	2	4	6	8	9	10
20-34	25	3.4	1	2	2	3	4	5	6	6
35-49	13	5.8	40	1	2	3	5	17	22	23
50-64	10	6.2	12	2	3	5	9	12	14	14
65+	7	10.1	112	2	2	5	19	26	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2363	3.5	11	1	1	3	4	6	9	17
20-34	889	4.9	29	1	1	4	6	9	13	28
35-49	923	5.5	24	1	2	4	7	10	14	28
50-64	1061	6.1	28	1	2	5	8	11	15	29
65+	1570	7.6	46	2	2	6	9	15	19	34
B. *Operated*										
0-19 YRS	61	7.2	36	1	2	5	9	15	19	34
20-34	67	8.9	46	2	2	8	12	18	22	30
35-49	68	9.1	64	2	2	7	12	18	22	47
50-64	102	11.5	152	3	3	8	13	23	42	67
65+	153	13.0	99	3	4	9	17	26	33	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3246	3.2	7	1	1	3	4	6	8	13
B. *Operated*	70	5.1	24	2	2	4	5	9	16	26
2. MULTIPLE DX										
A. *Not Operated*	6806	5.3	28	1	1	4	6	11	14	28
B. *Operated*	451	10.7	93	2	3	8	14	22	29	46
1. SINGLE DX	3316	3.2	8	1	1	3	4	6	8	13
2. MULTIPLE DX	7257	5.6	34	1	1	4	7	11	16	29
A. NOT OPERATED	10052	4.6	23	1	1	3	5	9	13	25
B. OPERATED	521	10.0	88	2	2	7	12	21	28	45
TOTAL 0-19 YRS	4265	3.2	9	1	1	2	4	6	8	16
20-34	1602	4.4	22	1	1	3	5	8	12	26
35-49	1392	5.1	23	1	1	4	6	9	13	27
50-64	1412	6.1	37	1	2	5	7	11	15	30
65+	1902	7.8	51	2	2	6	10	15	21	35
GRAND TOTAL	**10573**	**4.9**	**27**	**1**	**1**	**3**	**6**	**10**	**14**	**28**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	737	3.0	4	1	1	3	4	5	6	11
20-34	178	3.8	5	1	2	3	5	7	8	12
35-49	109	5.2	20	1	2	4	6	10	14	27
50-64	98	5.4	11	2	2	4	7	10	12	17
65+	136	5.9	15	2	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	14	5.4	9	2	2	4	8	10	11	11
20-34	12	9.3	48	1	2	7	14	21	22	22
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	12	7.8	31	1	2	8	10	17	19	19
65+	9	14.9	176	3	3	10	23	36	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1236	3.4	13	1	1	3	4	6	7	11
20-34	407	4.7	12	1	2	4	6	8	10	18
35-49	302	5.4	12	2	2	5	7	9	11	19
50-64	502	6.4	23	2	2	5	8	12	15	23
65+	1078	7.6	36	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	48	7.8	56	2	2	6	9	13	23	41
20-34	43	9.0	29	2	3	8	12	16	19	25
35-49	61	11.9	79	2	3	9	17	24	30	39
50-64	87	12.4	65	4	5	10	16	22	28	45
65+	144	14.9	98	4	6	13	18	30	35	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1258	3.8	8	1	1	3	4	7	9	15
B. *Operated*	50	8.5	62	1	2	6	10	19	23	44
2. MULTIPLE DX										
A. *Not Operated*	3525	5.4	24	1	2	4	7	10	13	23
B. *Operated*	383	12.3	80	3	4	10	15	23	31	42
1. SINGLE DX	1308	4.0	11	1	1	3	5	8	10	17
2. MULTIPLE DX	3908	6.1	34	1	2	4	7	12	16	30
A. NOT OPERATED	4783	5.0	21	1	2	4	6	9	13	21
B. OPERATED	433	11.9	80	3	4	10	15	23	31	42
TOTAL 0-19 YRS	2035	3.4	11	1	1	3	4	6	8	12
20-34	640	4.8	14	1	2	4	6	9	11	20
35-49	475	6.2	27	2	2	5	7	11	16	29
50-64	699	7.0	31	2	2	5	9	13	17	28
65+	1367	8.3	47	2	3	6	10	16	20	34
GRAND TOTAL	**5216**	**5.6**	**29**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	369	2.7	4	1	1	2	3	5	6	9
20-34	853	3.3	6	<1	1	3	4	6	8	13
35-49	540	3.6	7	<1	1	3	4	7	9	13
50-64	236	4.0	8	<1	1	3	5	8	10	14
65+	68	3.5	5	<1	1	3	4	7	8	13
B. *Operated*										
0-19 YRS.	15	4.0	8	1	2	3	6	9	10	10
20-34	59	4.1	9	2	2	3	5	9	11	16
35-49	48	5.0	14	2	2	4	6	9	13	19
50-64	37	4.7	17	1	1	3	6	8	15	21
65+	13	3.5	3	1	1	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	370	3.4	7	1	1	3	4	6	7	10
20-34	1108	4.4	11	1	2	3	5	8	10	17
35-49	1013	5.1	13	1	2	4	6	9	12	18
50-64	680	5.2	13	2	2	4	6	10	12	19
65+	487	5.5	18	2	2	4	7	10	13	20
B. *Operated*										
0-19 YRS.	11	5.4	24	1	1	3	6	14	17	17
20-34	96	6.8	28	2	2	5	9	14	16	29
35-49	124	7.6	28	2	2	6	11	15	18	23
50-64	89	7.7	29	2	3	7	9	14	20	28
65+	80	8.5	39	2	3	7	11	15	24	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2066	3.4	6	<1	1	3	4	6	8	13
B. *Operated*	172	4.4	12	1	2	3	6	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	3658	4.8	13	1	2	4	6	9	11	18
B. *Operated*	400	7.5	31	2	2	6	10	15	18	27
1. SINGLE DX	2238	3.4	7	<1	1	3	4	6	8	14
2. MULTIPLE DX	4058	5.0	15	1	2	4	6	9	12	20
A. NOT OPERATED	5724	4.3	11	1	1	3	5	8	10	16
B. OPERATED	572	6.6	27	2	2	5	8	13	17	25
TOTAL 0-19 YRS.	765	3.1	6	1	1	3	4	5	7	11
20-34	2116	4.0	10	1	1	3	5	8	10	16
35-49	1725	4.8	13	1	2	4	6	9	12	19
50-64	1042	5.1	14	1	2	4	6	10	12	20
65+	648	5.6	21	2	2	4	7	10	14	23
GRAND TOTAL	**6296**	**4.5**	**13**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	42	2.6	3	<1	1	2	4	5	6	8
20-34	76	3.1	3	<1	1	3	4	5	7	9
35-49	99	3.3	4	<1	1	3	4	6	7	9
50-64	160	3.6	4	1	1	3	5	6	7	11
65+	151	3.6	7	<1	1	3	5	6	9	13
B. *Operated*										
0-19 YRS.	26	1.9	2	<1	<1	1	2	4	5	6
20-34	43	4.1	4	1	2	4	5	7	7	9
35-49	72	5.2	11	1	2	5	7	8	10	22
50-64	93	4.5	5	1	2	5	6	8	9	10
65+	73	4.3	5	1	2	4	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	40	3.1	9	<1	<1	2	3	6	9	17
20-34	47	3.6	5	1	1	3	6	7	8	9
35-49	123	4.3	9	1	1	4	6	8	11	14
50-64	299	4.7	8	1	1	4	6	8	11	14
65+	495	4.6	13	1	1	4	5	8	10	15
B. *Operated*										
0-19 YRS.	21	2.5	3	1	1	2	3	5	7	7
20-34	25	5.1	9	1	2	5	7	8	11	15
35-49	71	5.5	12	2	2	5	7	10	13	18
50-64	154	6.1	18	2	2	5	7	11	18	27
65+	152	7.4	44	2	2	6	9	14	18	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	529	3.4	5	<1	1	3	4	6	7	11
B. *Operated*	307	4.3	7	1	1	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	1004	4.4	11	1	1	4	6	8	10	15
B. *Operated*	423	6.2	26	2	2	5	7	11	15	28
1. SINGLE DX	835	3.7	6	<1	1	3	5	7	8	11
2. MULTIPLE DX	1427	4.9	16	1	2	4	6	9	11	19
A. NOT OPERATED	1532	4.0	9	1	1	3	5	7	9	14
B. OPERATED	730	5.4	19	1	2	5	7	9	12	25
TOTAL 0-19 YRS.	129	2.6	5	<1	<1	2	3	5	7	11
20-34	191	3.8	5	1	1	3	5	7	8	10
35-49	365	4.4	9	1	1	4	6	8	10	15
50-64	706	4.7	10	1	2	4	6	8	10	15
65+	871	4.8	18	1	1	4	6	9	11	21
GRAND TOTAL	**2262**	**4.5**	**13**	**1**	**1**	**4**	**6**	**8**	**10**	**16**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	2.8	3	<1	1	2	4	5	7	8
20-34	58	3.0	5	<1	1	2	4	6	8	10
35-49	38	2.8	2	<1	<1	3	4	4	6	7
50-64	31	3.3	4	<1	1	3	5	6	7	8
65+	24	4.3	11	1	1	3	5	9	12	14
B. *Operated*										
0-19 YRS	219	2.2	3	<1	<1	2	3	4	5	11
20-34	156	2.7	4	<1	1	2	3	5	6	12
35-49	85	2.4	2	<1	<1	2	3	4	5	7
50-64	91	3.4	15	1	1	2	3	6	9	25
65+	53	3.5	8	1	1	3	4	9	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.9	16	1	1	3	5	7	10	26
20-34	119	3.9	5	1	1	4	5	7	8	11
35-49	141	4.6	11	1	2	3	6	9	12	18
50-64	206	5.2	33	1	1	4	6	9	14	34
65+	322	7.8	51	1	2	5	10	16	22	36
B. *Operated*										
0-19 YRS	55	3.4	16	<1	<1	2	3	8	11	25
20-34	122	4.5	13	1	1	4	5	9	12	18
35-49	87	6.6	68	1	2	4	8	13	21	44
50-64	120	6.0	28	1	2	4	8	14	17	24
65+	107	10.6	145	2	2	7	14	23	41	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	3.1	5	<1	1	3	4	6	7	10
B. *Operated*	604	2.7	5	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	882	5.7	33	1	2	4	7	12	16	31
B. *Operated*	491	6.4	61	1	2	4	8	14	20	44
1. SINGLE DX	808	2.8	5	<1	1	2	3	5	7	12
2. MULTIPLE DX	1373	6.0	43	1	2	4	7	13	18	37
A. NOT OPERATED	1086	5.2	29	1	1	4	6	10	15	31
B. OPERATED	1095	4.4	34	<1	1	2	4	9	14	32
TOTAL 0-19 YRS	421	2.8	8	<1	1	2	3	5	7	12
20-34	455	3.5	7	1	1	3	5	6	9	14
35-49	351	4.4	24	<1	1	3	5	8	12	25
50-64	448	4.9	27	1	1	3	6	10	14	26
65+	506	7.8	68	1	2	5	10	17	23	43
GRAND TOTAL	**2181**	**4.8**	**31**	**1**	**1**	**3**	**5**	**10**	**14**	**31**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	7.0	7	4	4	8	9	9	9	9
65+	10	5.2	30	<1	<1	3	9	14	17	17
B. *Operated*										
0-19 YRS	16	6.4	156	<1	<1	3	4	10	39	52
20-34	35	6.1	59	1	2	3	7	14	20	39
35-49	23	9.7	127	1	2	7	11	22	37	49
50-64	50	14.2	250	2	2	11	17	26	54	88
65+	166	16.0	167	4	6	13	20	29	40	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	12	12.0	52	2	3	10	17	23	25	25
50-64	40	8.8	49	1	2	7	12	21	23	26
65+	138	11.4	104	2	3	8	13	24	29	63
B. *Operated*										
0-19 YRS	17	12.4	132	1	2	7	21	32	35	36
20-34	49	11.9	212	2	2	6	14	25	51	71
35-49	115	17.2	249	2	2	12	22	42	53	90
50-64	318	20.0	228	3	6	16	27	44	53	99+
65+	1089	20.2	211	5	7	16	26	41	54	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	5.6	21	<1	<1	4	9	11	15	17
B. *Operated*	290	13.5	177	2	2	10	18	27	39	72
2. MULTIPLE DX										
A. *Not Operated*	193	10.8	89	2	3	8	13	22	27	50
B. *Operated*	1588	19.6	219	3	6	16	26	42	53	86
1. SINGLE DX	306	13.1	172	2	2	10	17	26	38	69
2. MULTIPLE DX	1781	18.6	212	3	5	15	24	40	52	82
A. NOT OPERATED	209	10.4	86	2	3	8	13	21	26	46
B. OPERATED	1878	18.6	217	3	4	15	24	40	52	83
TOTAL 0-19 YRS	34	9.5	144	<1	1	4	10	25	36	52
20-34	88	9.3	149	2	2	5	12	20	39	65
35-49	151	15.5	221	2	2	10	21	37	50	85
50-64	411	18.1	225	2	4	14	23	41	53	99+
65+	1403	18.7	203	4	6	15	24	39	50	77
GRAND TOTAL	**2087**	**17.8**	**210**	**2**	**4**	**14**	**23**	**39**	**51**	**80**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.6	2	<1	1	2	3	5	6	7
20-34	773	2.8	3	<1	<1	3	4	5	6	9
35-49	1778	3.2	4	1	1	3	4	6	7	11
50-64	1361	3.4	5	1	1	3	4	6	7	11
65+	621	3.8	7	1	1	3	5	7	8	14
B. *Operated*										
0-19 YRS	6	3.8	7	2	2	3	4	8	9	9
20-34	78	3.9	14	2	2	2	5	7	9	22
35-49	508	3.2	5	2	2	2	4	6	8	12
50-64	588	3.1	4	2	2	2	4	6	7	11
65+	126	3.9	9	2	2	2	5	7	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	162	3.4	4	1	1	3	4	6	7	10
20-34	1394	3.8	9	1	1	3	5	6	8	13
35-49	4694	4.2	8	1	2	4	5	7	9	14
50-64	5850	4.5	9	1	2	4	6	8	10	15
65+	4504	5.2	13	2	2	4	6	9	12	19
B. *Operated*										
0-19 YRS	11	5.2	17	1	1	4	8	12	14	14
20-34	208	4.8	11	2	2	4	6	10	11	15
35-49	978	5.0	17	2	2	4	7	10	12	21
50-64	1364	5.2	17	2	2	4	7	10	13	20
65+	554	7.3	43	2	2	6	9	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4626	3.2	5	1	1	3	4	6	7	11
B. *Operated*	1306	3.2	5	2	2	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	16604	4.5	10	1	2	4	6	8	10	16
B. *Operated*	3115	5.5	22	2	2	4	7	11	14	22
1. SINGLE DX	5932	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX	19719	4.7	12	1	2	4	6	8	11	17
A. NOT OPERATED	21230	4.2	9	1	2	4	5	8	9	15
B. OPERATED	4421	4.8	18	2	2	3	6	10	13	21
TOTAL 0-19 YRS	272	3.2	4	1	1	3	4	6	7	10
20-34	2453	3.6	8	1	1	3	5	6	8	12
35-49	7958	4.0	8	1	2	3	5	7	9	14
50-64	9163	4.3	9	1	2	4	5	8	10	16
65+	5805	5.2	16	2	2	4	6	9	12	20
GRAND TOTAL	**25651**	**4.3**	**11**	**1**	**2**	**4**	**5**	**8**	**10**	**16**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	369	3.4	11	1	1	2	4	7	10	18
20-34	52	2.7	5	<1	<1	2	4	5	8	10
35-49	72	3.0	7	<1	1	2	4	6	9	14
50-64	92	3.5	6	1	1	3	5	7	9	12
65+	95	3.8	7	1	1	3	5	8	9	13
B. *Operated*										
0-19 YRS	47	4.1	16	1	1	3	5	9	13	21
20-34	34	4.5	14	1	2	3	6	9	12	19
35-49	61	4.1	19	<1	1	3	5	8	11	28
50-64	134	3.9	7	1	1	3	5	7	9	15
65+	102	4.4	13	1	1	3	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	489	4.4	23	1	1	3	5	9	12	21
20-34	146	3.8	11	1	1	3	4	8	11	17
35-49	316	4.7	13	1	1	4	6	9	12	18
50-64	630	5.9	25	1	2	4	8	11	15	26
65+	1102	6.7	33	1	2	5	8	12	17	29
B. *Operated*										
0-19 YRS	49	9.8	209	1	1	5	11	23	33	87
20-34	54	8.6	197	1	2	4	8	19	32	74
35-49	184	6.6	56	1	2	5	8	13	16	35
50-64	407	7.0	50	1	2	5	9	15	19	44
65+	474	8.2	58	2	2	6	10	16	22	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	680	3.4	9	1	1	3	4	7	9	15
B. *Operated*	378	4.1	12	1	1	3	5	9	10	18
2. MULTIPLE DX										
A. *Not Operated*	2683	5.7	26	1	2	4	7	11	14	26
B. *Operated*	1168	7.6	68	1	2	5	9	16	21	46
1. SINGLE DX	1058	3.7	10	1	1	3	5	8	9	16
2. MULTIPLE DX	3851	6.3	40	1	2	4	8	12	17	33
A. NOT OPERATED	3363	5.2	24	1	1	4	7	10	13	25
B. OPERATED	1546	6.8	57	1	2	5	8	14	19	39
TOTAL 0-19 YRS	954	4.3	29	1	1	3	5	9	12	24
20-34	286	4.6	49	<1	1	3	5	9	11	31
35-49	633	5.0	27	1	1	4	6	10	13	23
50-64	1263	5.9	31	1	2	4	7	11	15	28
65+	1773	6.8	38	1	2	5	8	13	18	32
GRAND TOTAL	**4909**	**5.7**	**35**	**1**	**1**	**4**	**7**	**11**	**15**	**29**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	2.1	2	<1	1	2	3	4	5	7
20-34	295	2.2	2	<1	1	2	3	4	5	7
35-49	270	2.2	2	1	1	2	3	4	5	8
50-64	170	2.4	3	<1	1	2	3	4	6	8
65+	126	3.2	5	<1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	161	1.8	2	<1	1	1	2	3	4	9
20-34	74	3.7	8	1	1	3	5	7	9	16
35-49	63	4.4	8	1	1	4	6	9	10	11
50-64	64	5.6	9	1	1	5	8	10	10	12
65+	94	6.9	37	1	2	5	8	14	20	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	3.0	4	<1	1	3	4	5	7	10
20-34	276	3.3	7	1	1	3	4	6	7	12
35-49	320	3.4	8	1	1	3	4	6	7	12
50-64	350	4.4	15	1	1	3	5	9	10	21
65+	672	6.2	29	1	2	4	8	13	17	28
B. *Operated*										
0-19 YRS	228	2.6	7	1	1	2	3	5	8	14
20-34	120	5.1	9	1	2	4	7	9	11	14
35-49	159	7.2	29	2	2	6	9	14	17	31
50-64	258	7.4	25	2	2	6	10	14	17	28
65+	646	9.5	64	2	3	8	11	17	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	955	2.4	3	<1	1	2	3	4	6	8
B. *Operated*	456	4.0	16	1	1	3	5	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	1711	4.6	19	1	1	3	6	9	13	23
B. *Operated*	1411	7.4	45	1	2	6	10	14	19	33
1. SINGLE DX	1411	2.9	8	<1	1	2	3	6	8	13
2. MULTIPLE DX	3122	5.9	33	1	1	4	8	12	16	29
A. NOT OPERATED	2666	3.8	14	1	1	3	4	8	10	20
B. OPERATED	1867	6.6	40	1	1	5	9	13	17	32
TOTAL 0-19 YRS	576	2.4	4	1	1	2	3	4	6	11
20-34	765	3.2	7	1	1	3	4	6	8	12
35-49	812	3.8	13	1	1	3	5	8	10	19
50-64	842	5.0	18	1	1	4	7	10	13	22
65+	1538	7.4	46	1	2	6	9	14	20	34
GRAND TOTAL	**4533**	**5.0**	**27**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2205	2.4	3	<1	1	2	3	4	5	8
20-34	2246	2.9	5	<1	1	2	4	5	7	10
35-49	1406	3.5	6	1	1	3	4	7	8	11
50-64	801	3.8	8	1	1	3	5	7	9	14
65+	551	4.3	9	1	1	4	5	8	10	16
B. *Operated*										
0-19 YRS	286	3.7	6	1	2	3	4	6	8	13
20-34	445	4.3	8	1	2	4	6	8	10	14
35-49	190	5.5	24	1	2	4	7	10	13	29
50-64	126	6.3	26	2	2	5	8	12	17	25
65+	62	5.9	17	2	2	4	8	11	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1621	2.9	4	1	1	2	4	5	7	10
20-34	2635	3.7	8	1	1	3	5	7	9	14
35-49	2304	4.5	9	1	2	4	6	8	10	15
50-64	2241	4.9	11	1	2	4	6	9	11	16
65+	2871	5.8	22	2	2	5	7	11	13	21
B. *Operated*										
0-19 YRS	233	4.7	8	1	2	4	6	9	11	14
20-34	664	6.4	28	1	2	5	8	12	15	28
35-49	559	7.5	28	2	3	6	10	14	17	26
50-64	470	8.8	63	2	3	7	11	15	21	38
65+	400	9.7	45	3	4	8	12	19	23	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7209	3.1	5	<1	1	2	4	6	7	11
B. *Operated*	1109	4.7	14	1	2	4	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	11672	4.5	12	1	1	4	6	8	11	17
B. *Operated*	2326	7.5	38	2	2	6	9	14	19	29
1. SINGLE DX	8318	3.3	7	1	1	3	4	6	8	12
2. MULTIPLE DX	13998	5.0	18	1	2	4	6	10	12	21
A. NOT OPERATED	18881	4.0	10	1	1	3	5	8	10	15
B. OPERATED	3435	6.6	32	2	2	5	8	13	17	28
TOTAL 0-19 YRS	4345	2.8	4	1	1	2	4	5	6	10
20-34	5990	3.8	10	1	1	3	5	7	9	15
35-49	4459	4.6	13	1	1	4	6	9	11	17
50-64	3638	5.2	19	1	2	4	6	10	12	21
65+	3884	6.0	24	1	2	5	7	11	14	25
GRAND TOTAL	**22316**	**4.4**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	250	2.7	3	1	1	2	3	5	6	8
20-34	160	3.3	7	<1	1	3	4	7	8	10
35-49	117	3.2	7	1	1	2	4	7	8	15
50-64	104	3.7	8	1	1	3	5	7	10	14
65+	152	4.9	25	1	1	4	6	9	12	18
B. *Operated*										
0-19 YRS	34	3.7	8	1	1	3	5	8	9	12
20-34	42	4.3	10	<1	1	4	6	8	11	14
35-49	39	5.0	12	1	2	4	6	8	13	17
50-64	43	5.2	18	1	2	4	6	11	13	20
65+	37	5.6	30	1	1	4	8	12	15	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	620	3.3	7	1	1	3	4	6	8	13
20-34	485	4.0	10	1	1	3	5	8	9	16
35-49	584	4.8	18	1	1	4	6	10	13	20
50-64	743	6.0	24	1	2	5	7	12	16	22
65+	1496	7.1	41	2	2	5	9	14	18	32
B. *Operated*										
0-19 YRS	64	7.3	32	1	1	6	10	16	18	27
20-34	170	6.6	18	1	2	6	8	12	17	20
35-49	204	7.9	41	1	2	7	10	15	24	30
50-64	207	8.8	59	2	2	7	11	18	22	35
65+	313	11.0	101	2	3	9	13	22	29	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	783	3.5	10	1	1	3	4	7	9	15
B. *Operated*	195	4.8	16	1	1	4	6	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	3928	5.6	27	1	2	4	7	11	15	25
B. *Operated*	958	8.8	62	2	2	7	11	18	24	38
1. SINGLE DX	978	3.7	11	1	1	3	5	8	10	15
2. MULTIPLE DX	4886	6.2	36	1	2	5	8	13	17	29
A. NOT OPERATED	4711	5.2	25	1	1	4	6	10	14	23
B. OPERATED	1153	8.1	57	1	2	6	10	17	22	35
TOTAL 0-19 YRS	968	3.4	8	1	1	3	4	6	9	16
20-34	857	4.4	12	1	1	3	6	8	11	18
35-49	944	5.3	23	1	1	4	7	11	15	26
50-64	1097	6.3	31	1	2	5	8	13	17	27
65+	1998	7.6	52	2	2	5	9	15	20	38
GRAND TOTAL	**5864**	**5.8**	**33**	**1**	**1**	**4**	**7**	**12**	**16**	**28**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1552	3.5	18	1	1	2	4	6	9	21
20-34	1278	3.6	17	<1	1	3	4	7	9	18
35-49	1046	4.2	16	1	1	3	5	8	11	18
50-64	1114	5.1	53	1	1	3	6	10	13	34
65+	1256	5.7	41	1	2	4	7	11	15	33
B. *Operated*										
0-19 YRS	140	3.1	19	<1	<1	2	3	6	8	20
20-34	269	3.0	7	<1	1	2	3	6	8	15
35-49	287	3.8	19	1	1	3	4	7	9	24
50-64	249	4.5	23	1	1	3	5	10	14	25
65+	222	6.0	50	1	2	3	8	12	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1739	4.6	29	1	1	3	5	9	13	27
20-34	1572	4.0	13	1	1	3	5	7	9	15
35-49	2216	4.9	17	1	2	4	6	9	12	20
50-64	4078	6.1	32	1	2	5	7	12	16	28
65+	9012	7.3	42	2	2	5	9	14	18	33
B. *Operated*										
0-19 YRS	158	9.3	164	1	1	4	11	25	40	60
20-34	312	5.3	25	1	1	3	7	11	13	24
35-49	473	6.5	43	1	2	4	8	13	21	36
50-64	765	8.9	108	2	2	5	10	18	31	69
65+	1260	11.5	159	2	3	8	14	24	38	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6246	4.4	29	1	1	3	5	8	12	24
B. *Operated*	1167	4.1	24	1	1	3	5	9	12	26
2. MULTIPLE DX										
A. *Not Operated*	18617	6.2	35	1	2	5	7	12	16	30
B. *Operated*	2968	9.3	119	2	2	6	11	20	31	66
1. SINGLE DX	7413	4.3	28	1	1	3	5	8	12	25
2. MULTIPLE DX	21585	6.6	47	1	2	5	8	13	18	36
A. NOT OPERATED	24863	5.7	34	1	2	4	7	11	15	29
B. OPERATED	4135	7.8	97	1	2	5	9	17	26	59
TOTAL 0-19 YRS	3589	4.3	31	1	1	3	5	8	12	28
20-34	3431	3.9	16	1	1	3	5	7	10	17
35-49	4022	4.8	20	1	1	4	6	9	12	22
50-64	6206	6.2	46	1	2	4	7	12	17	35
65+	11750	7.5	57	2	2	5	9	15	20	40
GRAND TOTAL	**28998**	**6.0**	**43**	**1**	**2**	**4**	**7**	**12**	**17**	**34**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	319	2.0	3	1	1	2	2	3	5	10
20-34	32	4.9	30	1	1	3	6	11	14	28
35-49	20	4.2	7	1	1	4	6	8	9	10
50-64	9	11.1	279	2	2	7	9	37	55	55
65+	5	4.2	10	1	1	4	6	9	9	9
B. *Operated*										
0-19 YRS	63	5.6	11	2	2	5	7	9	11	22
20-34	44	8.8	168	2	3	6	9	13	17	89
35-49	14	8.7	32	2	3	7	12	18	19	19
50-64	6	9.3	21	6	6	8	10	17	18	18
65+	2	9.0	2	8	8	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257	4.1	22	<1	1	3	5	11	13	26
20-34	79	7.4	95	1	1	4	7	17	31	53
35-49	42	5.5	20	<1	1	4	8	12	14	22
50-64	21	5.3	20	1	1	4	8	12	15	17
65+	31	7.2	44	1	1	5	11	16	23	27
B. *Operated*										
0-19 YRS	92	12.3	130	2	3	9	16	28	44	99+
20-34	87	15.0	418	1	2	9	15	38	82	99
35-49	47	18.3	316	<1	3	15	27	66	99+	99+
50-64	14	14.7	146	3	5	13	21	50	87	99+
65+	16	30.3	714	4	5	18	57	77	80	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	2.6	14	1	1	2	3	5	8	14
B. *Operated*	129	7.2	69	2	3	6	8	12	16	37
2. MULTIPLE DX										
A. *Not Operated*	430	5.1	38	1	1	3	6	11	15	32
B. *Operated*	256	15.6	313	2	3	10	18	45	79	99+
1. SINGLE DX	514	3.8	31	1	1	2	5	8	10	19
2. MULTIPLE DX	686	9.0	166	1	1	5	11	21	34	98
A. NOT OPERATED	815	3.9	28	1	1	2	4	9	12	28
B. OPERATED	385	12.8	246	2	3	8	15	28	61	99+
TOTAL 0-19 YRS	731	4.4	37	1	1	2	5	11	15	36
20-34	242	10.1	229	1	2	6	10	19	36	96
35-49	123	10.6	170	1	1	7	14	27	57	99+
50-64	50	9.5	110	1	2	7	11	21	49	99+
65+	54	13.8	345	1	2	8	16	30	60	80
GRAND TOTAL	**1200**	**6.8**	**115**	**1**	**1**	**3**	**8**	**15**	**25**	**81**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	2.6	4	1	1	2	3	6	7	10
20-34	54	3.6	13	1	1	3	4	8	10	22
35-49	20	5.1	15	1	1	4	7	11	14	16
50-64	14	2.1	2	<1	<1	2	2	4	6	6
65+	7	2.4	1	1	1	3	3	3	3	3
B. *Operated*										
0-19 YRS	16	5.4	9	1	1	5	8	11	69	99+
20-34	25	6.5	25	2	2	6	8	12	16	24
35-49	7	5.1	9	2	2	4	7	10	10	10
50-64	7	6.3	81	1	1	2	7	22	26	26
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	154	4.6	46	1	1	3	5	9	12	30
20-34	111	5.8	35	1	1	4	7	12	16	33
35-49	49	6.6	24	1	2	5	8	14	19	22
50-64	29	8.0	52	1	1	7	11	15	25	32
65+	36	11.4	113	1	2	10	15	18	28	60
B. *Operated*										
0-19 YRS	42	12.6	193	2	2	9	12	27	42	77
20-34	86	14.8	273	1	2	9	20	45	57	99+
35-49	39	15.2	256	1	2	8	22	37	47	73
50-64	14	13.6	123	1	2	10	19	31	35	36
65+	18	31.6	570	3	7	28	41	75	78	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	3.0	8	1	1	2	4	6	8	14
B. *Operated*	55	6.0	24	1	2	5	8	12	21	95
2. MULTIPLE DX										
A. *Not Operated*	379	6.1	50	1	1	4	8	13	17	32
B. *Operated*	199	15.9	289	1	2	10	22	41	55	99+
1. SINGLE DX	284	3.6	12	1	1	3	4	8	10	23
2. MULTIPLE DX	578	9.5	153	1	1	6	11	22	37	77
A. NOT OPERATED	608	5.0	36	1	1	3	6	11	15	29
B. OPERATED	254	13.7	248	1	2	8	17	38	53	99+
TOTAL 0-19 YRS	346	4.9	55	1	1	3	6	9	13	44
20-34	276	8.2	123	1	1	5	9	20	38	97
35-49	115	9.2	117	1	2	6	10	21	31	61
50-64	64	7.7	71	<1	1	5	10	20	29	35
65+	61	16.3	335	1	2	11	18	39	65	79
GRAND TOTAL	**862**	**7.5**	**114**	**1**	**1**	**4**	**8**	**16**	**30**	**73**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	1.8	2	<1	<1	1	2	3	5	6
20-34	84	2.0	2	<1	<1	1	2	4	5	8
35-49	21	2.4	4	<1	<1	1	3	6	7	8
50-64	9	2.1	1	<1	<1	2	3	4	4	4
65+	12	4.7	14	<1	1	4	6	11	13	13
B. *Operated*										
0-19 YRS	749	2.1	2	<1	<1	2	2	3	4	8
20-34	951	2.7	3	<1	1	2	3	5	6	10
35-49	274	3.0	8	<1	1	2	3	6	8	12
50-64	92	3.6	7	1	2	3	4	7	10	16
65+	36	5.1	22	1	1	4	5	11	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	2.9	6	1	1	2	3	6	8	13
20-34	158	2.9	6	<1	<1	2	4	5	8	12
35-49	72	3.5	12	<1	<1	3	4	8	11	16
50-64	44	5.0	25	<1	1	4	5	12	17	21
65+	120	5.9	27	1	1	5	7	12	15	30
B. *Operated*										
0-19 YRS	641	4.0	24	1	1	3	5	7	10	23
20-34	1209	4.7	30	1	1	3	6	9	13	26
35-49	423	5.5	44	1	2	4	6	10	15	37
50-64	184	6.9	65	1	2	4	8	14	23	44
65+	147	9.8	89	2	2	6	13	22	33	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	2.2	4	<1	<1	1	3	5	6	10
B. *Operated*	2102	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	485	3.9	15	<1	1	3	5	9	12	17
B. *Operated*	2604	5.1	38	1	1	3	6	10	15	35
1. SINGLE DX	2269	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	3089	4.9	35	1	1	3	6	10	14	32
A. NOT OPERATED	652	3.5	13	<1	<1	2	4	7	10	16
B. OPERATED	4706	4.0	24	1	1	3	4	8	11	24
TOTAL 0-19 YRS	1522	2.9	12	<1	1	2	3	5	8	16
20-34	2402	3.7	18	1	1	3	4	7	10	20
35-49	790	4.4	29	1	1	3	5	9	12	21
50-64	329	5.6	44	1	1	4	6	11	17	42
65+	315	7.6	59	1	2	5	10	16	23	40
GRAND TOTAL	**5358**	**3.9**	**23**	**<1**	**1**	**3**	**4**	**8**	**11**	**23**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	191	4.5	10	1	1	4	6	9	10	15
20-34	419	5.4	20	1	2	5	7	9	11	20
35-49	261	5.6	18	1	2	4	7	11	12	26
50-64	241	6.9	21	2	2	6	9	12	16	24
65+	412	9.2	29	2	3	8	12	17	21	25
B. *Operated*										
0-19 YRS	31	12.2	117	2	3	10	16	21	40	51
20-34	54	12.5	84	3	3	10	18	26	31	37
35-49	25	11.3	102	2	2	9	16	21	30	49
50-64	21	13.1	78	2	3	12	19	26	28	30
65+	11	11.3	32	3	4	12	17	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	174	6.2	35	1	1	5	8	14	18	33
20-34	402	6.2	21	1	2	5	8	12	15	21
35-49	282	8.7	99	2	3	7	9	15	21	64
50-64	471	8.9	36	2	3	7	11	17	21	31
65+	1999	11.3	55	3	4	10	14	20	24	37
B. *Operated*										
0-19 YRS	67	18.2	263	3	4	12	26	41	60	96
20-34	172	17.5	360	4	4	11	21	41	74	93
35-49	77	15.6	173	3	4	13	20	29	42	92
50-64	87	15.8	192	3	4	12	19	33	48	94
65+	217	17.9	138	5	6	16	22	33	45	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1524	6.6	24	1	2	5	9	12	16	24
B. *Operated*	142	12.2	88	2	3	10	17	25	30	49
2. MULTIPLE DX										
A. *Not Operated*	3328	9.8	55	2	3	8	13	18	23	36
B. *Operated*	620	17.2	224	4	5	13	22	35	50	95
1. SINGLE DX	1666	7.0	32	1	2	5	9	14	17	28
2. MULTIPLE DX	3948	11.0	88	2	3	9	14	21	27	50
A. NOT OPERATED	4852	8.8	47	2	2	7	11	17	21	33
B. OPERATED	762	16.3	203	3	4	13	21	32	47	92
TOTAL 0-19 YRS	463	7.6	85	1	2	5	9	16	26	50
20-34	1047	8.0	99	1	2	6	9	15	22	62
35-49	645	8.4	85	2	2	6	10	17	23	55
50-64	820	9.1	55	2	3	7	11	17	23	37
65+	2639	11.5	62	3	4	10	15	21	26	43
GRAND TOTAL	**5614**	**9.8**	**75**	**2**	**3**	**8**	**12**	**19**	**25**	**47**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	11	4.5	10	1	1	4	6	9	11	11
20-34	14	11.9	348	<1	1	6	9	28	64	74
35-49	7	4.9	4	2	2	5	7	7	7	7
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	5	9.4	16	5	5	10	12	15	15	15
B. *Operated*										
0-19 YRS.	6	19.7	382	3	4	17	48	92	99+	99+
20-34	21	17.8	109	3	5	19	22	31	37	45
35-49	6	11.8	51	2	3	11	16	22	23	23
50-64	2	29.5	61	24	24	29	35	35	35	35
65+	2	39.5	1625	11	11	39	68	68	68	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	7	9.9	138	1	1	5	16	29	31	31
20-34	23	14.0	172	2	2	10	19	35	41	51
35-49	15	15.3	372	1	3	6	16	45	62	68
50-64	11	8.8	53	1	2	7	12	19	26	27
65+	26	15.3	304	3	4	9	13	53	60	64
B. *Operated*										
0-19 YRS.	15	25.7	126	9	10	28	35	84	83	99+
20-34	48	34.0	562	5	11	28	45	80	99	99+
35-49	13	26.2	319	4	8	36	64	99+	99+	99+
50-64	6	19.8	111	3	5	24	32	87	99+	99+
65+	13	26.1	630	2	4	15	33	77	77	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	7.8	136	1	1	6	8	11	19	74
B. *Operated*	37	18.9	206	3	5	17	23	42	64	99+
2. MULTIPLE DX										
A. *Not Operated*	82	13.6	227	1	2	7	15	35	53	67
B. *Operated*	95	29.7	449	4	8	27	44	83	99+	99+
1. SINGLE DX	76	13.2	200	1	2	9	18	30	53	93
2. MULTIPLE DX	177	22.2	409	2	3	18	35	65	92	99+
A. NOT OPERATED	121	11.7	204	1	2	6	13	28	48	70
B. OPERATED	132	26.7	402	4	7	23	39	77	99+	99+
TOTAL 0-19 YRS.	39	15.9	205	1	2	12	29	42	77	99+
20-34	106	23.5	447	2	4	19	31	61	79	99+
35-49	41	16.5	294	2	2	10	36	68	99+	99+
50-64	21	13.4	117	1	2	11	24	34	61	99+
65+	46	18.8	426	3	4	11	20	59	70	77
GRAND TOTAL	**253**	**19.5**	**362**	**2**	**3**	**14**	**28**	**53**	**78**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS.	28	2.0	1	<1	1	2	3	3	4	6
20-34	73	2.5	4	<1	<1	2	3	4	6	12
35-49	77	3.2	4	<1	1	3	4	6	7	19
50-64	102	3.9	8	<1	1	3	5	7	8	16
65+	135	5.5	12	1	2	5	8	10	12	15
B. *Operated*										
0-19 YRS.	2	3.0	8	1	1	3	5	5	5	5
20-34	5	9.4	15	5	5	8	13	14	14	14
35-49	7	8.7	67	3	3	4	10	25	29	29
50-64	8	5.5	16	1	2	4	8	12	13	13
65+	3	2.7	4	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS.	72	4.0	8	1	1	3	5	7	9	17
20-34	266	4.5	17	1	1	4	6	9	12	21
35-49	354	5.3	25	1	1	4	7	10	12	19
50-64	553	6.7	34	2	2	5	8	12	17	30
65+	1123	8.4	40	2	3	7	11	16	20	32
B. *Operated*										
0-19 YRS.	30	7.3	39	2	2	6	10	11	20	33
20-34	112	8.2	55	2	3	7	10	14	18	70
35-49	121	10.7	107	2	2	8	14	21	31	88
50-64	145	11.7	132	2	3	8	15	22	32	60
65+	183	14.9	169	3	4	11	18	30	38	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	415	3.9	9	<1	1	3	5	8	10	15
B. *Operated*	25	6.6	36	1	1	5	8	13	18	29
2. MULTIPLE DX										
A. *Not Operated*	2368	7.0	35	1	2	5	9	14	18	30
B. *Operated*	591	11.6	125	2	3	8	14	22	33	66
1. SINGLE DX	440	4.1	11	<1	1	3	5	8	11	16
2. MULTIPLE DX	2959	7.9	56	2	2	6	10	16	21	38
A. NOT OPERATED	2783	6.5	32	1	2	5	8	13	17	29
B. OPERATED	616	11.4	122	2	3	8	14	22	33	65
TOTAL 0-19 YRS.	132	4.3	17	1	1	3	6	9	10	22
20-34	456	5.2	28	1	1	4	6	10	14	37
35-49	559	6.2	47	1	1	4	8	12	18	34
50-64	808	7.2	53	1	2	5	9	14	20	36
65+	1444	9.0	60	2	3	7	11	17	22	37
GRAND TOTAL	**3399**	**7.4**	**52**	**1**	**2**	**5**	**9**	**15**	**20**	**36**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	5.3	17	1	1	4	6	11	15	20
20-34	88	8.8	96	1	2	6	9	23	27	52
35-49	40	9.6	99	2	2	7	11	21	31	50
50-64	80	8.8	33	2	3	8	11	15	19	34
65+	305	10.8	60	3	3	9	14	20	25	39
B. *Operated*										
0-19 YRS	5	27.4	561	3	3	31	46	57	57	57
20-34	13	21.6	195	2	4	21	31	41	45	46
35-49	3	15.3	170	5	5	11	25	30	30	30
50-64	4	39.3	95	29	29	38	47	51	51	51
65+	3	26.3	660	11	11	12	45	56	56	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	8.6	73	2	2	6	10	18	26	44
20-34	208	10.1	118	2	3	7	11	21	32	53
35-49	99	15.0	167	3	4	11	20	37	46	54
50-64	154	13.2	106	2	4	11	16	26	36	51
65+	1031	14.3	93	4	5	12	18	25	33	49
B. *Operated*										
0-19 YRS	54	21.3	302	3	5	15	31	47	65	99
20-34	128	26.4	415	6	7	19	38	58	68	92
35-49	57	26.4	332	6	8	21	36	52	66	86
50-64	54	28.4	422	5	7	25	43	63	74	99
65+	126	24.6	300	5	8	19	35	52	61	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	612	9.3	61	2	2	7	12	18	24	41
B. *Operated*	28	25.0	289	3	4	25	39	49	56	57
2. MULTIPLE DX										
A. *Not Operated*	1629	13.2	104	3	4	11	17	25	34	50
B. *Operated*	419	25.5	356	5	7	19	36	56	67	92
1. SINGLE DX	640	10.0	81	2	2	7	13	20	27	49
2. MULTIPLE DX	2048	15.7	180	3	4	12	20	33	45	70
A. NOT OPERATED	2241	12.2	95	2	3	10	16	23	31	49
B. OPERATED	447	25.4	351	5	7	20	37	56	67	89
TOTAL 0-19 YRS	295	10.1	139	2	2	6	12	25	39	64
20-34	437	15.0	260	2	3	9	19	40	52	87
35-49	199	17.2	236	2	3	12	24	40	49	68
50-64	292	15.2	196	3	4	11	[illegible]	34	46	74
65+	1465	14.5	116	3	5	12	18	26	36	59
GRAND TOTAL	**2688**	**14.4**	**162**	**2**	**3**	**11**	**18**	**30**	**42**	**67**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	2.7	16	<1	<1	1	2	5	13	22
20-34	38	3.1	4	<1	1	3	5	6	7	8
35-49	45	3.2	6	<1	1	2	4	5	9	11
50-64	70	3.8	12	<1	1	3	5	8	11	17
65+	262	6.3	35	1	2	5	7	13	17	31
B. *Operated*										
0-19 YRS	941	3.7	21	1	1	2	4	9	14	24
20-34	154	5.0	34	1	1	4	5	9	12	37
35-49	93	3.9	7	1	1	3	5	6	9	15
50-64	150	5.2	12	1	2	4	7	10	12	14
65+	241	6.9	28	1	2	5	9	14	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	5.3	55	1	1	3	5	13	18	43
20-34	81	5.0	23	<1	1	4	6	12	17	21
35-49	46	5.1	25	1	1	3	7	9	13	30
50-64	119	6.7	53	1	2	4	9	13	15	45
65+	635	9.5	67	2	3	7	12	19	25	48
B. *Operated*										
0-19 YRS	205	6.9	109	1	1	4	7	15	22	62
20-34	154	11.1	132	2	2	7	14	23	37	56
35-49	105	12.2	166	1	2	8	14	32	40	61
50-64	206	10.5	135	2	2	7	12	23	31	65
65+	427	11.7	121	2	3	9	15	23	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	576	4.5	25	<1	1	3	6	10	14	28
B. *Operated*	1579	4.5	23	1	1	3	5	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	952	8.2	62	1	2	6	11	17	23	47
B. *Operated*	1097	10.6	130	1	2	7	13	23	33	61
1. SINGLE DX	2155	4.5	24	1	1	3	5	10	14	25
2. MULTIPLE DX	2049	9.5	100	1	2	6	12	20	28	54
A. NOT OPERATED	1528	6.8	51	1	1	5	9	15	20	36
B. OPERATED	2676	7.0	76	1	1	4	8	15	23	43
TOTAL 0-19 YRS	1378	4.2	37	1	1	2	4	10	15	27
20-34	427	7.0	74	1	1	4	8	15	23	43
35-49	289	7.0	83	1	1	4	8	14	25	51
50-64	545	7.4	74	1	2	5	9	14	19	53
65+	1565	9.2	74	2	2	6	12	18	25	44
GRAND TOTAL	**4204**	**6.9**	**67**	**1**	**1**	**4**	**9**	**15**	**22**	**41**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	1.4	1	<1	<1	1	2	2	3	6
20-34	44	1.9	3	<1	<1	1	2	4	4	11
35-49	34	2.0	2	<1	<1	2	3	3	5	6
50-64	35	3.3	30	<1	<1	2	3	6	7	33
65+	70	3.2	6	<1	<1	3	4	6	7	15
B. *Operated*										
0-19 YRS	1668	1.9	3	<1	1	1	2	4	5	8
20-34	497	3.2	4	1	1	3	4	6	8	10
35-49	336	2.9	5	1	1	2	4	5	7	12
50-64	433	3.0	4	1	1	3	4	5	6	11
65+	536	3.6	8	1	1	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.1	20	<1	<1	2	3	6	8	31
20-34	65	4.1	25	<1	1	3	4	9	13	29
35-49	50	3.6	18	<1	<1	2	4	7	8	28
50-64	73	4.9	19	1	1	4	6	9	17	21
65+	179	8.2	57	2	2	6	11	15	22	55
B. *Operated*										
0-19 YRS	348	4.0	25	1	1	2	5	9	12	27
20-34	419	6.3	36	1	2	4	8	14	19	29
35-49	255	6.5	44	1	2	4	8	13	18	37
50-64	310	6.9	51	1	2	4	9	15	21	41
65+	532	7.9	72	1	2	5	9	16	23	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	2.2	7	<1	<1	1	3	4	6	10
B. *Operated*	3470	2.6	5	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	429	5.7	40	1	1	4	7	13	17	34
B. *Operated*	1864	6.4	50	1	1	4	8	14	19	39
1. SINGLE DX	3745	2.6	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	2293	6.3	48	1	1	4	8	14	19	38
A. NOT OPERATED	704	4.4	30	<1	<1	3	5	10	14	30
B. OPERATED	5334	3.9	24	1	1	2	4	8	12	25
TOTAL 0-19 YRS	2170	2.2	8	<1	1	1	2	4	6	12
20-34	1025	4.5	21	1	1	3	5	9	13	25
35-49	675	4.3	23	1	1	3	5	9	12	27
50-64	851	4.6	27	1	1	3	5	9	14	32
65+	1317	5.9	45	1	1	4	7	13	16	37
GRAND TOTAL	**6038**	**4.0**	**25**	**1**	**1**	**2**	**5**	**8**	**12**	**26**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	1.5	2	<1	<1	<1	1	2	6	8
20-34	52	1.5	1	<1	<1	1	2	3	4	5
35-49	21	2.2	5	<1	<1	1	2	5	8	10
50-64	14	2.1	1	<1	<1	2	3	3	4	4
65+	21	3.7	10	<1	<1	3	5	8	11	12
B. *Operated*										
0-19 YRS	464	1.8	2	<1	<1	1	2	3	4	7
20-34	584	2.1	2	<1	1	2	3	4	4	8
35-49	263	2.3	21	<1	<1	2	3	4	5	12
50-64	124	2.7	5	<1	1	2	3	4	6	13
65+	65	3.4	7	<1	1	3	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	2.5	6	<1	<1	1	3	5	6	14
20-34	60	3.5	6	<1	1	3	5	7	8	13
35-49	34	3.9	12	<1	<1	3	4	7	13	16
50-64	35	5.3	14	<1	1	4	7	10	13	17
65+	57	6.6	21	1	2	5	9	13	15	22
B. *Operated*										
0-19 YRS	184	3.9	39	1	1	2	4	7	12	47
20-34	346	3.9	18	<1	1	3	4	8	11	25
35-49	184	3.8	20	<1	1	3	4	8	10	22
50-64	132	4.7	31	1	1	3	5	9	16	33
65+	120	5.8	34	1	1	4	7	14	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	1.9	4	<1	<1	1	2	4	6	10
B. *Operated*	1500	2.2	6	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	226	4.5	14	<1	1	3	6	10	13	16
B. *Operated*	966	4.2	27	1	1	3	5	8	13	33
1. SINGLE DX	1652	2.1	6	<1	<1	2	2	4	5	10
2. MULTIPLE DX	1192	4.3	24	<1	1	3	5	9	13	30
A. NOT OPERATED	378	3.4	11	<1	<1	2	4	8	11	15
B. OPERATED	2466	3.0	15	<1	1	2	3	6	8	19
TOTAL 0-19 YRS	732	2.4	13	<1	<1	2	2	4	6	21
20-34	1042	2.7	8	<1	<1	2	3	5	7	15
35-49	502	3.0	20	<1	1	2	3	5	8	15
50-64	305	3.8	18	<1	1	3	4	7	11	25
65+	263	5.2	24	1	1	4	7	12	15	26
GRAND TOTAL	**2844**	**3.0**	**15**	**<1**	**1**	**2**	**3**	**6**	**9**	**17**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	11.6	120	1	1	6	19	31	31	39
20-34	7	13.6	357	<1	<1	3	31	42	43	43
35-49	17	7.6	52	1	1	5	11	14	24	30
50-64	39	7.8	111	<1	<1	4	9	21	31	53
65+	210	9.6	49	<1	1	9	14	20	23	27
B. *Operated*										
0-19 YRS	120	11.5	93	2	3	9	15	25	28	47
20-34	54	9.8	41	2	4	9	11	18	20	35
35-49	112	10.2	36	4	5	9	11	17	19	39
50-64	469	12.1	35	6	7	11	14	18	22	36
65+	2961	15.9	52	8	9	15	18	23	28	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	20.9	189	3	4	20	30	40	43	47
20-34	14	10.6	165	1	2	6	9	34	43	46
35-49	23	10.7	124	2	3	6	16	28	37	47
50-64	67	14.0	263	1	2	9	18	28	57	74
65+	589	14.7	168	2	4	12	19	30	41	90
B. *Operated*										
0-19 YRS	78	18.4	275	3	4	14	26	39	49	82
20-34	128	20.0	201	6	7	15	26	42	49	78
35-49	160	16.9	180	6	6	13	18	38	45	91
50-64	657	17.7	107	8	9	15	21	30	39	65
65+	6819	19.3	115	8	10	17	22	31	40	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	9.6	71	<1	1	8	14	22	25	39
B. *Operated*	3716	15.0	54	6	8	14	18	23	27	43
2. MULTIPLE DX										
A. *Not Operated*	716	14.6	177	2	3	11	19	31	42	83
B. *Operated*	7842	19.1	119	8	10	16	22	31	40	67
1. SINGLE DX	4022	14.6	57	5	7	14	17	22	27	43
2. MULTIPLE DX	8558	18.8	125	7	9	16	22	31	40	68
A. NOT OPERATED	1022	13.1	151	1	2	10	17	28	37	72
B. OPERATED	11558	17.8	102	7	9	15	21	29	37	63
TOTAL 0-19 YRS	254	14.5	173	2	3	10	21	30	40	70
20-34	203	16.4	181	2	4	12	21	38	47	71
35-49	312	13.6	129	4	5	10	15	26	39	64
50-64	1232	15.1	96	5	7	13	18	25	33	59
65+	10579	17.9	103	7	9	16	21	29	37	63
GRAND TOTAL	**12580**	**17.4**	**107**	**6**	**8**	**15**	**20**	**29**	**37**	**63**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	377	17.2	138	1	2	18	25	32	37	49
20-34	34	24.5	587	<1	1	19	47	62	78	99+
35-49	12	17.3	294	1	1	11	35	60	92	99+
50-64	22	29.9	694	1	3	22	45	66	83	94
65+	88	19.0	395	1	2	12	24	58	63	99+
B. *Operated*										
0-19 YRS	468	12.9	159	1	2	8	20	31	38	53
20-34	171	12.8	128	2	3	10	16	23	40	94
35-49	58	13.4	145	2	3	10	16	31	44	55
50-64	64	16.0	143	2	4	14	24	39	63	99+
65+	208	18.4	130	7	9	15	21	32	47	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	18.7	240	1	2	17	28	38	46	81
20-34	55	25.6	515	2	2	20	46	55	79	99
35-49	20	25.2	404	2	5	17	37	58	66	68
50-64	43	19.8	371	3	4	12	30	52	61	74
65+	222	17.5	285	2	3	12	24	45	65	99+
B. *Operated*										
0-19 YRS	350	21.6	242	3	4	19	29	44	50	67
20-34	313	24.4	374	3	5	19	35	54	70	99+
35-49	127	23.3	421	3	4	17	32	58	79	99+
50-64	124	21.8	339	3	6	17	30	52	82	99+
65+	491	24.9	301	8	10	20	30	52	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	533	18.5	241	1	2	17	25	39	52	83
B. *Operated*	969	14.3	150	2	3	12	19	31	41	66
2. MULTIPLE DX										
A. *Not Operated*	510	19.3	311	2	3	14	29	46	59	99+
B. *Operated*	1405	23.6	318	4	6	19	31	50	68	99+
1. SINGLE DX	1502	15.8	186	2	2	13	22	34	46	76
2. MULTIPLE DX	1915	22.4	320	3	5	18	30	49	64	99+
A. NOT OPERATED	1043	18.9	275	1	2	15	27	45	56	99
B. OPERATED	2374	19.8	270	2	4	16	26	44	58	99+
TOTAL 0-19 YRS	1365	17.0	196	1	2	15	25	36	45	62
20-34	573	21.1	354	2	4	15	30	50	67	99+
35-49	217	20.5	355	2	4	13	30	52	68	99+
50-64	253	20.7	335	3	4	15	30	52	75	99+
65+	1009	21.4	282	4	6	17	27	48	63	99+
GRAND TOTAL	**3417**	**19.5**	**272**	**2**	**3**	**16**	**26**	**44**	**57**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	2.6	3	1	1	2	3	5	6	9
20-34	151	3.2	6	<1	1	2	4	6	7	12
35-49	97	4.2	9	1	1	3	6	8	11	15
50-64	96	5.1	14	1	1	4	7	9	11	21
65+	117	7.2	25	2	2	6	10	13	17	26
B. *Operated*										
0-19 YRS	618	4.3	16	1	1	3	5	8	11	22
20-34	521	6.7	51	1	2	5	8	12	18	48
35-49	331	6.9	42	2	2	5	8	12	17	29
50-64	240	8.1	37	2	3	7	10	15	19	29
65+	151	11.0	72	2	3	9	14	22	26	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	4.6	29	1	1	3	5	8	16	30
20-34	114	5.6	87	1	1	4	6	10	12	49
35-49	95	7.7	103	1	1	5	9	13	25	57
50-64	130	8.2	36	2	2	7	11	16	21	27
65+	279	10.9	66	2	3	9	14	20	26	47
B. *Operated*										
0-19 YRS	295	10.2	117	2	2	6	13	24	33	53
20-34	452	12.6	171	3	3	8	15	26	39	75
35-49	266	12.3	161	2	3	8	15	24	37	95
50-64	267	15.8	259	2	4	11	19	35	52	79
65+	250	16.6	155	3	5	13	21	34	46	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	695	4.1	12	1	1	3	5	9	11	18
B. *Operated*	1861	6.5	41	1	2	5	8	12	17	31
2. MULTIPLE DX										
A. *Not Operated*	702	8.3	70	1	2	6	11	16	23	46
B. *Operated*	1530	13.3	176	2	3	9	16	29	42	75
1. SINGLE DX	2556	5.8	35	1	1	4	7	11	15	28
2. MULTIPLE DX	2232	11.7	148	2	3	8	14	25	36	71
A. NOT OPERATED	1397	6.2	46	1	1	4	8	13	18	33
B. OPERATED	3391	9.6	114	1	2	6	11	20	29	62
TOTAL 0-19 YRS	1231	5.4	46	1	1	3	6	11	16	40
20-34	1238	8.3	104	1	2	5	9	18	25	59
35-49	789	8.5	93	1	2	6	10	17	24	62
50-64	733	10.5	131	2	2	7	12	20	30	67
65+	797	12.2	99	2	3	10	15	23	33	62
GRAND TOTAL	**4788**	**8.6**	**96**	**1**	**2**	**6**	**10**	**18**	**26**	**56**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	2.1	3	<1	<1	1	3	4	6	9
20-34	196	2.8	5	<1	<1	2	4	5	6	13
35-49	165	3.8	27	<1	<1	3	4	7	9	22
50-64	107	3.8	5	<1	1	3	5	7	8	10
65+	135	6.0	26	1	1	4	7	13	16	25
B. *Operated*										
0-19 YRS	750	3.6	9	1	1	3	4	7	8	14
20-34	1052	4.5	8	1	2	4	5	8	10	14
35-49	774	5.0	8	2	2	5	6	9	10	15
50-64	805	5.8	13	2	3	5	7	10	12	18
65+	452	8.2	35	3	3	7	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	4.3	36	<1	1	2	5	9	14	37
20-34	157	4.6	19	<1	1	3	6	10	12	18
35-49	119	5.9	25	1	2	5	7	12	14	26
50-64	173	6.6	33	1	2	5	8	14	19	29
65+	328	8.8	69	2	3	7	10	17	22	36
B. *Operated*										
0-19 YRS	360	5.7	31	1	2	4	6	11	15	30
20-34	788	7.5	73	2	2	5	8	14	22	52
35-49	586	7.5	44	2	3	6	9	14	20	44
50-64	596	8.6	74	2	3	7	10	15	21	49
65+	588	11.3	95	3	4	9	13	20	27	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	710	3.7	15	<1	<1	3	5	7	10	18
B. *Operated*	3833	5.1	14	1	2	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	829	6.9	47	1	2	5	8	14	19	31
B. *Operated*	2918	8.3	70	2	3	6	10	15	22	50
1. SINGLE DX	4543	4.9	15	1	2	4	6	9	12	18
2. MULTIPLE DX	3747	8.0	65	2	2	6	9	15	21	44
A. NOT OPERATED	1539	5.4	35	<1	1	4	7	11	15	29
B. OPERATED	6751	6.5	41	1	2	5	8	12	16	32
TOTAL 0-19 YRS	1269	4.1	17	1	1	3	5	7	11	21
20-34	2193	5.4	34	1	2	4	6	10	13	29
35-49	1644	5.9	26	1	2	5	7	11	14	30
50-64	1681	6.7	38	2	2	5	8	12	15	30
65+	1503	9.4	68	2	3	7	12	16	23	48
GRAND TOTAL	**8290**	**6.3**	**40**	**1**	**2**	**5**	**7**	**12**	**16**	**31**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.5	1	<1	<1	<1	2	3	3	4
20-34	30	1.9	2	<1	<1	1	2	4	5	6
35-49	18	2.5	3	<1	<1	2	4	5	6	6
50-64	14	3.7	22	<1	<1	2	3	10	16	18
65+	18	5.7	15	<1	1	4	9	12	13	13
B. *Operated*										
0-19 YRS	46	2.8	2	1	1	3	4	4	6	8
20-34	38	3.1	3	1	2	3	4	5	6	10
35-49	21	3.5	2	1	2	4	4	6	6	6
50-64	3	9.3	57	4	4	6	15	18	18	18
65+	3	8.7	52	4	4	5	14	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	2.8	5	<1	1	2	3	5	6	15
20-34	126	3.8	11	<1	1	3	5	7	11	18
35-49	96	5.3	21	1	1	4	7	11	16	23
50-64	93	6.5	26	1	2	5	8	13	17	25
65+	180	8.6	52	2	2	7	11	16	21	40
B. *Operated*										
0-19 YRS	45	6.5	65	1	1	4	7	15	27	39
20-34	61	6.5	49	1	1	4	8	17	20	38
35-49	37	6.9	51	1	1	5	9	15	17	40
50-64	35	8.7	67	2	2	5	11	22	27	32
65+	35	12.7	143	2	4	9	13	34	37	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	2.8	8	<1	<1	2	3	6	9	15
B. *Operated*	111	3.4	6	1	2	3	4	5	7	17
2. MULTIPLE DX										
A. *Not Operated*	569	5.9	32	1	1	4	7	13	16	28
B. *Operated*	213	8.0	74	1	2	5	9	19	28	40
1. SINGLE DX	218	3.1	7	<1	<1	2	4	6	8	17
2. MULTIPLE DX	782	6.4	44	1	1	4	8	14	18	35
A. NOT OPERATED	676	5.4	29	<1	1	4	7	12	16	27
B. OPERATED	324	6.4	56	1	2	4	7	15	22	39
TOTAL 0-19 YRS	192	3.5	20	<1	1	2	4	6	9	29
20-34	255	4.1	20	<1	1	3	5	8	12	22
35-49	172	5.2	24	1	1	4	6	11	16	24
50-64	145	6.8	37	1	2	5	8	15	21	28
65+	236	9.0	65	2	2	7	11	17	27	45
GRAND TOTAL	**1000**	**5.7**	**38**	**1**	**1**	**4**	**7**	**12**	**17**	**32**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.6	3	1	1	2	3	6	7	7
20-34	4	3.3		3	3	3	4	4	4	4
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64										
65+	2	8.0	2	7	7	8	9	9	9	9
B. *Operated*										
0-19 YRS	7	4.7	6	1	1	6	7	7	7	7
20-34	5	8.8	34	2	2	8	11	18	18	18
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	6.9	140	1	1	3	5	26	38	38
20-34	6	9.3	306	<1	<1	3	3	41	45	45
35-49	8	7.3	42	2	2	5	8	18	22	22
50-64	7	6.3	10	2	2	6	9	10	10	10
65+	3	10.7	72	2	2	11	17	19	19	19
B. *Operated*										
0-19 YRS	11	25.0	314	<1	1	29	37	46	54	55
20-34	11	10.8	56	3	3	12	20	99+	99+	99+
35-49	4	22.3	236	10	10	17	33	44	44	44
50-64	3	27.3	554	3	3	39	75	99+	99+	99+
65+	4	21.3	684	5	5	10	37	60	60	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.6	6	1	1	3	4	8	8	9
B. *Operated*	13	6.5	18	1	2	7	8	11	17	18
2. MULTIPLE DX										
A. *Not Operated*	33	7.6	100	<1	1	4	9	20	36	45
B. *Operated*	33	19.7	280	2	3	16	36	59	99+	99+
1. SINGLE DX	33	4.7	12	1	1	3	7	8	9	18
2. MULTIPLE DX	66	13.7	224	1	2	8	23	45	62	99+
A. NOT OPERATED	53	6.1	68	1	1	3	7	10	22	45
B. OPERATED	46	16.0	240	2	3	10	29	53	99+	99+
TOTAL 0-19 YRS	39	10.3	204	1	1	3	7	36	39	55
20-34	26	8.9	96	<1	2	6	15	39	99+	99+
35-49	15	11.0	122	2	2	8	12	22	39	44
50-64	10	12.6	233	2	3	9	24	70	97	99+
65+	9	14.8	313	2	3	9	15	44	60	60
GRAND TOTAL	**99**	**10.7**	**171**	**1**	**2**	**6**	**13**	**38**	**52**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		<1	<1	<1	1	1	1	1
20-34	17	2.9	14	<1	<1	<1	3	7	12	15
35-49	6	2.0	6	<1	<1	1	1	6	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65+	15	2.0	4	<1	<1	1	3	4	7	8
B. *Operated*										
0-19 YRS	97	3.0	2	1	1	3	4	4	6	8
20-34	341	3.0	4	1	1	3	4	5	5	9
35-49	120	3.0	3	<1	1	3	4	5	6	8
50-64	60	2.4	5	<1	<1	2	3	5	6	14
65+	50	2.2	2	1	1	2	3	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	26	3.4	5	<1	<1	3	4	7	8	9
35-49	10	3.1	5	<1	<1	3	4	6	7	7
50-64	15	2.7	5	1	1	2	3	6	8	9
65+	40	7.6	81	1	2	5	8	15	18	56
B. *Operated*										
0-19 YRS	20	3.7	6	1	1	3	5	6	9	11
20-34	85	4.8	21	1	1	3	6	10	16	25
35-49	40	3.4	3	1	1	3	4	6	7	8
50-64	40	6.2	33	1	1	5	8	14	19	25
65+	85	5.8	34	1	1	4	7	15	19	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	2.2	7	<1	<1	1	2	6	7	15
B. *Operated*	668	2.9	3	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	94	5.0	42	1	1	4	6	9	14	40
B. *Operated*	270	5.1	24	1	1	3	6	12	16	24
1. SINGLE DX	714	2.8	4	<1	1	3	4	5	6	9
2. MULTIPLE DX	364	5.0	28	1	1	3	6	10	15	24
A. NOT OPERATED	140	4.1	32	<1	<1	3	5	8	12	24
B. OPERATED	938	3.5	10	1	1	3	4	6	9	19
TOTAL 0-19 YRS	127	3.0	3	<1	1	3	4	5	6	9
20-34	469	3.4	8	<1	1	3	4	5	7	17
35-49	176	3.0	3	<1	1	3	4	6	7	8
50-64	116	3.7	18	<1	1	2	4	9	14	24
65+	190	4.9	37	1	1	3	6	13	16	23
GRAND TOTAL	**1078**	**3.6**	**13**	**<1**	**1**	**3**	**4**	**6**	**9**	**19**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.8	1	<1	<1	1	2	4	4	5
20-34	31	2.2	3	<1	<1	1	3	5	6	8
35-49	12	2.0	3	<1	<1	1	2	4	7	7
50-64	9	2.8	2	1	1	3	4	5	5	5
65+	5	5.0	24	<1	<1	3	8	13	13	13
B. *Operated*										
0-19 YRS	691	2.9	3	1	1	2	4	5	6	9
20-34	1660	3.0	4	1	1	2	4	5	6	10
35-49	888	2.9	3	1	1	2	4	5	6	9
50-64	400	3.5	6	1	1	3	4	6	8	15
65+	114	4.2	10	1	2	3	5	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.2		<1	<1	1	1	2	3	3
20-34	29	2.3	4	<1	<1	2	3	5	7	8
35-49	18	4.4	13	<1	<1	3	6	11	12	12
50-64	21	4.1	31	<1	<1	2	4	8	17	26
65+	19	9.7	320	1	2	5	8	14	53	82
B. *Operated*										
0-19 YRS	447	3.4	5	1	1	3	4	6	7	11
20-34	1026	3.5	7	1	1	3	4	6	8	14
35-49	688	3.6	12	1	1	2	4	7	9	15
50-64	590	3.9	12	1	2	3	5	7	10	21
65+	310	4.9	23	1	2	3	6	10	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.3	4	<1	<1	2	3	5	6	12
B. *Operated*	3753	3.0	4	1	1	2	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	101	4.3	75	<1	<1	2	5	8	11	53
B. *Operated*	3061	3.7	11	1	1	3	4	7	9	18
1. SINGLE DX	3831	3.0	4	1	1	2	4	5	7	10
2. MULTIPLE DX	3162	3.7	13	1	1	3	4	7	9	18
A. NOT OPERATED	179	3.4	45	<1	<1	2	4	7	9	23
B. OPERATED	6814	3.3	7	1	1	3	4	6	8	14
TOTAL 0-19 YRS	1173	3.1	4	1	1	3	4	5	7	9
20-34	2746	3.1	5	1	1	3	4	5	7	12
35-49	1606	3.2	7	1	1	2	4	6	7	13
50-64	1020	3.7	10	1	1	3	4	7	9	18
65+	448	4.9	33	1	2	3	6	10	13	28
GRAND TOTAL	**6993**	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.2	10	<1	<1	2	4	8	10	15
20-34	49	5.1	23	<1	<1	4	7	11	16	20
35-49	32	5.4	17	<1	1	4	7	12	15	16
50-64	17	6.8	72	<1	1	3	8	15	28	35
65+	8	4.8	18	1	1	4	6	12	14	14
B. *Operated*										
0-19 YRS	179	2.6	9	<1	<1	2	3	5	8	18
20-34	267	4.8	26	1	1	3	6	13	16	24
35-49	151	5.8	26	<1	1	4	8	12	18	21
50-64	85	5.0	23	1	1	3	6	12	14	26
65+	50	5.3	37	1	1	3	5	13	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	4.2	31	<1	1	2	4	12	20	22
20-34	36	9.8	210	<1	1	5	8	23	44	73
35-49	32	9.5	112	1	2	6	10	20	38	48
50-64	31	7.6	94	<1	1	6	10	12	15	55
65+	42	7.9	74	1	1	6	10	14	21	51
B. *Operated*										
0-19 YRS	106	6.3	39	1	1	4	9	15	18	32
20-34	202	9.3	124	1	1	5	13	21	30	55
35-49	152	9.8	136	2	2	7	12	19	30	71
50-64	99	10.3	104	1	2	7	12	26	32	46
65+	95	13.9	223	2	2	8	19	37	50	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	4.9	24	<1	<1	3	6	11	15	21
B. *Operated*	732	4.5	23	<1	1	3	6	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	165	8.0	109	1	1	5	9	16	24	55
B. *Operated*	654	9.8	128	1	2	6	12	23	33	59
1. SINGLE DX	874	4.6	23	<1	1	3	6	11	15	23
2. MULTIPLE DX	819	9.4	125	1	1	6	11	22	31	58
A. NOT OPERATED	307	6.6	72	<1	1	4	8	14	19	51
B. OPERATED	1386	7.0	79	1	1	4	9	16	23	47
TOTAL 0-19 YRS	345	3.9	23	<1	1	2	4	10	14	22
20-34	554	6.8	78	1	1	4	8	16	22	48
35-49	367	7.7	82	1	1	5	10	16	21	52
50-64	232	7.8	75	1	1	5	10	16	28	43
65+	195	10.0	149	1	2	5	12	25	39	68
GRAND TOTAL	1693	6.9	78	1	1	4	9	16	23	49

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	2.3	2	<1	<1	2	3	5	5	5
20-34	71	2.3	5	<1	<1	1	3	5	7	12
35-49	34	3.6	8	<1	<1	3	5	8	10	14
50-64	23	3.7	7	1	1	3	4	8	9	10
65+	26	[illegible]	7	1	1	4	7	8	9	11
B. *Operated*										
0-19 YRS	348	3.1	4	1	1	3	4	5	6	9
20-34	408	3.4	5	1	1	3	5	6	7	11
35-49	118	3.6	4	1	2	3	5	7	7	9
50-64	42	5.8	21	2	2	4	8	12	16	22
65+	26	6.1	14	2	2	5	9	10	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.5	3	<1	<1	2	3	5	6	8
20-34	45	3.5	6	<1	1	2	5	7	8	11
35-49	40	3.5	6	<1	<1	3	5	6	9	11
50-64	40	6.0	31	1	1	5	8	12	14	32
65+	110	7.5	24	2	3	6	10	15	18	23
B. *Operated*										
0-19 YRS	281	4.1	5	1	2	4	5	7	8	11
20-34	464	4.5	9	1	1	4	6	8	10	16
35-49	172	4.8	15	1	2	4	6	8	10	24
50-64	65	5.3	9	2	2	5	7	10	11	16
65+	31	7.9	52	2	3	6	10	13	16	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	212	2.9	6	<1	<1	2	4	6	8	12
B. *Operated*	942	3.5	6	1	1	3	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	256	5.5	21	<1	1	4	7	12	15	22
B. *Operated*	1013	4.6	11	1	2	4	6	8	10	16
1. SINGLE DX	1154	3.4	6	<1	1	3	5	6	8	12
2. MULTIPLE DX	1269	4.8	13	1	2	4	6	9	11	18
A. NOT OPERATED	468	4.3	16	<1	<1	3	6	9	12	19
B. OPERATED	1955	4.1	9	1	1	4	5	7	9	13
TOTAL 0-19 YRS	708	3.4	4	1	1	3	5	6	7	11
20-34	988	3.8	7	<1	1	3	5	7	8	12
35-49	364	4.2	10	1	1	4	6	7	9	13
50-64	170	5.4	17	1	2	4	7	10	13	21
65+	193	7.0	26	2	2	6	9	13	16	24
GRAND TOTAL	2423	4.1	10	1	1	3	5	8	10	16

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	4.6	8	<1	1	4	6	8	9	14
20-34	1194	5.5	11	1	2	5	7	10	12	18
35-49	1202	6.0	13	2	2	5	8	10	13	19
50-64	516	6.4	15	2	2	6	8	11	13	19
65+	141	6.2	12	2	2	5	9	11	13	15
B. *Operated*										
0-19 YRS	12	5.9	16	2	2	5	8	11	15	16
20-34	260	6.6	20	2	2	6	9	12	15	20
35-49	221	7.1	26	2	2	6	9	14	17	24
50-64	68	7.4	20	2	2	7	10	13	16	22
65+	5	8.4	20	1	1	10	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	5.3	14	1	1	5	7	9	14	17
20-34	886	6.5	14	2	3	6	8	11	13	19
35-49	1242	7.1	18	2	3	6	9	12	15	20
50-64	1049	7.4	19	2	3	7	9	12	15	24
65+	758	8.2	30	2	3	7	10	15	18	27
B. *Operated*										
0-19 YRS	6	6.3	15	2	2	5	10	12	12	12
20-34	196	9.7	46	2	3	8	13	18	24	35
35-49	240	10.2	40	2	3	9	13	18	23	31
50-64	129	10.2	43	3	3	9	13	18	21	36
65+	67	11.9	107	4	4	10	14	21	26	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3186	5.9	13	2	2	5	8	10	12	18
B. *Operated*	566	6.9	22	2	2	6	10	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	4019	7.2	20	2	3	6	9	12	16	23
B. *Operated*	638	10.2	50	2	3	9	13	18	23	35
1. SINGLE DX	3752	6.0	14	2	2	5	8	11	13	19
2. MULTIPLE DX	4657	7.6	25	2	3	7	10	14	17	25
A. NOT OPERATED	7205	6.6	17	2	3	6	8	12	14	20
B. OPERATED	1204	8.6	39	2	2	7	11	16	20	30
TOTAL 0-19 YRS	235	5.0	11	1	1	4	7	9	11	17
20-34	2536	6.3	17	2	2	5	8	11	14	21
35-49	2905	6.9	20	2	3	6	9	12	15	23
50-64	1762	7.3	20	2	3	6	9	12	15	24
65+	971	8.1	34	2	3	7	10	15	18	27
GRAND TOTAL	**8409**	**6.9**	**21**	**2**	**3**	**6**	**9**	**12**	**15**	**23**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	235	2.9	6	<1	<1	2	4	6	8	12
20-34	1087	5.0	13	<1	1	4	7	9	11	17
35-49	886	5.8	14	1	2	5	7	10	13	19
50-64	339	6.3	15	2	2	5	9	11	13	20
65+	85	5.9	23	1	1	5	7	11	14	28
B. *Operated*										
0-19 YRS	20	5.4	23	1	2	3	7	13	16	18
20-34	259	5.3	15	2	2	4	7	11	13	17
35-49	268	6.0	23	2	2	5	8	12	16	23
50-64	53	6.3	16	2	2	5	9	12	15	16
65+	7	9.0	23	1	2	8	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	236	3.7	7	<1	1	3	5	7	9	12
20-34	1280	5.7	15	1	2	5	8	10	13	18
35-49	1333	6.7	18	2	2	6	9	12	14	21
50-64	842	7.0	22	2	2	6	9	12	16	24
65+	571	7.8	28	2	3	7	10	15	18	28
B. *Operated*										
0-19 YRS	20	6.2	20	2	2	4	8	14	16	16
20-34	252	7.6	33	2	2	6	10	15	19	27
35-49	251	8.7	34	2	3	8	11	16	20	28
50-64	113	9.9	45	2	3	9	12	18	24	36
65+	37	10.9	37	2	3	10	15	20	21	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2632	5.3	14	<1	1	5	7	10	12	19
B. *Operated*	607	5.7	19	2	2	4	8	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	4262	6.4	20	1	2	5	8	12	14	22
B. *Operated*	673	8.5	36	2	2	7	11	16	20	28
1. SINGLE DX	3239	5.4	15	1	1	5	7	10	13	19
2. MULTIPLE DX	4935	6.7	23	1	2	6	9	12	15	24
A. NOT OPERATED	6894	6.0	18	1	2	5	8	11	14	21
B. OPERATED	1280	7.2	30	2	2	6	10	14	17	26
TOTAL 0-19 YRS	511	3.5	8	<1	1	3	5	7	9	15
20-34	2878	5.6	16	1	2	5	7	10	13	19
35-49	2738	6.5	20	2	2	5	8	12	15	22
50-64	1347	7.0	23	2	2	6	9	12	16	25
65+	700	7.8	29	2	3	6	10	15	18	28
GRAND TOTAL	**8174**	**6.2**	**20**	**1**	**2**	**5**	**8**	**11**	**14**	**22**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	105	2.1	5	<1	<1	<1	2	5	7	12
20-34	219	2.3	5	<1	<1	1	3	5	7	12
35-49	107	2.9	4	<1	<1	2	4	5	7	10
50-64	56	3.2	10	<1	<1	2	4	7	9	18
65+	56	4.4	11	<1	<1	4	6	8	13	14
B. Operated										
0-19 YRS	131	2.7	2	1	1	2	3	4	5	8
20-34	316	3.1	3	1	1	3	4	5	6	9
35-49	255	3.6	5	1	2	3	4	6	8	12
50-64	251	4.6	6	2	2	4	5	8	9	14
65+	96	5.8	8	2	3	5	7	10	11	15
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	2.7	4	<1	<1	2	4	5	7	8
20-34	150	3.3	6	<1	<1	3	4	7	8	12
35-49	144	4.3	15	1	1	3	6	8	10	23
50-64	120	5.4	14	1	2	4	6	11	14	17
65+	221	7.0	31	2	2	5	8	14	18	30
B. Operated										
0-19 YRS	56	3.2	5	1	1	3	4	5	7	12
20-34	116	4.1	9	1	1	4	5	7	9	18
35-49	122	4.7	8	2	2	4	5	8	11	15
50-64	150	5.7	13	2	2	5	7	10	14	19
65+	105	7.2	26	2	3	6	9	12	17	27
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	543	2.7	6	<1	<1	2	3	6	7	13
B. Operated	1049	3.8	6	1	2	3	5	7	8	12
2. MULTIPLE DX										
A. Not Operated	691	5.0	20	1	1	4	6	10	14	23
B. Operated	549	5.2	14	1	2	4	6	10	12	20
1. SINGLE DX	1592	3.4	6	<1	<1	3	4	6	8	13
2. MULTIPLE DX	1240	5.1	17	1	2	4	6	10	13	23
A. NOT OPERATED	1234	4.0	15	<1	<1	3	5	8	11	19
B. OPERATED	1598	4.3	9	1	2	4	5	8	10	16
TOTAL 0-19 YRS	348	2.6	4	<1	<1	2	3	5	7	10
20-34	801	3.1	5	<1	<1	3	4	6	7	12
35-49	628	3.9	8	<1	1	3	5	7	9	15
50-64	577	4.9	11	1	2	4	6	9	12	17
65+	478	6.5	24	2	2	5	8	12	16	27
GRAND TOTAL	**2832**	**4.1**	**12**	**<1**	**1**	**3**	**5**	**8**	**10**	**17**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	1580	1.4	1	<1	1	1	2	2	3	5
20-34	517	1.9	2	<1	<1	1	2	3	4	7
35-49	154	2.1	3	<1	1	2	2	4	5	9
50-64	69	2.1	2	<1	1	2	3	4	5	6
65+	48	2.7	15	1	1	2	3	4	8	27
B. Operated										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	7	1.7	1	1	1	1	3	3	3	3
35-49	4	4.3	6	1	1	4	6	7	7	7
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1611	2.1	4	<1	1	2	2	4	5	11
20-34	1248	3.0	7	<1	1	2	4	6	8	13
35-49	545	3.6	14	1	1	2	4	8	10	21
50-64	364	4.1	16	1	1	3	5	9	11	21
65+	463	6.4	43	1	1	5	8	13	17	32
B. Operated										
0-19 YRS	303	3.7	38	1	1	2	4	7	12	35
20-34	402	5.8	99	1	1	3	6	12	17	61
35-49	159	5.7	50	1	1	3	7	13	25	93
50-64	108	6.6	68	1	1	4	8	13	24	47
65+	111	8.8	103	1	1	6	11	18	31	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2368	1.6	2	<1	1	1	2	3	4	6
B. Operated	19	2.3	3	<1	1	2	3	5	6	7
2. MULTIPLE DX										
A. Not Operated	4231	3.2	13	1	1	2	4	7	10	17
B. Operated	1083	5.6	74	1	1	3	6	13	19	51
1. SINGLE DX	2387	1.6	2	<1	1	1	2	3	4	6
2. MULTIPLE DX	5314	3.7	26	1	1	2	4	8	11	25
A. NOT OPERATED	6599	2.6	10	<1	1	2	3	5	8	14
B. OPERATED	1102	5.5	73	1	1	3	6	13	18	50
TOTAL 0-19 YRS	3500	2.0	6	<1	1	1	2	3	5	11
20-34	2174	3.2	24	<1	1	2	4	6	9	18
35-49	862	3.7	19	1	1	2	4	8	11	29
50-64	543	4.4	26	1	1	3	5	9	12	28
65+	622	6.6	53	1	1	4	8	13	19	37
GRAND TOTAL	**7701**	**3.1**	**20**	**<1**	**1**	**2**	**3**	**6**	**9**	**21**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	682	1.9	8	<1	<1	1	2	3	5	13
20-34	259	2.9	19	<1	<1	2	3	6	10	18
35-49	58	2.7	8	<1	<1	2	3	7	9	16
50-64	58	5.1	78	<1	<1	2	5	12	18	57
65+	47	4.0	19	1	1	2	5	12	15	18
B. *Operated*										
0-19 YRS	41	11.5	205	2	3	7	13	26	54	99+
20-34	41	12.6	201	1	2	9	16	22	67	99+
35-49	20	9.4	41	1	2	10	13	19	22	24
50-64	22	12.7	87	5	6	11	15	36	62	99+
65+	43	14.4	79	4	6	12	18	27	33	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	884	3.2	33	<1	1	2	3	6	10	29
20-34	571	4.4	37	<1	1	2	5	10	14	36
35-49	234	4.5	24	1	1	3	5	10	16	47
50-64	188	5.7	58	1	1	3	6	11	22	51
65+	341	8.2	65	1	2	5	11	18	27	36
B. *Operated*										
0-19 YRS	213	14.9	331	1	1	9	21	44	65	99+
20-34	269	15.7	386	1	1	9	26	51	92	99+
35-49	120	14.5	274	1	2	9	18	42	69	99+
50-64	102	16.4	285	1	2	13	23	43	85	99+
65+	169	17.4	233	2	3	13	23	40	51	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1104	2.4	15	<1	<1	1	2	5	8	18
B. *Operated*	167	12.4	136	2	3	10	16	25	38	99+
2. MULTIPLE DX										
A. *Not Operated*	2218	4.6	43	1	1	2	5	11	16	36
B. *Operated*	873	15.8	315	1	1	10	23	44	71	99+
1. SINGLE DX	1271	3.7	42	<1	<1	1	3	10	15	37
2. MULTIPLE DX	3091	7.8	145	1	1	3	9	21	34	88
A. NOT OPERATED	3322	3.9	35	<1	1	2	4	9	14	33
B. OPERATED	1040	15.2	288	1	1	10	21	41	68	99+
TOTAL 0-19 YRS	1820	4.3	79	<1	1	2	3	10	19	58
20-34	1140	7.0	147	<1	1	3	7	18	35	99+
35-49	432	7.3	113	1	1	4	8	18	30	99+
50-64	370	9.0	148	1	1	5	11	24	39	99+
65+	600	10.9	130	1	2	7	15	25	33	64
GRAND TOTAL	**4362**	**6.6**	**118**	**<1**	**1**	**2**	**7**	**17**	**29**	**83**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.4	7	1	1	3	5	6	8	13
20-34	52	3.2	5	<1	1	3	4	6	8	11
35-49	20	3.8	11	1	1	3	5	6	11	16
50-64	13	3.2	4	<1	1	2	6	6	6	6
65+	5	2.2	3	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	41	6.5	11	2	3	5	8	12	12	17
20-34	134	5.7	14	1	2	5	8	11	13	36
35-49	25	7.5	56	2	3	6	8	14	27	35
50-64	19	8.3	38	2	2	6	12	18	22	24
65+	3	26.0	559	9	9	16	44	53	53	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.8	7	1	1	3	5	8	9	15
20-34	127	4.9	11	2	2	4	6	9	12	18
35-49	76	4.8	9	1	2	4	6	9	11	15
50-64	78	6.3	18	2	2	5	9	11	16	22
65+	72	9.7	41	3	4	8	12	16	23	36
B. *Operated*										
0-19 YRS	84	10.6	177	2	3	7	11	21	38	80
20-34	294	10.6	121	3	3	7	12	21	31	57
35-49	122	11.3	86	3	4	8	13	22	34	44
50-64	103	11.3	164	3	4	8	13	18	39	98
65+	71	14.7	209	4	4	10	16	31	43	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	3.3	6	<1	1	3	4	6	7	14
B. *Operated*	222	6.6	30	2	3	5	8	12	15	40
2. MULTIPLE DX										
A. *Not Operated*	410	5.8	20	1	2	5	8	11	14	23
B. *Operated*	674	11.3	138	3	4	8	13	22	35	67
1. SINGLE DX	340	5.4	24	1	1	4	6	11	13	26
2. MULTIPLE DX	1084	9.2	100	2	3	7	11	17	26	54
A. NOT OPERATED	528	5.3	18	1	1	4	7	10	13	21
B. OPERATED	896	10.1	115	3	3	7	11	19	30	63
TOTAL 0-19 YRS	210	7.0	85	1	2	5	8	12	17	58
20-34	607	7.7	73	1	2	5	9	15	21	53
35-49	243	8.2	62	2	2	6	9	16	24	42
50-64	213	8.7	96	2	3	6	11	16	20	78
65+	151	12.1	138	3	4	9	13	25	35	53
GRAND TOTAL	**1424**	**8.3**	**85**	**1**	**2**	**6**	**10**	**16**	**23**	**53**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	184	3.3	7	<1	1	2	4	8	9	12
20-34	123	3.0	6	1	1	2	4	6	7	14
35-49	28	3.4	6	<1	1	2	5	8	8	8
50-64	9	2.7	5	<1	<1	1	4	6	6	6
65+	12	4.8	25	1	1	2	8	13	14	14
B. *Operated*										
0-19 YRS	108	7.8	40	2	3	7	8	12	15	44
20-34	157	7.2	18	3	3	6	8	12	15	23
35-49	64	8.4	36	2	3	7	10	15	21	33
50-64	20	8.2	10	2	4	8	10	12	14	15
65+	8	10.8	95	4	4	7	12	28	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	3.7	13	1	1	2	4	8	10	21
20-34	194	4.2	16	1	1	3	6	9	14	21
35-49	75	4.4	23	1	1	3	5	9	10	32
50-64	49	4.7	9	1	1	5	6	8	10	15
65+	66	7.1	41	1	2	5	8	17	21	30
B. *Operated*										
0-19 YRS	261	11.8	106	3	5	9	13	23	29	50
20-34	575	12.6	117	3	5	9	14	26	36	67
35-49	259	13.8	136	3	5	10	17	29	39	99
50-64	81	13.4	102	4	5	11	16	26	43	99+
65+	80	15.9	182	3	4	12	20	36	47	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	3.2	7	<1	1	2	4	7	9	12
B. *Operated*	357	7.7	29	2	3	7	9	12	16	33
2. MULTIPLE DX										
A. *Not Operated*	587	4.4	19	1	1	3	6	9	13	22
B. *Operated*	1256	12.9	123	3	5	9	15	27	36	68
1. SINGLE DX	713	5.5	23	1	1	5	7	10	13	24
2. MULTIPLE DX	1843	10.2	105	1	2	8	12	22	31	61
A. NOT OPERATED	943	4.0	15	1	1	3	5	8	11	20
B. OPERATED	1613	11.8	106	3	4	9	13	24	34	64
TOTAL 0-19 YRS	756	7.0	62	1	1	5	9	13	21	45
20-34	1049	9.1	86	1	2	7	10	18	28	59
35-49	426	10.6	110	1	2	8	12	24	33	84
50-64	159	9.4	74	1	2	8	12	17	26	95
65+	166	11.4	129	1	2	8	14	26	36	59
GRAND TOTAL	**2556**	**8.9**	**87**	**1**	**2**	**7**	**10**	**18**	**27**	**55**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.7	4	1	1	2	3	5	8	9
20-34	8	2.1	1	<1	<1	2	3	4	4	4
35-49	4	3.8	6	<1	<1	3	5	7	7	7
50-64										
65+	1	29.0		29	29	29	29	29	29	29
B. *Operated*										
0-19 YRS	216	2.9	5	<1	1	2	4	6	7	11
20-34	141	3.3	6	1	1	3	4	7	8	13
35-49	63	3.3	5	<1	1	3	5	6	8	10
50-64	29	3.6	4	1	2	3	4	6	8	10
65+	21	3.3	3	<1	1	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.5	5	1	1	3	5	7	7	7
20-34	22	3.6	5	<1	1	3	4	8	8	8
35-49	13	6.2	48	<1	1	3	8	15	24	26
50-64	5	3.6	11	1	1	3	5	9	9	9
65+	7	4.7	13	<1	<1	4	8	10	10	10
B. *Operated*										
0-19 YRS	185	3.9	10	1	1	3	5	7	8	19
20-34	154	4.2	15	<1	1	3	5	7	13	19
35-49	103	4.7	11	1	1	4	6	9	12	16
50-64	47	4.2	10	1	1	3	5	8	9	19
65+	45	7.0	61	1	2	5	8	11	19	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.3	19	<1	1	2	3	6	8	29
B. *Operated*	470	3.1	5	<1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	64	4.2	15	<1	1	3	6	8	9	24
B. *Operated*	534	4.4	17	1	1	4	6	8	11	19
1. SINGLE DX	515	3.2	6	<1	1	3	4	6	7	12
2. MULTIPLE DX	598	4.4	16	1	1	4	6	8	11	20
A. NOT OPERATED	109	3.8	17	<1	1	3	5	8	9	27
B. OPERATED	1004	3.8	12	1	1	3	5	7	9	16
TOTAL 0-19 YRS	450	3.3	7	<1	1	3	5	6	7	13
20-34	325	3.7	10	<1	1	3	5	7	9	15
35-49	183	4.3	12	1	1	4	5	8	10	16
50-64	81	4.0	8	1	1	3	5	8	9	16
65+	74	6.1	49	<1	1	4	7	10	17	43
GRAND TOTAL	**1113**	**3.8**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	1.8	4	<1	<1	1	2	3	5	12
20-34	104	2.0	2	<1	<1	1	3	4	5	7
35-49	53	2.1	4	<1	<1	1	2	4	7	11
50-64	19	1.9	2	<1	<1	1	3	4	5	5
65+	27	2.4	5	<1	<1	1	3	5	8	11
B. *Operated*										
0-19 YRS	467	1.7	3	<1	<1	1	2	3	4	9
20-34	280	2.1	6	<1	<1	1	2	4	5	10
35-49	94	2.8	13	<1	<1	2	3	5	8	23
50-64	49	1.9	3	<1	<1	1	2	3	6	9
65+	41	2.7	10	<1	<1	1	3	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	200	2.5	7	<1	<1	2	3	5	6	16
20-34	359	2.6	6	<1	<1	2	3	5	7	10
35-49	171	4.3	39	<1	1	3	5	8	12	31
50-64	133	4.4	17	1	1	3	6	9	14	21
65+	219	5.8	32	1	1	4	7	13	15	30
B. *Operated*										
0-19 YRS	545	3.6	49	<1	1	2	4	7	9	34
20-34	768	4.1	27	<1	1	3	5	8	11	22
35-49	376	5.0	45	<1	1	3	6	10	14	39
50-64	224	6.8	95	<1	1	4	8	14	20	43
65+	262	6.1	46	<1	1	4	8	12	17	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	2.0	3	<1	<1	1	2	4	5	9
B. *Operated*	931	2.0	5	<1	<1	1	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	1082	3.7	19	<1	1	2	4	8	12	20
B. *Operated*	2175	4.6	46	<1	1	3	5	9	13	38
1. SINGLE DX	1239	2.0	5	<1	<1	1	2	4	5	11
2. MULTIPLE DX	3257	4.3	37	<1	1	3	5	9	13	34
A. NOT OPERATED	1390	3.3	16	<1	<1	2	4	7	11	19
B. OPERATED	3106	3.8	35	<1	<1	2	4	8	11	31
TOTAL 0-19 YRS	1317	2.6	23	<1	<1	1	3	5	7	17
20-34	1511	3.2	17	<1	<1	2	4	6	9	18
35-49	694	4.3	37	<1	<1	2	5	8	12	36
50-64	425	5.3	59	<1	1	3	6	11	16	39
65+	549	5.5	37	<1	1	4	7	12	15	27
GRAND TOTAL	**4496**	**3.7**	**29**	**<1**	**<1**	**2**	**4**	**8**	**11**	**25**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	1.9	2	<1	<1	1	2	4	5	9
20-34	313	2.2	4	<1	<1	2	3	4	5	9
35-49	82	2.1	3	<1	<1	2	2	4	6	11
50-64	36	3.5	11	1	1	2	5	7	12	14
65+	5	2.4	4	<1	<1	2	3	6	6	6
B. *Operated*										
0-19 YRS	181	3.2	20	<1	1	2	3	6	8	25
20-34	283	3.9	13	1	1	3	5	7	9	16
35-49	85	4.8	24	1	1	4	6	9	10	32
50-64	39	5.3	68	<1	1	4	6	9	16	50
65+	11	3.3	3	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	3.1	6	1	1	2	4	6	8	13
20-34	247	3.2	14	<1	1	2	4	6	7	16
35-49	97	3.7	27	1	1	2	3	7	14	32
50-64	59	4.5	16	<1	1	3	7	11	14	15
65+	30	9.1	131	1	1	5	9	21	35	55
B. *Operated*										
0-19 YRS	189	6.8	89	1	1	4	8	12	17	64
20-34	547	7.8	79	1	2	6	9	14	21	71
35-49	235	9.0	89	1	2	6	11	19	26	63
50-64	104	11.2	104	2	3	8	13	26	34	52
65+	44	9.5	58	2	2	7	14	21	25	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	543	2.2	4	<1	<1	2	3	4	6	11
B. *Operated*	599	3.9	20	<1	1	3	5	7	9	23
2. MULTIPLE DX										
A. *Not Operated*	521	3.7	24	<1	1	2	4	7	11	23
B. *Operated*	1119	8.3	85	1	2	6	9	16	24	62
1. SINGLE DX	1142	3.1	13	<1	1	2	4	6	8	18
2. MULTIPLE DX	1640	6.8	70	1	1	4	8	14	21	51
A. NOT OPERATED	1064	3.0	14	<1	1	2	3	6	8	17
B. OPERATED	1718	6.7	67	1	1	5	8	13	21	49
TOTAL 0-19 YRS	565	4.1	41	<1	1	2	5	8	12	37
20-34	1390	4.9	43	<1	1	3	6	10	14	34
35-49	499	6.1	60	1	1	4	7	14	20	44
50-64	238	7.4	73	1	1	5	9	15	24	50
65+	90	8.2	78	1	2	5	10	19	22	47
GRAND TOTAL	**2782**	**5.3**	**50**	**1**	**1**	**3**	**6**	**11**	**16**	**39**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	2.3	2	<1	<1	2	3	4	5	7
20-34	273	2.1	3	<1	<1	1	3	5	6	8
35-49	83	2.3	4	<1	<1	2	3	4	6	11
50-64	45	2.2	4	<1	<1	2	2	5	7	10
65+	24	2.3	4	<1	<1	1	3	5	7	8
B. *Operated*										
0-19 YRS	733	2.2	6	<1	<1	2	2	4	5	11
20-34	1170	2.3	7	<1	<1	2	3	4	6	13
35-49	499	2.7	12	<1	<1	2	3	5	8	15
50-64	268	2.6	6	<1	<1	2	3	5	8	13
65+	115	3.0	12	<1	<1	2	3	6	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.5	10	<1	1	3	5	7	9	19
20-34	221	3.3	12	<1	<1	2	4	7	9	17
35-49	85	4.1	13	<1	1	3	5	8	12	20
50-64	61	5.5	29	1	1	4	7	13	16	27
65+	58	5.6	20	1	1	4	8	12	13	22
B. *Operated*										
0-19 YRS	466	3.8	46	<1	1	2	4	7	12	32
20-34	939	4.0	29	1	1	3	4	8	10	28
35-49	394	4.2	24	1	1	3	5	8	13	28
50-64	245	3.9	28	1	1	3	4	7	10	31
65+	162	4.9	27	1	1	3	6	11	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	556	2.2	3	<1	<1	2	3	5	6	8
B. *Operated*	2785	2.4	8	<1	<1	2	3	4	6	14
2. MULTIPLE DX										
A. *Not Operated*	519	4.0	15	<1	1	3	5	8	12	20
B. *Operated*	2206	4.0	32	1	1	3	4	8	11	29
1. SINGLE DX	3341	2.4	7	<1	<1	2	3	4	6	13
2. MULTIPLE DX	2725	4.0	28	<1	1	3	5	8	12	28
A. NOT OPERATED	1075	3.1	10	<1	<1	2	4	6	9	16
B. OPERATED	4991	3.1	19	<1	<1	2	3	6	9	20
TOTAL 0-19 YRS	1424	2.8	19	<1	<1	2	3	5	7	20
20-34	2603	3.0	15	<1	<1	2	3	6	8	18
35-49	1061	3.3	16	<1	<1	2	4	7	10	22
50-64	619	3.4	18	<1	1	2	4	7	10	19
65+	359	4.2	20	<1	1	3	5	10	13	23
GRAND TOTAL	**6066**	**3.1**	**17**	**<1**	**<1**	**2**	**3**	**6**	**9**	**19**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	180	2.8	10	<1	<1	2	3	6	8	11
20-34	230	3.1	13	<1	<1	2	4	6	7	18
35-49	84	2.9	7	<1	<1	2	4	7	8	14
50-64	40	3.2	5	<1	<1	2	4	7	8	9
65+	30	7.9	56	1	2	5	10	18	25	31
B. *Operated*										
0-19 YRS	614	3.9	24	<1	<1	3	4	8	13	27
20-34	493	5.1	49	<1	1	3	6	10	15	38
35-49	187	4.9	25	1	1	3	6	11	13	28
50-64	91	5.8	61	<1	<1	3	7	14	26	36
65+	52	7.8	49	1	2	6	8	18	26	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	4.3	10	1	1	4	5	8	10	19
20-34	136	5.0	54	<1	1	3	6	9	11	41
35-49	58	4.8	9	1	2	4	6	10	12	14
50-64	71	5.9	18	1	1	6	8	10	11	26
65+	105	9.6	95	2	3	8	11	19	27	92
B. *Operated*										
0-19 YRS	255	6.9	67	1	1	4	8	17	27	45
20-34	367	8.9	122	1	2	5	10	22	31	65
35-49	164	9.6	118	1	2	6	11	23	35	52
50-64	126	9.2	152	1	2	6	11	18	28	70
65+	134	13.1	136	1	2	10	17	29	42	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	564	3.2	14	<1	<1	2	4	7	9	19
B. *Operated*	1437	4.7	36	<1	1	3	5	10	15	31
2. MULTIPLE DX										
A. *Not Operated*	482	5.9	46	1	1	4	7	11	15	34
B. *Operated*	1046	9.1	116	1	2	5	11	22	32	60
1. SINGLE DX	2001	4.3	30	<1	<1	3	5	9	13	30
2. MULTIPLE DX	1528	8.1	96	1	2	5	9	18	28	58
A. NOT OPERATED	1046	4.5	30	<1	1	3	5	9	12	30
B. OPERATED	2483	6.6	75	<1	1	4	7	14	24	47
TOTAL 0-19 YRS	1161	4.4	31	<1	1	3	5	9	14	33
20-34	1226	5.8	69	<1	1	3	6	12	20	48
35-49	493	6.1	57	1	1	4	7	13	20	40
50-64	328	6.8	84	<1	1	4	8	14	21	42
65+	321	10.6	105	1	2	8	13	24	31	66
GRAND TOTAL	**3529**	**5.9**	**62**	**<1**	**1**	**3**	**7**	**13**	**20**	**44**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	4	7.5	107	2	2	3	13	23	23	23
35-49	3	4.3	10	2	2	3	7	8	8	8
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	14	4.6	69	<1	1	2	4	9	28	33
20-34	26	4.7	8	1	1	4	7	8	10	12
35-49	7	4.6	8	1	1	4	7	9	9	9
50-64	10	4.8	9	<1	1	4	8	9	10	10
65+	2	7.5	25	4	4	7	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.4	5	<1	<1	2	2	6	7	7
20-34	13	2.8	5	1	1	2	3	7	8	8
35-49	6	3.7	9	<1	<1	3	6	8	8	8
50-64	4	6.0	28	1	1	5	10	13	13	13
65+	7	6.9	25	3	3	4	10	15	16	16
B. *Operated*										
0-19 YRS	47	11.1	173	1	1	7	14	30	32	74
20-34	108	10.5	143	1	1	6	13	26	36	59
35-49	38	11.1	131	<1	1	7	16	30	37	39
50-64	18	10.4	228	1	1	8	11	19	49	67
65+	14	15.9	579	2	2	5	19	50	79	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.0	40	<1	<1	2	3	12	21	23
B. *Operated*	59	4.8	22	1	1	4	6	9	11	31
2. MULTIPLE DX										
A. *Not Operated*	40	3.9	13	<1	1	3	5	8	12	16
B. *Operated*	225	11.1	178	1	1	6	14	29	36	72
1. SINGLE DX	71	4.6	24	<1	1	3	6	9	11	31
2. MULTIPLE DX	265	10.0	160	1	1	6	12	26	34	71
A. NOT OPERATED	52	3.9	19	<1	1	2	5	8	13	23
B. OPERATED	284	9.8	152	1	1	6	11	26	33	70
TOTAL 0-19 YRS	75	8.2	135	1	1	3	9	23	32	64
20-34	151	8.8	114	1	1	5	10	22	30	50
35-49	54	9.1	104	<1	1	6	12	27	35	39
50-64	32	8.1	138	1	1	6	10	12	21	67
65+	24	12.0	359	1	2	5	11	30	56	87
GRAND TOTAL	**336**	**8.9**	**136**	**1**	**1**	**5**	**10**	**22**	**32**	**68**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.6	10	<1	<1	3	3	9	11	11
20-34	35	3.7	11	<1	<1	3	4	6	13	15
35-49	21	5.9	24	2	2	5	6	9	17	25
50-64	13	7.1	44	1	1	6	11	16	22	24
65+	17	5.8	27	<1	1	4	7	14	18	19
B. *Operated*										
0-19 YRS	176	3.8	13	1	1	3	5	8	11	21
20-34	318	4.5	20	1	1	3	5	9	13	23
35-49	139	4.6	20	1	2	3	5	9	12	25
50-64	79	5.2	26	1	1	3	6	11	19	26
65+	30	6.7	45	2	2	4	9	13	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	9.3	243	1	1	4	12	52	95	99+
20-34	72	7.3	108	1	1	4	7	17	38	91
35-49	61	7.0	50	<1	2	5	8	15	24	37
50-64	42	7.3	46	1	2	5	10	14	23	33
65+	110	14.0	169	2	2	11	19	28	40	64
B. *Operated*										
0-19 YRS	101	5.6	54	1	2	3	6	12	24	70
20-34	197	6.0	53	1	1	3	7	15	21	47
35-49	131	5.5	32	1	1	3	6	13	16	28
50-64	100	9.0	147	1	2	4	9	25	35	63
65+	82	14.2	148	3	4	11	18	29	38	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	4.9	21	<1	1	4	6	11	14	24
B. *Operated*	742	4.5	20	1	1	3	5	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	317	9.8	132	1	2	5	12	25	32	89
B. *Operated*	611	7.4	85	1	2	4	8	18	28	54
1. SINGLE DX	846	4.6	20	1	1	3	5	9	13	24
2. MULTIPLE DX	928	8.2	102	1	2	4	10	21	30	62
A. NOT OPERATED	421	8.6	109	1	1	5	11	22	30	77
B. OPERATED	1353	5.8	51	1	2	3	6	13	20	39
TOTAL 0-19 YRS	327	4.9	50	1	1	3	5	10	20	79
20-34	622	5.3	41	1	1	3	6	11	17	39
35-49	352	5.4	31	1	2	4	6	11	16	30
50-64	234	7.3	84	1	2	4	8	16	26	46
65+	239	12.6	145	2	2	9	17	27	33	56
GRAND TOTAL	**1774**	**6.5**	**66**	**1**	**2**	**4**	**7**	**15**	**23**	**47**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	201	3.9	5	1	1	4	5	6	7	10
20-34	97	3.5	4	<1	1	3	4	5	7	10
35-49	38	4.8	15	1	1	4	5	9	12	23
50-64	10	3.8	4	1	1	3	6	7	7	7
65+	4	5.8	12	2	2	5	8	10	10	10
B. *Operated*										
0-19 YRS	12	7.3	15	2	2	6	10	13	14	14
20-34	5	4.0	7	2	2	3	6	8	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	3	4.0	4	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	4.4	10	1	1	4	5	7	9	17
20-34	89	4.0	12	1	1	3	5	7	9	22
35-49	34	4.1	6	1	1	4	6	8	9	10
50-64	32	3.8	4	1	1	4	5	7	8	8
65+	35	6.7	100	1	1	3	7	13	26	54
B. *Operated*										
0-19 YRS	20	5.0	10	1	2	4	6	10	13	13
20-34	27	5.4	11	1	1	5	7	11	12	13
35-49	9	4.6	12	<1	1	2	7	10	10	10
50-64	9	7.0	30	1	1	5	9	16	19	19
65+	12	7.8	85	1	1	4	9	23	31	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	350	3.9	6	1	1	4	5	6	7	12
B. *Operated*	21	5.7	14	1	2	5	8	11	13	14
2. MULTIPLE DX										
A. *Not Operated*	339	4.5	19	1	1	4	5	7	9	24
B. *Operated*	77	5.8	24	1	1	4	7	11	13	29
1. SINGLE DX	371	4.0	7	1	1	4	5	6	8	12
2. MULTIPLE DX	416	4.7	20	1	1	4	6	8	11	25
A. NOT OPERATED	689	4.2	13	1	1	4	5	7	8	21
B. OPERATED	98	5.7	22	1	2	5	7	11	13	26
TOTAL 0-19 YRS	382	4.3	8	1	2	4	5	7	8	14
20-34	218	3.9	9	1	1	3	5	7	9	15
35-49	82	4.4	11	1	1	4	6	8	10	19
50-64	51	4.4	10	1	1	4	6	8	8	19
65+	54	6.7	83	1	2	4	7	14	27	53
GRAND TOTAL	**787**	**4.4**	**14**	**1**	**1**	**4**	**5**	**7**	**10**	**21**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	764	1.7	2	<1	<1	1	2	3	4	8
20-34	848	2.1	6	<1	<1	1	3	4	6	9
35-49	346	2.8	8	<1	<1	2	4	5	7	16
50-64	242	2.9	7	<1	<1	2	4	6	8	12
65+	308	4.2	12	<1	<1	3	6	9	11	18
B. *Operated*										
0-19 YRS	109	3.5	30	<1	<1	2	3	6	12	33
20-34	134	3.7	14	<1	1	2	4	8	11	19
35-49	63	3.6	8	<1	1	3	5	6	10	14
50-64	55	5.5	17	<1	1	4	8	12	15	16
65+	40	6.2	29	1	1	4	9	15	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1006	2.2	3	<1	1	2	3	4	6	9
20-34	1408	3.2	15	<1	1	2	4	6	9	16
35-49	859	4.2	16	1	1	3	5	9	12	19
50-64	829	5.1	22	1	1	4	6	10	13	21
65+	2031	6.8	33	1	2	5	9	13	17	28
B. *Operated*										
0-19 YRS	127	4.3	32	1	1	3	4	8	19	29
20-34	242	5.1	49	<1	1	3	6	10	15	24
35-49	133	6.8	50	1	1	5	9	13	18	44
50-64	148	8.7	54	1	2	7	11	20	24	37
65+	230	11.9	137	2	2	8	15	26	41	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2508	2.4	6	<1	<1	2	3	5	7	12
B. *Operated*	401	4.1	20	<1	1	3	5	10	14	22
2. MULTIPLE DX										
A. *Not Operated*	6133	4.6	23	<1	1	3	6	10	13	22
B. *Operated*	880	7.6	79	1	1	5	10	18	24	42
1. SINGLE DX	2909	2.7	9	<1	<1	2	3	5	8	15
2. MULTIPLE DX	7013	5.0	31	1	1	3	6	11	15	26
A. NOT OPERATED	8641	4.0	19	<1	<1	3	5	9	12	21
B. OPERATED	1281	6.5	63	1	1	4	8	15	21	41
TOTAL 0-19 YRS	2006	2.2	6	<1	<1	2	3	4	5	12
20-34	2632	3.1	16	<1	<1	2	4	6	9	17
35-49	1401	4.1	18	<1	1	3	5	9	11	20
50-64	1274	5.1	25	<1	1	4	6	11	15	23
65+	2609	6.9	43	1	2	5	9	14	19	31
GRAND TOTAL	**9922**	**4.3**	**26**	**<1**	**<1**	**3**	**5**	**9**	**13**	**23**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.7	15	<1	1	2	3	4	6	23
20-34	43	2.8	5	<1	1	2	3	5	7	11
35-49	17	3.8	17	1	1	2	5	8	14	17
50-64	5	1.8	2	1	1	1	2	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	26	6.1	78	<1	1	3	6	11	30	40
20-34	60	5.1	29	1	1	3	7	11	15	28
35-49	18	5.2	21	1	1	3	7	13	16	16
50-64	18	6.5	30	<1	<1	5	11	13	18	21
65+	4	9.3	50	3	3	8	15	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.9	8	<1	1	2	3	8	10	10
20-34	42	4.3	9	1	1	4	6	7	9	16
35-49	27	5.6	38	<1	1	4	6	11	24	27
50-64	16	3.7	7	1	1	3	5	8	9	10
65+	8	7.9	140	2	2	4	5	28	37	37
B. *Operated*										
0-19 YRS	36	7.7	109	<1	1	3	9	20	34	48
20-34	97	7.5	73	1	1	4	9	18	27	42
35-49	42	10.8	179	1	1	5	12	32	41	58
50-64	41	9.1	115	1	2	6	11	22	30	58
65+	11	9.4	39	2	3	7	12	20	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	2.9	10	<1	1	2	3	6	8	20
B. *Operated*	126	5.6	38	1	1	3	8	17	17	32
2. MULTIPLE DX										
A. *Not Operated*	116	4.5	24	1	1	3	5	8	11	30
B. *Operated*	227	8.5	104	1	1	5	11	20	31	50
1. SINGLE DX	225	4.4	27	1	1	3	5	10	15	28
2. MULTIPLE DX	343	7.2	81	1	1	4	8	17	27	46
A. NOT OPERATED	215	3.8	18	1	1	3	5	7	10	25
B. OPERATED	353	7.5	82	1	1	4	9	18	28	46
TOTAL 0-19 YRS	118	5.0	60	<1	1	2	5	10	21	43
20-34	242	5.5	42	1	1	3	7	13	18	36
35-49	104	7.3	95	1	1	4	8	17	29	52
50-64	80	7.0	72	1	1	4	8	14	22	50
65+	24	8.8	67	2	3	6	11	19	26	37
GRAND TOTAL	**568**	**6.1**	**61**	**1**	**1**	**3**	**7**	**13**	**21**	**40**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.1		<1	<1	<1	1	2	2	2
20-34	20	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	7	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.3		<1	<1	<1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	10	1.6	1	<1	<1	1	3	3	3	3
20-34	5	2.6	7	<1	<1	1	4	7	7	7
35-49	3	3.0	12	<1	<1	<1	5	7	7	7
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	1	1	1	2	3	3	3	3
20-34	5	1.4	1	<1	<1	<1	1	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.4	4	<1	<1	1	4	5	5	5
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	1.1		<1	<1	<1	<1	1	2	2
B. *Operated*	20	2.1	4	<1	<1	1	3	5	7	7
2. MULTIPLE DX										
A. *Not Operated*	10	1.7	1	<1	<1	1	3	3	3	3
B. *Operated*	10	2.9	3	<1	<1	3	5	5	5	5
1. SINGLE DX	59	1.4	1	<1	<1	<1	1	3	3	7
2. MULTIPLE DX	20	2.3	2	<1	<1	2	4	5	5	5
A. NOT OPERATED	49	1.2		<1	<1	<1	<1	2	3	3
B. OPERATED	30	2.3	4	<1	<1	1	3	5	7	7
TOTAL 0-19 YRS	29	1.7	1	<1	<1	1	2	3	4	5
20-34	31	1.4	2	<1	<1	<1	<1	3	4	7
35-49	12	1.8	4	<1	<1	<1	<1	6	7	7
50-64	4	2.3	4	<1	<1	1	3	5	5	5
65+	3	1.7		1	1	2	2	2	2	2
GRAND TOTAL	**79**	**1.6**	**2**	**<1**	**<1**	**<1**	**1**	**3**	**5**	**7**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	532	1.3	1	<1	<1	1	1	2	3	5
20-34	102	1.6	2	<1	<1	1	2	3	4	10
35-49	102	1.6	3	<1	<1	1	2	2	4	10
50-64	105	2.0	5	<1	<1	1	2	4	8	12
65+	122	2.0	5	<1	<1	1	2	4	6	14
B. *Operated*										
0-19 YRS	130	2.2	6	1	1	1	2	4	6	12
20-34	19	2.6	6	<1	<1	2	2	8	9	9
35-49	22	2.4	4	<1	1	2	3	5	7	8
50-64	19	3.5	31	<1	1	2	2	7	17	25
65+	27	5.1	119	<1	1	2	4	9	19	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	2.7	8	<1	1	2	3	5	8	14
20-34	44	3.5	13	<1	1	2	4	8	11	19
35-49	57	3.1	9	<1	1	2	4	6	8	18
50-64	96	4.1	20	<1	1	3	5	9	11	26
65+	215	4.5	22	1	1	3	6	12	15	21
B. *Operated*										
0-19 YRS	49	5.1	82	1	1	3	4	10	19	60
20-34	28	7.0	116	<1	1	3	8	15	26	55
35-49	45	5.7	27	<1	1	4	9	12	16	22
50-64	68	7.9	52	1	1	6	12	20	23	29
65+	126	7.2	43	1	1	5	10	17	19	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	963	1.5	2	<1	<1	1	2	2	4	10
B. *Operated*	217	2.7	22	<1	1	2	3	5	8	24
2. MULTIPLE DX										
A. *Not Operated*	546	3.8	17	1	1	2	4	8	12	21
B. *Operated*	316	6.8	55	1	1	4	9	15	21	34
1. SINGLE DX	1180	1.8	6	<1	<1	1	2	3	5	11
2. MULTIPLE DX	862	4.9	33	1	1	3	6	12	16	24
A. NOT OPERATED	1509	2.3	8	<1	<1	1	2	5	8	15
B. OPERATED	533	5.1	46	1	1	3	6	12	18	27
TOTAL 0-19 YRS	845	1.9	8	<1	<1	1	2	3	5	11
20-34	193	2.9	24	<1	<1	1	3	6	10	21
35-49	226	2.9	12	<1	1	1	3	7	10	18
50-64	288	4.2	28	<1	1	2	5	11	15	27
65+	490	4.6	31	1	1	3	6	12	15	23
GRAND TOTAL	**2042**	**3.1**	**20**	**<1**	**<1**	**1**	**3**	**7**	**12**	**22**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	7.8	51	1	1	7	10	17	21	37
20-34	21	5.0	14	<1	1	4	7	11	12	13
35-49	13	10.1	51	1	3	8	13	19	26	28
50-64	12	15.6	154	1	3	14	21	35	42	43
65+	8	7.6	20	1	2	8	10	14	15	15
B. *Operated*										
0-19 YRS	96	11.5	117	1	2	8	15	28	32	57
20-34	83	12.2	238	1	2	6	13	27	50	77
35-49	49	10.0	174	1	2	5	11	22	50	63
50-64	31	14.2	166	1	2	10	22	33	47	48
65+	29	17.5	323	2	3	11	22	50	55	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	9.5	62	2	2	8	13	19	23	40
20-34	66	8.8	72	1	1	6	13	21	25	37
35-49	45	9.4	101	<1	1	6	13	18	26	59
50-64	43	11.0	134	3	3	8	14	17	31	70
65+	39	11.5	40	3	5	11	14	21	26	28
B. *Operated*										
0-19 YRS	130	22.3	317	3	5	18	31	54	66	99+
20-34	158	20.3	266	3	5	16	27	48	62	99+
35-49	104	24.3	471	2	4	16	36	55	82	98
50-64	80	25.2	292	4	5	23	37	56	67	99+
65+	74	27.9	383	5	6	25	39	71	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	8.5	60	1	1	7	11	18	23	40
B. *Operated*	288	12.3	189	1	2	8	15	28	48	62
2. MULTIPLE DX										
A. *Not Operated*	271	9.8	79	1	2	8	13	19	25	41
B. *Operated*	546	23.3	341	3	5	19	34	55	70	99+
1. SINGLE DX	383	11.4	160	1	2	7	14	25	40	58
2. MULTIPLE DX	817	18.8	294	2	3	14	26	46	60	99+
A. NOT OPERATED	366	9.5	74	1	2	7	13	19	25	41
B. OPERATED	834	19.5	315	2	3	14	28	50	62	99+
TOTAL 0-19 YRS	345	14.7	208	2	2	10	19	33	45	74
20-34	328	15.0	232	1	2	9	20	38	53	90
35-49	211	16.9	348	1	2	11	21	44	58	93
50-64	166	18.8	255	2	4	15	27	47	58	99+
65+	150	20.6	319	3	4	14	28	52	73	99+
GRAND TOTAL	**1200**	**16.5**	**263**	**2**	**2**	**11**	**22**	**40**	**55**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	360	5.1	23	<1	1	4	7	11	15	24
20-34	238	5.2	23	<1	1	3	8	13	16	19
35-49	117	5.9	25	<1	1	4	9	15	16	18
50-64	58	6.4	27	<1	1	5	9	14	16	25
65+	25	9.7	171	1	1	6	11	22	35	65
B. *Operated*										
0-19 YRS	84	7.6	46	1	2	6	10	16	20	36
20-34	62	10.9	110	1	2	8	16	26	28	55
35-49	28	13.1	64	2	2	13	18	24	27	33
50-64	16	13.6	157	1	2	10	19	29	43	48
65+	15	21.1	180	4	5	18	27	38	52	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	728	6.0	31	1	1	4	8	12	16	27
20-34	457	6.1	37	1	1	4	8	13	19	29
35-49	233	7.1	43	1	1	5	10	14	19	36
50-64	175	9.2	85	1	2	7	13	19	23	30
65+	148	12.6	169	2	3	9	15	28	36	62
B. *Operated*										
0-19 YRS	162	14.9	155	1	2	12	21	31	39	63
20-34	167	12.6	107	2	2	10	17	26	33	43
35-49	90	15.7	235	2	3	12	19	41	57	89
50-64	62	20.4	245	4	5	15	29	45	53	66
65+	59	26.3	353	5	7	22	38	65	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	798	5.5	29	<1	1	4	8	13	16	23
B. *Operated*	205	10.8	98	1	2	8	15	24	28	52
2. MULTIPLE DX										
A. *Not Operated*	1741	7.0	55	1	1	5	9	15	20	33
B. *Operated*	540	16.2	202	2	3	13	22	37	45	73
1. SINGLE DX	1003	6.6	47	<1	1	4	9	15	19	30
2. MULTIPLE DX	2281	9.2	105	1	1	6	12	20	29	55
A. NOT OPERATED	2539	6.6	47	1	1	5	9	14	18	30
B. OPERATED	745	14.7	179	2	2	11	20	33	43	70
TOTAL 0-19 YRS	1334	6.9	54	1	1	5	9	15	21	37
20-34	924	7.4	59	1	1	5	10	17	22	38
35-49	468	8.8	90	1	1	6	12	17	25	56
50-64	311	11.2	132	1	2	9	14	23	30	63
65+	247	16.1	250	2	3	11	21	38	57	95
GRAND TOTAL	**3284**	**8.4**	**88**	**1**	**1**	**6**	**11**	**18**	**26**	**48**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.9	13	<1	<1	2	3	5	13	18
20-34	54	6.5	66	<1	1	4	8	12	26	45
35-49	25	4.5	13	<1	1	3	8	10	12	12
50-64	12	5.8	63	1	1	3	4	20	26	27
65+	7	5.6	9	3	3	5	8	10	10	10
B. *Operated*										
0-19 YRS	49	2.8	6	1	1	2	3	6	10	11
20-34	97	3.3	7	1	1	2	4	6	9	15
35-49	59	4.7	33	<1	1	2	5	14	16	31
50-64	34	4.0	70	<1	1	2	3	5	6	51
65+	7	3.3	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.2	47	1	1	2	4	7	11	40
20-34	48	6.3	31	1	2	4	8	15	20	23
35-49	28	10.2	192	2	2	6	9	19	38	72
50-64	35	6.9	30	1	2	5	9	14	16	27
65+	40	10.1	73	2	3	8	11	25	70	99+
B. *Operated*										
0-19 YRS	57	3.9	23	1	1	2	4	8	14	29
20-34	139	7.8	168	1	1	3	9	19	57	99+
35-49	65	7.1	109	1	1	4	9	17	42	99+
50-64	48	12.4	317	1	1	5	15	34	51	86
65+	29	15.7	324	2	2	11	22	43	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	5.1	41	<1	1	3	6	11	17	32
B. *Operated*	246	3.6	22	1	1	2	4	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	184	7.4	70	1	2	5	9	15	23	90
B. *Operated*	338	8.3	175	1	1	3	10	20	46	99+
1. SINGLE DX	376	4.2	29	<1	1	2	4	9	13	29
2. MULTIPLE DX	522	8.0	138	1	1	4	10	18	35	99+
A. NOT OPERATED	314	6.5	59	1	1	4	8	14	21	58
B. OPERATED	584	6.4	116	1	1	3	6	15	30	99+
TOTAL 0-19 YRS	171	3.5	21	1	1	2	3	7	11	27
20-34	338	6.1	89	1	1	3	7	14	21	99+
35-49	177	6.4	85	1	1	3	8	15	21	92
50-64	129	8.1	160	1	1	4	8	18	32	77
65+	83	11.1	161	2	2	8	13	29	58	99+
GRAND TOTAL	**898**	**6.4**	**96**	**1**	**1**	**3**	**7**	**15**	**24**	**92**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	336	1.9	4	<1	<1	1	2	4	5	10
20-34	413	2.3	6	<1	<1	1	3	5	6	11
35-49	170	2.8	8	<1	<1	2	3	6	9	15
50-64	72	2.9	7	<1	<1	2	4	7	9	13
65+	64	4.6	24	<1	<1	3	5	12	15	25
B. *Operated*										
0-19 YRS	88	4.6	26	<1	1	2	6	11	16	22
20-34	144	5.9	72	1	1	3	7	13	20	49
35-49	71	4.7	20	1	1	3	6	9	16	22
50-64	24	5.3	40	1	1	2	8	14	19	25
65+	21	8.5	72	1	1	6	10	19	27	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	2.7	6	<1	1	2	3	5	7	12
20-34	458	3.8	17	<1	1	3	5	7	10	22
35-49	265	4.8	15	1	1	4	6	10	11	17
50-64	213	5.5	27	1	2	4	7	10	14	26
65+	380	7.1	32	1	2	6	9	13	18	30
B. *Operated*										
0-19 YRS	119	8.3	84	1	1	5	11	20	30	42
20-34	181	8.2	97	1	1	5	10	19	29	66
35-49	107	8.3	51	1	2	5	12	19	23	32
50-64	85	9.2	113	1	2	6	12	18	27	63
65+	67	12.6	184	2	2	9	16	32	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1055	2.4	7	<1	<1	1	3	5	7	13
B. *Operated*	348	5.4	48	1	1	3	7	13	18	38
2. MULTIPLE DX										
A. *Not Operated*	1589	4.8	22	<1	1	3	6	10	13	24
B. *Operated*	559	8.9	100	1	1	6	11	21	29	65
1. SINGLE DX	1403	3.2	19	<1	<1	2	4	7	10	21
2. MULTIPLE DX	2148	5.8	46	1	1	4	7	12	18	35
A. NOT OPERATED	2644	3.8	18	<1	<1	3	5	8	11	21
B. OPERATED	907	7.6	82	1	1	4	10	18	26	53
TOTAL 0-19 YRS	816	3.4	23	<1	<1	2	3	7	11	27
20-34	1196	4.2	36	<1	<1	2	5	9	13	33
35-49	613	4.8	23	<1	<1	3	6	10	15	23
50-64	394	5.8	47	<1	1	4	7	12	15	31
65+	532	7.6	56	1	2	6	10	16	22	37
GRAND TOTAL	**3551**	**4.8**	**37**	**<1**	**<1**	**3**	**6**	**10**	**15**	**31**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1411	1.7	2	<1	<1	1	2	3	4	7
20-34	776	2.2	10	<1	<1	2	3	4	5	9
35-49	316	2.5	4	<1	1	2	3	5	6	11
50-64	135	3.1	5	1	1	3	4	6	7	10
65+	107	4.8	14	1	1	4	6	10	13	18
B. *Operated*										
0-19 YRS	7	2.1	2	<1	<1	2	3	5	5	5
20-34	11	3.0	3	1	1	3	3	6	6	6
35-49	4	2.5		2	2	2	3	3	3	3
50-64	5	12.6	10	9	9	13	15	17	17	17
65+	3	13.0	103	4	4	11	21	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1335	3.9	44	1	1	2	4	7	12	41
20-34	2146	4.0	31	<1	1	2	4	8	12	31
35-49	1239	4.9	41	1	1	3	6	10	15	31
50-64	767	5.9	43	1	1	4	7	12	18	32
65+	1342	7.3	37	2	2	6	9	13	18	33
B. *Operated*										
0-19 YRS	18	5.1	9	2	2	4	6	11	12	12
20-34	87	7.2	81	<1	1	3	8	24	29	39
35-49	64	13.0	223	1	1	7	19	36	51	60
50-64	44	14.2	254	2	2	9	16	29	43	92
65+	96	15.7	125	4	5	13	21	31	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2745	2.1	5	<1	1	2	3	4	5	10
B. *Operated*	30	5.3	31	1	1	3	6	13	17	24
2. MULTIPLE DX										
A. *Not Operated*	6829	5.0	40	1	1	3	6	10	15	32
B. *Operated*	309	11.9	157	1	1	8	15	28	36	56
1. SINGLE DX	2775	2.2	6	<1	1	2	3	4	5	10
2. MULTIPLE DX	7138	5.3	47	1	1	3	6	11	17	36
A. NOT OPERATED	9574	4.2	32	<1	1	2	5	9	13	28
B. OPERATED	339	11.3	149	1	1	7	15	27	36	54
TOTAL 0-19 YRS	2771	2.8	23	<1	1	2	3	5	7	27
20-34	3020	3.6	28	<1	1	2	4	7	11	29
35-49	1623	4.7	44	1	1	3	5	10	15	36
50-64	951	5.9	52	1	1	4	7	12	18	33
65+	1548	7.6	46	2	2	6	9	14	20	36
GRAND TOTAL	**9913**	**4.4**	**37**	**<1**	**1**	**3**	**5**	**9**	**14**	**31**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	825	1.7	2	<1	1	1	2	3	5	7
20-34	392	1.9	2	<1	1	1	2	3	5	8
35-49	208	1.9	2	<1	<1	1	2	3	4	7
50-64	137	2.1	5	<1	1	1	2	4	5	11
65+	50	2.6	4	1	1	2	3	5	7	9
B. *Operated*										
0-19 YRS	27	3.2	8	<1	1	2	4	8	10	12
20-34	21	6.6	37	<1	1	5	10	16	21	23
35-49	16	5.8	35	1	2	4	7	8	21	26
50-64	10	4.5	17	1	1	3	8	11	13	13
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	433	2.8	15	1	1	2	3	5	7	19
20-34	325	3.6	37	<1	1	2	4	7	10	22
35-49	265	3.5	17	1	1	2	4	6	10	22
50-64	229	4.4	40	1	1	3	5	9	13	39
65+	179	5.2	49	1	1	3	6	11	17	42
B. *Operated*										
0-19 YRS	19	9.1	72	<1	1	7	13	23	28	30
20-34	24	17.0	358	2	3	10	20	42	67	75
35-49	18	11.2	99	1	2	9	13	23	34	41
50-64	19	18.0	394	2	3	12	25	64	90	99+
65+	11	26.6	314	5	7	33	36	51	59	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1612	1.9	3	<1	1	1	2	3	5	8
B. *Operated*	75	4.9	24	<1	1	3	6	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	1431	3.7	29	1	1	2	4	7	10	27
b. *Operated*	91	15.6	268	2	2	9	21	40	59	92
1. SINGLE DX	1687	2.0	4	<1	1	1	2	4	5	10
2. MULTIPLE DX	1522	4.4	51	1	1	2	4	9	15	40
A. NOT OPERATED	3043	2.7	16	<1	1	2	3	5	8	17
B. OPERATED	166	10.7	185	1	1	6	13	27	41	79
TOTAL 0-19 YRS	1304	2.2	9	<1	1	1	2	4	6	14
20-34	762	3.2	36	<1	1	2	3	6	10	23
35-49	507	3.2	17	<1	1	2	3	6	10	23
50-64	395	4.3	54	1	1	2	4	9	15	46
65+	241	5.6	72	1	1	3	6	12	22	46
GRAND TOTAL	**3209**	**3.1**	**28**	**<1**	**1**	**2**	**3**	**6**	**9**	**26**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	357	1.9	2	<1	1	1	2	3	5	8
20-34	304	2.0	3	<1	<1	1	2	4	5	9
35-49	206	2.5	8	<1	<1	2	3	5	7	19
50-64	182	2.7	5	<1	1	2	4	5	8	13
65+	163	4.9	34	1	1	3	6	9	13	38
B. *Operated*										
0-19 YRS	3	7.3	32	1	1	9	11	12	12	12
20-34	3	2.0		2	2	2	2	2	2	2
35-49	6	10.3	323	2	2	3	4	43	47	47
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	7	10.4	281	1	1	4	8	40	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	364	3.3	15	1	1	2	4	7	8	20
20-34	435	3.3	10	1	1	2	4	6	9	16
35-49	427	4.3	15	1	1	3	5	9	12	20
50-64	601	5.4	30	1	1	4	6	10	13	29
65+	1358	6.9	38	2	2	5	8	13	17	29
B. *Operated*										
0-19 YRS	19	11.4	152	2	2	8	13	36	40	41
20-34	40	5.7	37	1	1	4	8	17	57	99+
35-49	32	12.8	218	1	1	8	18	25	51	66
50-64	62	9.4	97	1	2	6	13	26	42	99+
65+	117	16.9	322	2	3	12	19	31	58	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1212	2.5	9	<1	<1	2	3	5	7	14
B. *Operated*	21	8.0	181	1	1	3	6	26	47	48
2. MULTIPLE DX										
A. *Not Operated*	3185	5.4	29	1	1	4	7	11	14	27
B. *Operated*	270	12.6	219	1	2	8	16	28	50	99+
1. SINGLE DX	1233	2.6	13	<1	1	2	3	5	7	16
2. MULTIPLE DX	3455	5.9	48	1	1	4	7	12	16	36
A. NOT OPERATED	4397	4.6	25	1	1	3	6	9	13	25
B. OPERATED	291	12.3	217	1	2	8	15	28	49	99+
TOTAL 0-19 YRS	743	2.8	15	<1	1	2	3	6	8	19
20-34	782	2.9	10	<1	1	2	3	6	8	17
35-49	671	4.2	29	<1	1	3	5	9	12	25
50-64	847	5.1	32	1	1	4	6	10	13	34
65+	1645	7.4	66	1	2	5	9	14	20	46
GRAND TOTAL	**4688**	**5.0**	**41**	**1**	**1**	**3**	**6**	**10**	**15**	**31**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	4.9	26	<1	1	3	6	12	16	24
20-34	45	3.2	8	<1	1	2	4	6	9	15
35-49	45	5.3	23	1	1	4	6	15	17	18
50-64	54	5.9	29	<1	1	4	7	13	16	29
65+	94	5.2	21	<1	1	4	7	12	14	23
B. *Operated*										
0-19 YRS	437	5.4	31	1	1	4	6	10	14	29
20-34	398	5.0	47	<1	1	3	5	12	20	37
35-49	392	6.2	51	<1	1	4	8	15	19	43
50-64	537	7.9	54	1	2	5	11	18	24	33
65+	860	9.0	91	1	2	6	12	20	27	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	5.4	32	1	1	4	7	11	14	35
20-34	116	6.1	46	1	1	4	7	14	20	36
35-49	119	7.3	45	1	1	6	9	15	19	39
50-64	144	8.0	92	1	1	4	9	18	26	54
65+	335	8.2	56	1	2	7	10	15	22	41
B. *Operated*										
0-19 YRS	502	9.6	133	1	2	6	11	21	34	59
20-34	553	8.4	116	1	1	5	10	20	30	59
35-49	768	8.5	88	1	2	5	11	19	27	47
50-64	1321	10.7	128	1	2	7	14	24	32	59
65+	1989	11.9	135	2	2	8	16	27	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	307	5.0	22	<1	1	4	6	12	15	24
B. *Operated*	2624	7.2	63	1	1	4	9	17	22	38
2. MULTIPLE DX										
A. *Not Operated*	820	7.4	57	1	1	5	9	15	22	42
B. *Operated*	5133	10.5	126	1	2	7	14	24	33	56
1. SINGLE DX	2931	6.9	59	1	1	4	9	16	22	37
2. MULTIPLE DX	5953	10.1	117	1	2	7	13	23	32	55
A. NOT OPERATED	1127	6.7	49	1	1	5	8	14	20	36
B. OPERATED	7757	9.4	107	1	2	6	12	21	30	53
TOTAL 0-19 YRS	1114	7.3	81	1	2	4	8	15	23	52
20-34	1112	6.7	82	<1	1	4	7	16	24	46
35-49	1324	7.6	72	1	1	4	10	17	23	45
50-64	2056	9.6	106	1	2	6	13	22	30	54
65+	3278	10.6	115	1	2	7	14	24	32	53
GRAND TOTAL	**8884**	**9.0**	**100**	**1**	**2**	**5**	**12**	**20**	**29**	**52**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	214	1.6	2	<1	<1	1	2	3	4	9
20-34	245	2.2	3	<1	1	2	3	4	5	9
35-49	129	3.1	5	1	1	3	4	6	8	12
50-64	139	3.5	3	1	1	3	4	6	7	8
65+	203	3.9	6	1	1	4	5	6	7	13
B. *Operated*										
0-19 YRS	163	2.1	3	<1	1	2	2	4	6	10
20-34	236	3.2	10	<1	1	2	4	7	9	14
35-49	114	3.8	8	1	1	3	5	7	9	15
50-64	56	4.7	18	1	2	3	6	8	11	27
65+	85	5.6	20	1	2	8	8	13	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	2.2	3	<1	1	1	3	5	6	8
20-34	89	3.1	6	1	1	2	4	6	8	14
35-49	70	4.6	58	1	1	3	5	7	10	54
50-64	111	4.3	7	1	2	4	6	7	10	15
65+	241	5.1	19	1	2	4	6	9	13	19
B. *Operated*										
0-19 YRS	18	7.5	173	1	1	3	6	19	43	56
20-34	84	4.7	20	1	1	3	6	10	12	26
35-49	46	6.3	22	1	2	5	9	13	14	25
50-64	80	6.8	35	1	1	5	10	16	20	26
65+	137	9.1	84	1	2	7	11	16	24	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	930	2.8	4	<1	1	2	4	5	7	9
B. *Operated*	654	3.5	11	<1	1	2	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	549	4.4	19	1	1	3	5	8	10	16
B. *Operated*	365	7.1	57	1	1	5	9	14	20	41
1. SINGLE DX	1584	3.1	7	<1	1	2	4	6	8	14
2. MULTIPLE DX	914	5.5	36	1	1	4	7	11	14	29
A. NOT OPERATED	1479	3.4	10	1	1	3	4	6	8	14
B. OPERATED	1019	4.8	31	1	1	3	6	10	14	26
TOTAL 0-19 YRS	433	2.1	10	<1	1	1	2	4	5	10
20-34	654	3.0	9	<1	1	2	4	6	8	14
35-49	359	4.0	19	1	1	3	5	8	10	15
50-64	386	4.6	14	1	1	4	6	8	11	21
65+	666	5.6	32	1	2	4	7	11	14	30
GRAND TOTAL	**2498**	**3.9**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	5.3	14	1	2	5	6	8	13	21
20-34	138	5.0	10	1	2	4	6	8	11	17
35-49	128	5.6	13	1	2	5	7	10	13	17
50-64	91	7.2	28	2	2	6	9	14	21	26
65+	69	8.9	49	2	3	6	11	20	25	32
B. *Operated*										
0-19 YRS	64	8.0	44	1	2	6	10	16	21	31
20-34	151	8.0	43	1	2	6	11	17	21	30
35-49	112	8.2	43	2	2	6	10	17	20	36
50-64	89	10.1	101	2	2	6	13	25	33	49
65+	76	10.3	65	2	2	8	14	22	28	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	6.0	23	1	1	5	8	11	19	20
20-34	130	6.6	24	2	2	5	8	13	18	24
35-49	131	8.0	44	3	3	6	10	15	19	44
50-64	153	9.0	45	2	3	7	12	15	21	44
65+	238	10.9	64	3	4	9	13	20	26	36
B. *Operated*										
0-19 YRS	42	10.5	103	2	3	7	14	21	29	57
20-34	130	11.6	127	2	3	9	14	23	29	64
35-49	155	13.9	193	2	3	9	21	34	44	91
50-64	202	16.5	177	3	4	12	21	34	51	64
65+	231	17.5	261	3	4	12	22	40	51	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	509	6.1	21	1	2	5	7	11	15	25
B. *Operated*	492	8.8	58	1	2	7	11	19	24	36
2. MULTIPLE DX										
A. *Not Operated*	704	8.8	48	2	3	7	11	17	20	35
B. *Operated*	760	15.1	198	2	3	11	20	32	47	78
1. SINGLE DX	1001	7.4	41	1	2	6	9	16	20	32
2. MULTIPLE DX	1464	12.1	136	2	3	9	15	25	35	64
A. NOT OPERATED	1213	7.7	39	2	2	6	10	15	19	31
B. OPERATED	1252	12.6	152	2	3	9	16	27	36	65
TOTAL 0-19 YRS	241	7.1	42	1	2	5	8	16	20	30
20-34	549	7.7	56	2	2	6	9	16	20	35
35-49	526	9.2	90	2	2	6	11	20	25	50
50-64	535	11.7	116	2	3	8	15	25	34	59
65+	614	13.1	148	2	3	10	16	26	35	75
GRAND TOTAL	**2465**	**10.2**	**103**	**2**	**3**	**7**	**12**	**21**	**29**	**57**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	3.4	24	<1	1	2	3	7	13	29
20-34	119	4.0	14	1	1	3	6	8	12	18
35-49	119	5.3	32	<1	1	4	7	11	15	34
50-64	63	4.6	9	1	1	4	6	8	11	14
65+	67	6.6	46	1	1	4	8	15	19	38
B. *Operated*										
0-19 YRS	70	4.9	16	1	1	4	7	10	11	21
20-34	170	5.3	25	<1	1	3	7	12	18	24
35-49	163	6.3	48	<1	1	4	8	12	16	29
50-64	170	7.5	63	1	2	5	9	15	20	44
65+	165	7.8	52	1	2	6	10	18	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	3.0	7	<1	1	2	3	7	10	13
20-34	149	4.6	38	<1	<1	3	6	11	13	26
35-49	186	6.4	62	1	1	5	7	12	17	48
50-64	188	7.7	47	1	2	6	10	13	22	33
65+	310	8.7	69	1	2	7	11	18	22	46
B. *Operated*										
0-19 YRS	83	9.0	89	1	1	5	13	24	34	99+
20-34	186	9.7	129	1	2	7	12	19	27	70
35-49	256	10.5	133	1	2	7	12	23	31	66
50-64	358	12.7	156	1	2	9	16	29	37	68
65+	453	15.0	219	2	2	10	20	33	50	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	416	4.8	25	1	1	3	6	10	15	25
B. *Operated*	738	6.5	45	1	1	4	8	14	19	31
2. MULTIPLE DX										
A. *Not Operated*	904	6.9	56	1	1	5	9	14	20	36
B. *Operated*	1336	12.4	169	1	2	8	15	28	38	72
1. SINGLE DX	1154	5.9	38	1	1	4	7	13	17	29
2. MULTIPLE DX	2240	10.2	131	1	2	7	12	23	33	65
A. NOT OPERATED	1320	6.3	47	1	1	4	8	13	18	34
B. OPERATED	2074	10.3	133	1	2	7	13	23	33	66
TOTAL 0-19 YRS	272	5.4	43	<1	1	3	6	13	21	40
20-34	624	6.2	62	<1	1	4	8	14	18	41
35-49	724	7.6	83	1	1	5	9	15	23	59
50-64	779	9.7	106	1	2	7	12	21	31	53
65+	995	11.3	144	1	2	8	14	24	35	66
GRAND TOTAL	**3394**	**8.7**	**103**	**1**	**1**	**6**	**11**	**20**	**28**	**59**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.9	3	<1	1	2	4	6	6	7
20-34	15	4.8	19	<1	1	4	6	8	15	18
35-49	9	3.9	7	1	1	3	5	8	9	9
50-64	17	3.4	4	<1	<1	3	4	6	7	8
65+	5	5.2	60	1	1	2	6	19	19	19
B. *Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	3	10.7	56	3	3	11	16	18	18	18
35-49	2	9.5	13	7	7	9	12	12	12	12
50-64	5	11.8	411	1	1	4	15	48	48	48
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	3.4	5	1	1	3	4	6	8	12
20-34	25	5.0	11	<1	2	4	7	11	12	13
35-49	14	8.1	53	1	2	6	10	15	27	30
50-64	24	4.4	10	1	1	3	5	9	11	13
65+	29	3.9	9	1	1	3	5	9	11	11
B. *Operated*										
0-19 YRS	4	6.8	30	2	2	7	11	12	12	12
20-34	6	5.8	15	2	2	5	8	12	12	12
35-49	4	8.0	65	2	2	6	14	19	19	19
50-64	7	7.6	25	2	2	9	11	14	15	15
65+	9	9.6	47	2	3	9	11	20	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	3.6	10	<1	1	3	5	6	8	19
B. *Operated*	13	9.1	162	1	2	4	11	24	43	48
2. MULTIPLE DX										
A. *Not Operated*	119	4.6	15	1	1	4	6	10	12	18
B. *Operated*	30	7.8	33	2	2	8	11	14	19	26
1. SINGLE DX	91	4.4	34	<1	1	3	5	7	12	36
2. MULTIPLE DX	149	5.3	20	1	1	4	7	11	12	26
A. NOT OPERATED	197	4.2	13	1	1	3	5	8	11	19
B. OPERATED	43	8.2	69	2	2	7	11	16	21	48
TOTAL 0-19 YRS	66	3.3	6	1	1	3	4	6	8	12
20-34	49	5.4	17	<1	1	4	7	12	13	18
35-49	29	6.9	38	1	1	5	9	13	20	30
50-64	53	5.2	46	1	1	3	5	9	13	47
65+	43	5.3	26	1	1	4	7	11	14	26
GRAND TOTAL	**240**	**4.9**	**25**	**1**	**1**	**3**	**6**	**11**	**12**	**26**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	9	2.1	2	<1	<1	2	3	4	4	4
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	47	2.1	3	<1	<1	2	3	4	4	11
20-34	3771	1.8	1	<1	<1	1	2	3	4	6
35-49	1278	1.6	2	<1	<1	1	2	3	3	5
50-64	7	1.1		<1	<1	1	1	2	2	2
65+	5	2.8	4	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	44	1.3		<1	<1	1	1	2	3	3
35-49	14	1.2		<1	<1	1	1	2	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	2.0		2	2	2	2	2	2	2
B. *Ooerated*										
0-19 YRS	35	2.7	4	<1	1	2	3	6	7	7
20-34	2236	2.2	3	<1	<1	2	3	4	5	8
35-49	1026	2.1	2	<1	<1	2	2	4	5	7
50-64	6	2.2	1	1	1	2	2	4	4	4
65+	2	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.8	1	<1	<1	1	3	4	4	4
B. *Operated*	5108	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	62	1.3		<1	<1	1	1	2	3	3
B. *Operated*	3305	2.2	3	<1	<1	2	3	4	5	8
1. SINGLE DX	5120	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	3367	2.1	3	<1	<1	2	3	4	5	7
A. NOT OPERATED	74	1.4	1	<1	<1	1	1	2	3	4
B. OPERATED	8413	1.9	2	<1	<1	2	2	3	4	7
TOTAL 0-19 YRS	85	2.3	3	<1	<1	2	3	5	6	10
20-34	6060	1.9	2	<1	<1	2	2	3	4	7
35-49	2320	1.9	2	<1	<1	1	2	3	4	7
50-64	14	1.6	1	<1	<1	1	2	3	4	4
65+	8	2.8	2	<1	<1	2	3	5	6	6
GRAND TOTAL	**8487**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	6	13.7	57	7	7	12	17	26	27	27
1750-2499	2836	3.5	5	1	2	3	4	6	7	13
2500+	125166	3.0	2	1	2	3	3	5	5	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749	1	55.0		55	55	55	55	55	55	55
1750-2499	3	9.7	50	2	2	11	15	16	16	16
2500+	39	3.6	8	1	2	3	4	6	11	14
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	48	61.8	621	16	20	71	84	99+	99+	99+
1000-1499	285	39.5	262	17	22	36	51	61	70	93
1500-1749	379	24.9	113	10	13	24	29	37	45	64
1750-2499	5972	7.3	40	2	2	5	9	15	19	30
2500+	53175	3.9	5	2	2	3	5	6	7	11
B. *Operated*										
1-999 G	61	67.3	544	29	47	96	99+	99+	99+	99+
1000-1499	257	49.5	329	18	30	50	64	82	99+	99+
1500-1749	158	33.8	206	17	19	31	40	51	66	97
1750-2499	501	17.4	177	2	5	15	22	32	47	99+
2500+	1122	8.4	88	2	2	6	10	15	22	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128008	3.0	2	1	2	3	3	5	5	7
B. *Operated*	43	5.3	72	1	2	3	4	12	15	55
2. MULTIPLE DX										
A. *Not Operated*	59859	4.6	23	2	2	3	5	7	10	25
B. *Operated*	2099	19.2	420	2	3	11	29	59	81	99+
1. SINGLE DX	128051	3.0	2	1	2	3	3	5	5	7
2. MULTIPLE DX	61958	5.0	43	2	2	4	5	7	12	40
A. NOT OPERATED	187867	3.5	9	1	2	3	4	5	6	13
B. OPERATED	2142	18.9	416	2	3	11	29	58	80	99+
TOTAL 1-999 G	109	64.9	580	19	36	82	99+	99+	99+	99+
1000-1499	542	44.2	319	17	23	44	57	74	90	99+
1500-1749	544	27.4	159	11	14	26	32	43	51	76
1750-2499	9312	6.7	46	2	2	4	8	14	19	33
2500+	179502	3.3	3	1	2	3	4	5	6	9
GRAND TOTAL	**190009**	**3.7**	**16**	**1**	**2**	**3**	**4**	**5**	**7**	**18**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	1	17.0		17	17	17	17	17	17	17
1000-1499										
1500-1749	1	12.0		12	12	12	12	12	12	12
1750-2499	307	4.7	6	2	3	4	5	7	10	15
2500+	1020	4.2	3	2	2	4	5	6	7	10
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	8	79.9	145	65	66	77	90	97	98	98
1000-1499	51	38.1	218	15	22	34	48	60	62	78
1500-1749	93	22.5	82	10	13	21	27	32	40	56
1750-2499	787	8.9	40	3	3	7	12	17	21	29
2500+	592	5.1	5	2	3	5	6	8	9	13
B. *Operated*										
1-999 G	13	68.1	380	32	52	74	99+	99+	99+	99+
1000-1499	53	54.7	304	30	35	55	73	99+	99+	99+
1500-1749	36	37.7	266	17	22	35	46	71	82	99+
1750-2499	91	17.2	116	1	5	16	23	31	34	57
2500+	17	10.1	24	2	4	10	13	18	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1329	4.3	4	2	2	4	5	6	8	12
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1531	9.6	106	3	3	6	11	20	28	58
B. *Operated*	210	32.8	544	5	7	28	54	82	99+	99+
1. SINGLE DX	1329	4.3	4	2	2	4	5	6	8	12
2. MULTIPLE DX	1741	12.4	216	3	3	6	15	31	49	97
A. NOT OPERATED	2860	7.1	66	2	3	5	7	14	21	43
B. OPERATED	210	32.8	544	5	7	28	54	82	99+	99+
TOTAL 1-999 G	22	70.0	439	21	50	74	98	99+	99+	99+
1000-1499	104	46.5	329	20	26	48	62	84	99+	99+
1500-1749	130	26.6	179	11	14	24	32	43	56	85
1750-2499	1185	8.4	47	2	3	6	11	17	21	32
2500+	1629	4.6	4	2	2	4	6	7	8	11
GRAND TOTAL	**3070**	**8.9**	**140**	**2**	**3**	**5**	**8**	**19**	**33**	**76**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	1	34.0		34	34	34	34	34	34	34
1750-2499	36	2.7	3	1	1	3	3	4	6	10
2500+	341	2.5	1	1	1	2	3	4	5	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	68.0		68	68	68	68	68	68	68
1000-1499	8	33.3	139	12	15	38	43	43	43	43
1500-1749	6	29.3	172	16	16	25	36	50	52	52
1750-2499	54	8.1	43	2	2	6	10	18	22	28
2500+	161	4.0	14	1	2	3	5	6	8	27
B. *Operated*										
1-999 G	1	69.0		69	69	84	99+	99+	99+	99+
1000-1499	3	47.0	108	35	35	53	53	53	53	53
1500-1749	2	34.0	128	26	26	34	42	42	42	42
1750-2499	5	17.0	93	8	8	14	22	33	33	33
2500+	8	6.9	25	1	1	6	11	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	2.6	4	1	1	2	3	4	5	7
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	230	6.9	87	2	2	3	6	16	28	45
B. *Operated*	19	22.0	401	1	2	14	38	61	84	99+
1. SINGLE DX	379	2.6	4	1	1	2	3	4	5	7
2. MULTIPLE DX	249	8.1	126	2	2	4	7	21	36	68
A. NOT OPERATED	608	4.2	40	1	1	3	4	6	12	38
B. OPERATED	20	21.1	396	2	3	14	37	60	83	99+
TOTAL 1-999 G	2	68.5	1	68	68	69	92	99+	99+	99+
1000-1499	11	37.0	160	12	18	39	43	53	53	53
1500-1749	9	30.9	129	16	18	29	37	48	52	52
1750-2499	95	6.5	42	1	2	4	9	16	21	31
2500+	511	3.0	6	1	1	3	3	5	6	13
GRAND TOTAL	**628**	**4.8**	**60**	**1**	**1**	**3**	**4**	**8**	**18**	**45**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.7	1	<1	<1	1	2	3	4	4
20-34	7	3.3	13	<1	<1	2	4	10	11	11
35-49	4	2.3		2	2	2	3	3	3	3
50-64										
65+	4	7.0	76	2	2	3	12	20	20	20
B. *Operated*										
0-19 YRS	455	2.4	4	<1	1	2	3	4	5	7
20-34	719	2.6	3	<1	1	2	3	5	6	9
35-49	325	2.6	3	<1	<1	2	3	5	6	11
50-64	269	3.0	8	<1	1	2	3	5	7	12
65+	183	4.1	21	<1	1	3	5	8	10	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	<1	<1	<1	3	4	4	4
20-34	12	2.3	14	<1	<1	1	2	6	13	14
35-49	3	1.0		1	1	1	1	1	1	1
50-64	5	1.8	3	<1	<1	1	2	5	5	5
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	115	3.6	16	1	1	3	4	7	9	21
20-34	145	4.2	54	1	1	3	5	6	10	25
35-49	106	4.4	11	2	2	3	5	9	11	18
50-64	108	4.6	14	1	2	3	6	10	12	18
65+	144	7.7	72	2	2	5	9	16	21	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.1	16	<1	<1	2	3	4	13	20
B. *Operated*	1951	2.8	6	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	25	2.2	8	<1	<1	1	2	5	8	14
B. *Operated*	618	5.0	39	1	2	3	6	9	13	34
1. SINGLE DX	1976	2.8	6	<1	1	2	3	5	6	12
2. MULTIPLE DX	643	4.9	38	1	1	3	5	9	13	33
A. NOT OPERATED	50	2.7	12	<1	<1	2	2	5	11	20
B. OPERATED	2569	3.3	15	<1	1	2	4	6	8	17
TOTAL 0-19 YRS	583	2.6	6	<1	1	2	3	4	6	10
20-34	883	2.9	12	<1	1	2	3	5	6	13
35-49	438	3.1	6	<1	1	2	4	5	7	13
50-64	382	3.4	10	<1	1	3	4	6	8	17
65+	333	5.7	47	1	2	4	6	12	16	40
GRAND TOTAL	**2619**	**3.3**	**15**	**<1**	**1**	**2**	**4**	**6**	**8**	**17**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	28.0		28	28	28	28	28	28	28
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7		1	1	2	2	2	2	2
20-34	4	1.8	2	<1	<1	1	2	4	4	4
35-49	8	1.5	1	<1	<1	1	2	3	3	3
50-64	119	1.4	1	1	1	1	2	2	2	7
65+	257	1.2	1	1	1	1	1	1	2	5
B. *Operated*										
0-19 YRS	4	4.8	10	2	2	4	7	9	9	9
20-34	17	5.2	32	<1	<1	3	6	14	19	21
35-49	18	6.4	98	<1	<1	3	8	11	31	44
50-64	18	4.3	15	1	1	3	5	11	14	14
65+	12	4.3	8	1	2	4	4	10	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	4	9.3	158	2	2	4	16	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	394	1.3	1	1	1	1	1	2	2	5
B. *Operated*	69	5.1	38	<1	1	3	5	12	14	40
1. SINGLE DX	6	6.7	111	1	1	2	5	26	28	28
2. MULTIPLE DX	463	1.8	8	1	1	1	2	3	5	13
A. NOT OPERATED	396	1.3	1	1	1	1	1	2	2	5
B. OPERATED	73	5.3	44	<1	1	3	5	12	14	40
TOTAL 0-19 YRS	10	2.9	6	1	1	2	3	7	9	9
20-34	21	4.6	28	<1	<1	3	5	13	17	21
35-49	27	5.7	89	<1	<1	2	5	11	30	44
50-64	138	1.8	4	1	1	1	2	3	5	13
65+	273	1.3	1	1	1	1	1	2	3	8
GRAND TOTAL	**469**	**1.9**	**9**	**1**	**1**	**1**	**2**	**3**	**5**	**14**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1109	2.5	17	<1	<1	2	3	4	7	16
20-34	1470	2.7	15	<1	<1	2	3	5	7	21
35-49	497	3.0	16	<1	<1	2	4	6	9	18
50-64	567	2.9	16	<1	<1	2	3	5	9	24
65+	441	5.2	115	<1	<1	2	5	10	24	95
B. *Operated*										
0-19 YRS	526	3.4	10	<1	1	2	4	8	10	16
20-34	1801	3.1	8	<1	<1	2	4	6	8	12
35-49	844	3.8	13	<1	<1	2	5	8	11	18
50-64	592	4.5	20	1	1	3	6	11	13	19
65+	510	4.6	25	1	1	2	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1097	4.1	47	<1	1	2	4	7	12	30
20-34	1607	5.0	78	<1	1	3	5	8	24	46
35-49	2369	4.1	44	<1	1	2	4	8	15	35
50-64	5313	3.7	31	1	1	2	4	6	10	30
65+	5563	5.5	77	1	1	3	5	12	22	53
B. *Operated*										
0-19 YRS	473	5.8	64	1	1	3	7	13	20	77
20-34	1382	5.0	74	<1	1	3	5	9	17	65
35-49	1275	6.0	70	1	1	3	7	12	20	45
50-64	1586	6.2	69	1	1	3	8	13	19	43
65+	1869	7.3	98	1	1	4	9	16	26	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4084	3.0	27	<1	<1	2	3	5	9	25
B. *Operated*	4273	3.6	14	<1	<1	2	4	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	15949	4.5	56	1	1	2	4	8	16	43
B. *Operated*	6585	6.2	79	1	1	3	7	13	21	52
1. SINGLE DX	8357	3.3	20	<1	<1	2	4	7	10	19
2. MULTIPLE DX	22534	5.0	63	1	1	3	5	10	18	45
A. NOT OPERATED	20033	4.2	50	<1	1	2	4	8	15	42
B. OPERATED	10858	5.2	55	<1	1	3	6	11	16	43
TOTAL 0-19 YRS	3205	3.7	34	<1	<1	2	4	8	11	30
20-34	6260	3.9	43	<1	<1	2	4	7	11	38
35-49	4985	4.4	44	<1	1	2	5	9	14	35
50-64	8058	4.2	38	1	1	2	4	9	13	32
65+	8383	5.8	81	1	1	3	6	13	23	52
GRAND TOTAL	**30891**	**4.6**	**52**	**<1**	**1**	**2**	**5**	**9**	**15**	**42**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number Title

161 CVA, without paralysis
162 CVA, with paralysis
128 Cyclitis
311 Cyst, Baker's
188 Cyst, mouth
243 Cyst, ovarian
293 Cyst, pilonidal
121 Cyst, retinal
294 Cyst, sebaceous
311 Cyst, synovial
241 Cystic breast
218 Cystic duct remnant
77 Cystic fibrosis
232 Cystitis
266 Cystitis of pregnancy
248 Cystocele

134 Deafness
295 Decubitus
112 Deficiency, mental
76 Deficiency, nutritional
Deformity, congenital – *see Anomaly, congenital*
316 Deformity, musculoskeletal, acquired
128 Degeneration, globe of eye
81 Dehydration
340 Delirium, except acute and subacute
89 Delirium, acute or subacute
270 Delivery, NOS
Delivery complicated by:
  278 Abnormality, bony pelvis
  272 Abruptio placentae
  287 Acute toxemia
  276 Breech presentation
  278 Cephalopelvic disproportion
  281 Cesarean section, previous
  287 Complication NOS
  278 Disproportion, cephalopelvic
  278 Disproportion, fetopelvic
  287 Eclampsia
  278 Fetopelvic disproportion
  287 Hypertensive disorder
  279 Inertia, uterine
  277 Malpresentation, except breech
  275 Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

- Group Number — Title
- 73 Diabetes mellitus, uncontrolled
- 72 Diabetic acidosis
- 73 Diabetic cataract
- 72 Diabetic coma
- 73 Diabetic gangrene
- 73 Diabetic nephropathy
- 73 Diabetic neuropathy
- 73 Diabetic retinopathy
- 73 Diabetic ulcer
- 397 Dialysis, peritoneal
- 397 Dialysis, renal
- 204 Diaphragmatic hernia
- 208 Diarrhea, except infectious and functional
- 211 Diarrhea, functional
- 1 Diarrhea, infectious
- 6 Diphtheria
- Disease
  - 199 Appendix, except acute appendicitis
  - 151 Arteriosclerotic cardiovascular
  - 168 Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
  - 13 Arthropod-borne
  - 79 Autoimmune
  - 6 Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
  - 218 Biliary ducts
  - 234 Bladder, except calculus and cystitis
  - 313 Bone, except osteomyelitis and osteoarthritis
  - 242 Breast, except fibrocystic
  - 241 Breast, fibrocystic
  - 221 Celiac
  - Central nervous system
    - 7 Enteroviral
    - 113 Inflammatory, except enteroviral
    - 117 Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
  - Cerebrovascular — *see Cerebrovascular accident*
  - 136 Chronic rheumatic heart
  - 296 Connective tissue, diffuse
  - 143 Coronary artery
  - 211 Crohn's
  - 75 Cushing's
  - 187 Dental
  - 209 Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease – *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer – *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease – *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve – *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer – *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease – *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever